

A

# Fontname

---

version 2.1, July 1996  
Filenames for T<sub>E</sub>X fonts

K. Berry

---

# 1 Introduction

This is Fontname 2.1, a naming scheme for (the base part of) external T<sub>E</sub>X font filenames. This makes at most eight-character names from (almost) arbitrarily complex font names, thus helping portability of T<sub>E</sub>X documents. We point out some shortcomings of the scheme, and ways of dealing with them.

Please send additions, corrections, or other comments to me at `kb@mail.tug.org`, or to the mailing list '`tex-fonts@mail.tug.org`'. Email '`tex-fonts-request@mail.tug.org`' to join the list.

Besides this document, the Fontname distribution includes various encoding files, mapping files, and utilities. See the file '`README`' for details. You can retrieve the most up-to-date version of these lists by anonymous ftp as '`ftp://ftp.tug.org/tex/fontname`'. This directory is mirrored on all CTAN hosts ('`ftp.dante.de`', '`ftp.tex.ac.uk`', and their mirrors, such as '`ftp.cdrom.com`') in the directory '`tex-archive/doc/fontname`'. For a list of CTAN mirrors, finger '`ctan@ftp.tug.org`'.

This document is uncopylefted and may be used freely.

## 1.1 History

The original inspiration for Fontname was Frank Mittelbach and Rainer Schoepf's article in *TUGboat* 11(2) (June 1990), which led to my article in *TUGboat* 11(4) (November 1990), pages 512–519. Mittelbach wrote another article criticizing the scheme below in *TUGboat* 13(1) (April 1992), pages 51–53; most of his points are well-taken, but I saw no alternative then, and see no alternative now. Others of his points are addressed in the appropriate sections below.

In August 1995, Fontname version 2 was released, concomitantly with a new release of the PostScript fonts for use with LaT<sub>E</sub>X and Dvips. After several years of experience, several modifications of the original distribution seemed desirable: more precise specification of encodings (see [Section 2.4 \[Variants\], page 15](#)); machine-readable mapping files (the '`*.map`' files in the distribution) and standardizing directory names as well as font filenames (included in '`supplier.map`' and '`typeface.map`').

In Fontname version 1, some encoding variant characters ('0', '2', etc.) have been reassigned to a '7' or '8' sequence (see [Section 2.4 \[Variants\], page 15](#)). Although this is an incompatible change, the advantages of (1) consistency in naming encoding variants, and (2) having some free variants makes it worthwhile. Also, not so coincidentally, new metrics for PostScript fonts in the Cork encoding were issued—same encoding, different metrics. So a new name served a practical purpose as well.

Many people have contributed to this work. In particular, I gratefully acknowledge Nelson Beebe, Barbara Beeton, Rocky Bernstein, Thierry Bouche, Damian Cugley, Berthold K.P. Horn, Alan Jeffrey, Russell Lang, Pierre MacKay, Sebastian Rahtz, Jean Rivlin, and Tom Rokicki.

## 1.2 References

Related files and distributions:

- The T<sub>E</sub>X Directory Structure (TDS) standard, available from ('<ftp://ftp.tug.org/tex/tds>' and 'CTAN:/tds') specifies a directory tree for all T<sub>E</sub>X library files. The directory names given in [Section 2.1 \[Suppliers\], page 3](#) and [Section 2.2 \[Typefaces\], page 4](#) are intended to mesh with that standard.
- The 'modes.mf' file ('<ftp://ftp.tug.org/tex/modes.mf>') contains recommended mode names to use as directory names.
- The PSfonts distribution ('CTAN:/fonts/psfonts') contains T<sub>E</sub>X support for many fonts, both commercially available and free.
- The Fontinst distribution ('CTAN:/fonts/utilities/psfonts') supports quite general creation of virtual fonts, named according to the scheme given here.
- The Dvips translator (original from '[ftp://labrea.stanford.edu/pub/dvips\\*.tar.gz](ftp://labrea.stanford.edu/pub/dvips*.tar.gz)' and variation from '<ftp://ftp.cs.umb.edu/pub/tex/dvipsk.tar.gz>') supports resident and downloadable PostScript fonts. Dvips was the first real application of Fontname 1. Dvips also includes Afm2tfm, another program that can create virtual fonts.
- The Dviljk processor ('<ftp://ftp.cs.umb.edu/pub/tex/dviljk.tar.gz>') contains T<sub>E</sub>X support for the fonts built into the LaserJet 4.
- 'Designing New Typefaces with Metafont', by Richard Southall, Stanford Computer Science Department Technical Report STAN-CS-85-1074, September 1985, for a comprehensive terminology of font design.

## 2 Filenames for fonts

We must limit ourselves to eight character names, for compatibility with DOS filesystems and the ISO 9660 standard used for CD-ROM distribution. Names may consist of only the letters (monocase a-z), numerals (0-9), and underscore.

Here is the basic division of the eight characters (the spaces here are merely for readability):

*S TT W [V...] [N] [E] [DD]*

where

<i>S</i>	represents the supplier of the font.
<i>TT</i>	represents the typeface name.
<i>W</i>	represents the weight.
<i>V...</i>	represents the variant(s), and is omitted if both it and the width are normal. Many fonts have more than one variant.
<i>N</i>	represents the encoding, and is omitted if the encoding is nonstandard. Encodings are subsumed in the section on variants (see <a href="#">Section 2.4 [Variants], page 15</a> ).
<i>E</i>	represents the width (“expansion”), and is omitted if it is normal.
<i>DD</i>	represents the design size (in decimal), and is omitted if the font is linearly scaled. Mittelbach in <i>TUGboat</i> 13(1) proposes using hexadecimal or base-36 notation. I don’t think the increased range makes up for the unreadability of the common sizes (e.g., 10 pt fonts would have a suffix ‘a’ (in hex), or ‘j’ (in base 36)).

The weight, variants, and width are probably all best taken from the original name of the font, instead of trying to relate them to some external standard.

### 2.1 Suppliers

The *supplier* is the source of a font, typically a (digital) type foundry.

You should use the supplier letter which matches the supplier you obtained the font from, not the original source; for example, Avant Garde was designed by Herb Lubalin for ITC, but Adobe also sells it. The name of the font that you get from Adobe should start with ‘p’. This is because font resellers typically make modifications to the original design.

Notes on specific suppliers:

- ‘f’ For fonts that are distributed without any specific attribution to the creator, by individuals, or by small foundries. (Unfortunately, we don’t have enough characters to assign one to every font supplier in the world.)
- ‘r’ obsolete; specifies raw fonts, in the old distribution of Dvips. New fonts should never use ‘r’. (The right thing to do is specify the correct encoding, variant, or whatever the font’s characteristics actually are.)

‘z’ for fonts that just don’t fit well into the naming scheme. The ‘z’ should be followed by the real supplier letter.

Here is the table from the file ‘`supplier.map`’. It is organized alphabetically by abbreviation. Each line consists of an abbreviation, directory name, and comment.

9	<u>unknown</u>	
a	<code>autologi</code>	Autologic
b	<code>bitstrea</code>	Bitstream
c	<code>cg</code>	Compugraphic
d	<code>dtc</code>	Digital Typeface Corporation
e	<code>apple</code>	Apple
f	<code>public</code>	small foundries
g	<code>gnu</code>	Free Software Foundation
h	<code>bh</code>	Bigelow & Holmes
i	<code>itc</code>	International Typeface Corporation
k	<code>softkey</code>	SoftKey
l	<code>linotype</code>	Linotype
m	<code>monotype</code>	Monotype
n	<code>ibm</code>	IBM
o	<code>corel</code>	Corel
p	<code>adobe</code>	Adobe (‘p’ for PostScript)
r	-	raw (for [obsolete] use with virtual fonts)
s	<code>sun</code>	Sun
t	<code>paragrap</code>	ParaGraph
u	<code>urw</code>	URW
z	-	bizarre (fontname is nonstandard)
-	<code>jknappen</code>	Joerg Knappen

## 2.2 Typefaces

For our purposes, a *typeface* is a collection of related fonts.

We sometimes use the same typeface abbreviation for fonts with different supplier names, where we know (usually by inspection) that the fonts truly are the same. This helps conserve abbreviations.

Notes on specific typefaces:

‘ad’	
‘gm’	To explain a common confusion: ‘ad’ is Adobe Garamond (with a ‘ <code>FontName</code> ’ of ‘ <code>AGaramond</code> ’). This is quite different from the ‘ <code>Garamond</code> ’ typeface distributed by Adobe, which is actually ITC Garamond. (Garamond No. 3 (‘ <code>f3</code> ’), Simoncini Garamond (‘ <code>ig</code> ’), and Stempel Garamond (‘ <code>eg</code> ’)) are still other variations on the Garamond theme.)

'lh'	
'ls'	
'lx'	
'r1'	These abbreviations for Lucida typeface subfamilies, et al., solve a problem with names getting too long, or help conserve variant abbreviations. See <a href="#">Section 2.4 [Variants], page 15</a> . Ideally, they would not exist.
'ns'	
'nt'	
'tm'	Suppliers like to offer as many variations on the Times New Roman design as they do Garamond. Adobe has 'Times', 'TimesNewRoman', and 'TimesNewRomanPS'. Although this last has been used by other foundries (e.g., Monotype) for a Times variation exactly compatible with Adobe's 'Times', Adobe itself also offers it, so we must have abbreviations for all three.
'pi'	For pi fonts. Since names of pi fonts are rather arbitrary, it is not useful to try to assign typeface abbreviations to all of them. Instead, we use the supplier letter, 'pi', an arbitrarily-assigned three-digit number, a weight and (if necessary) a variant. For example, 'mpi001r'. Pi font '001' for one supplier has nothing to do with pi font '001' for another.

Here is the table, from the file 'typeface.map'. It is organized alphabetically by abbreviation. Each line consists of an abbreviation and directory name, possibly followed by PostScript 'FontName's and/or a comment in roman. The 'FontName' may be preceded by a letter s and a ':', as in 'b:Dutch'. In that case, the s is a supplier abbreviation, and we've used that abbreviation for the given 'FontName' from that supplier.

a1 arial	Arial	
a2 amasis	Amasis	
a3 adlib	AdLib	
a4 altgoth2	AlternateGothicNo2	
a5 allegro	Allegro	
a6 amelia	Amelia	
a7 amertext	AmericanText	
a8 aurora	Aurora	
a9 adsans	Adsans b:Humanist970BT	
aa aachen	Aachen	
ab aboeckli	ArnoldBoecklin	
ac acaslon	ACaslon	Adobe Caslon
ad agaramon	AGaramond	Adobe Garamond
ag avantgar	AvantGarde m:MAvantGardeGothicPS u:URWGothicL	
ah ashleysc	AshleyScript	
ai abadi	Abadi	
al albertus	Albertus b:Flareserif821BT	
am americana	Americana b:Americana	
an anna	Anna	
ao atqolive	AntiqueOlive b:Incised901BT	
ap apollo	Apollo	

aq antiqua	Antiqua u:URWAntiqua m:BookAntiqua
ar arcadia	Arcadia
as aldus	Aldus
at atypewri	AmericanTypewriter
au auriol	Auriol b:Freeform721
av avenir	Avenir
az azdzgrot	AkzidenzGrotesk b:Gothic725BT
b0 blackoak	Blackoak
b1 blado	Blado
b2 binnyos	BinnyOldStyle
b3 braggado	Braggadocio
b4 bison	Bison b:Brush738BT
b5 bingham	BinghamScript b:Freehand591BT
b6 block	Block b:Gothic821
b7 bernhard	Bernhard BernhardModern
b8 blippo	Blippo
b9 bremen	Bremen
bb bembo	Bembo b:Aldine401BT
bc banco	Banco
bd bodoni	Bodoni
be bell	Bell
bf biffo	Biffo
bg benguiat	Benguiat
bh bauhaus	Bauhaus
bi birch	Birch
bk bookman	Bookman m:MBookmanPS u:URWBookmanL
bl belwe	Belwe
bm bulmer	Bulmer
bn bernard	Bernard
bo balloon	Balloon
bp bodocamp	BodoniCampanile b:Modern735
br berling	Berling b:Revival565BT
bs bakersig	BakerSignet
bt boton	Boton
bu brush	Brush
bv baskervi	Baskerville
bw broadway	Broadway
by berkeley	Berkeley
c0 carolina	Carolina
c1 calisto	Calisto
c2 casln224	CaslonTwoTwentyFour
c3 caslon3	CaslonThree
c4 chicago	Chicago
c5 casln540	CaslonFiveForty
c6 clarion	Clarion
c7 compacta	Compacta
c8 calvert	Calvert
c9 codex	Codex b:Calligraphic421BT

ca caslon	Caslon
cb cooper	Cooper
cc cascade	Cascade b:Freehand471BT
cd clarendo	Clarendon
ce centenni	Centennial
cf clearfac	Clearface
cg charlema	Charlemagne
ch charter	Charter
ci candida	Candida
cl cloister	Cloister
cm cm	Computer Modern
cn century	Century
co cochin	Cochin
cp copperpl	Copperplate
cq cheq	Cheq
cr courier	Courier m:MCourierPS m:CourierTwelveMT u:NumbusMonL
cs cntursbk	CenturySchoolbook
ct cheltenh	Cheltenham
cu centuros	CenturyOldStyle
cv clairvx	Clairvaux
cw cottonwd	Cottonwood
cx caxton	Caxton
cy city	City b:SquareSlabserif711BT
cz choc	Choc b:Staccato555BT
d0 davida	DavidaBold
dc domcasl	Dom DomCasual DomDiagonal
dd ducberry	DucDeBerry
de dellarob	DellaRobbia
di diotima	Diotima b:Calligraphic810BT
dl dolores	Dolores
dm delima	Delima
dr doric	Doric
ds dorchesc	DorchesterScript
dt dante	Dante
e0 embassy	Embassy
e1 empire	Empire
ea lectra	Electra b:Transitional521BT
eb baskerbe	BaskervilleBE
ec applecha	e:AppleChancery
ee egyptian	Egyptian EgyptianExtended
ef egyptien	EgyptienneF
eg stgaramo	StempelGaramond b:OriginalGaramondBT
eh engsft	Engschrift
ei esprit	Esprit
ek eckmann	Eckmann b:Freeform710
el ellington	Ellington
en engraver	Engravers
eo amerigo	Amerigo b:AmerigoBT

er eras	Eras
es eurostil	Eurostile b:Square721BT k:Minima
et ehrhardt	Ehrhardt
eu euler	Euler
ex exclsior	Excelsior
f0 flemishs	FlemishScript
f1 fournier	Fournier
f2 facade	Facade
f3 festival	Festival
f4 footligh	Footlight
f5 french	French
fa formata	Formata
fe forte	Forte
ff fairfld	Fairfield b:Transitional551BT
fg frankgth	FranklinGothic
fi figaro	Figaro
fl flora	Flora
fn fenice	Fenice
fo folio	Folio
fq frizquad	FrizQuadrata
fr frutiger	Frutiger b:Humanist777BT
fs falstaff	Falstaff
ft fettefrk	FetteFraktur Fraktur
fu futura	Futura
fx felixttl	FelixTitling
Flyer	
g0 gando	Gando
g1 gothic13	GothicThirteen
g2 giddyup	Giddyup
g3 garamon3	GaramondThree b:AmercianGaramondBT
g4 gymodern	GoudyModern
g5 gycatalog	GoudyCatalogue
g6 gorilla	GorillaITC
g9 ugaramon	GaramondRetrospective
gb gothicbb	GothicBBB
ge geneva	e:Geneva
gg garthgra	GarthGraphic
gj granjon	Granjon b:ElegantGaramondBT
gl galliard	Galliard
gm garamond	Garamond
go gyoldsty	GoudyOldStyle
gp glypha	Glypha
gq grotesq	Grotesque u:URWGrotesk
gr gloucest	Gloucester
gs gillsans	GillSans m:GillAltOneMT b:Humanist521BT
gt goudytxt	GoudyText
gu guardi	Guardi
gv giovanni	Giovanni

Garamond No. 3

gy goudy	Goudy
h0 handelgo	HandelGothic
hb hobo	Hobo Tramp
hc herculnm	Herculanum
hd headline	Headline
hg hiroshig	Hiroshige
hi hvinsera	HelveticaInserat b:Swiss921BT
hm charme	Charme
hn hvneue	HelveticaNeue
ho horleyos	HorleyOldStyle
hr hvround	HelveticaRounded
hs hnseati	Hanseatic B:Swiss924BT
ht hoeflert	e:HoeflerText
hv helvetica	Helvetica u:NimbusSans u:NimbusSanL b:Swiss721BT b:Monospace821BT b:Sw
hw schadow	Schadow
hx huxleyvr	HuxleyVertical
i0 commscr	CommercialScript
i1 impress	Impress
i2 impuls	Impuls
ia insignia	Insignia
ib ibycus	Ibycus
ic impact	Impact
if inflex	Inflex
ig scgaramo	SimonciniGaramond b:ItalianGaramond
ii imprint	Imprint
il caecilia	Caecilia
im imago	Imago
in industri	Industria
io ionic	Ionic b:News701BT
ip impressm	Impressum
is italnos	ItalianOldStyle
it italia	Italia
iw ironwood	Ironwood
iy iowanold	IowanOldStyle
jf jeffersn	Jefferson b:Freehand575BT
jn janson	Janson
jo joanna	Joanna
jp juniper	Juniper
kb kabel	Kabel
kg bankgoth	BankGothic
kl clang	Klang
kn kino	Kino
ko bookmano	BookmanOldStyle
kr korinna	Korinna
ks kuenstsc	KuenstlerScript
ku kaufmann	Kaufmann
l1 liberty	Liberty
l2 libra	Libra

l3	lucia	Lucia
l4	lucian	Lucian
lb	lubaling	LubalinGraph
lc	lucida	Lucida
lf	life	Life
lg	lettrgth	LetterGothic ISILGothic
lh	lubright	LucidaBright
li	latin	Latin
ln	lino	Lino
lo	lithos	Lithos
ls	lucsans	LucidaSans
lt	lutetia	Lutetia
lw	leawood	Leawood
lx	lucifax	LucidaFax
ly	lydian	Lydian
m0	monospac	Monospace
m1	monolisc	MonolineScript
m2	metro	Metro b:Geometric415BT
m3	mirarae	Mirareae
m4	mreal	MisterEarl
m5	murrayhl	MurrayHill
m6	mittlsft	Mittelschrift
m7	matura	Matura
m8	monotyos	MonotypeOldStyle
ma	mandate	Mandate b:Freehand521BT
mc	monaco	e:Monaco
md	meridien	Meridien
me	mercursc	MercuriusScript
mg	marigold	Marigold
mh	machine	Machine
mi	medici	Medici
ml	melior	Melior b:ZapfElliptical711BT
mn	minion	Minion
mo	modern	Modern b:Modern20BT
mp	memphis	Memphis b:GeometricSlab703BT
mq	mesquite	Mesquite
mr	madrone	Madrone
ms	mistral	Mistral b:Staccato222BT
mt	minister	Minister
mv	malvern	Malvern
mx	maximus	Maximus
mz	amazone	Amazone
n0	normande	Normande
n1	binner	Binner
na	newaster	NewAster
nb	nbaskerv	NewBaskerville
nc	ncntrsblk	NewCenturySchL
nd	ncaledon	NewCaledonia

nf nofret	Nofret
ng newsgth	NewsGothic
ni nimrod	Nimrod
nk neograph	Neographik
nl neuland	Neuland b:Informal011BT
nm nimbus	Nimbus
nn nclarend	NewClarendon
np nsplanti	NewsPlantin
nr nberolin	NewBerolina
ns timesnps	TimesNewRomanPS
nt timesnew	TimesNewRoman m:TimesNR n:SonoranSerif
nu nuptial	Nuptial
nv novarese	Novarese
nz neuzeits	NeuzeitS b:Geometric706BT
o0 oldreadf	OldDreadfulNo7
o1 oranda	Oranda
o2 orbitb	OrbitB
o3 colonna	Colonna
o4 oceansan	OceanSans
o7 oldsty7	OldStyleSeven
oa ocra	OCR-A
ob ocrb	OCR-B
oc concorde	Concorde
oe oldengli	OldEnglish b:English157
oi ondine	Ondine Mermaid b:FormalScript421BT
ol colmcill	Colmcille
om omnia	Omnia
on corona	Corona
op optima	Optima d:Optimum b:ZapfHumanist601BT Omega
or orator	Orator
os oldstyle	OldStyle
ot coronet	Coronet b:Ribbon131BT
ov octavian	Octavian
ox onyx	Onyx
oy olympian	Olympian l:OlympicLH
oz ozhandcr	OzHandicraft
p0 poplar	Poplar
p1 palacesc	PalaceScript
p2 pepita	Pepita
p3 palette	Palette b:Brush445BT
p4 pioneer	PioneerITC
p5 piranesi	Piranesi
p6 blueprin	Blueprint
pa parkave	ParkAvenue
pb ptbarnum	PtBarnum
pc poetica	PoeticaChancery s:Scriptoria
pd placard	Placard
pe prestige	PrestigeElite

pf profile	Profile Profil b:Decorated035BT
pg peignot	Peignot b:Exotic350BT
ph photina	Photina
pi pi	pi fonts—see text and ‘*.map’ files
pl palatino	Palatino d:Palton b:ZapfCalligraphic801BT u:URWPalladioL Palmspring k:
pn plantin	Plantin b:Aldine721BT
po ponderos	Ponderosa
pp perpetua	Perpetua b:Lapidary333BT
pq postatqa	PostAntiqua
ps parisian	Parisian
pt present	Present
pu popplaud	PopplLaudatio
pw perrywoo	Perrywood
px popplpx	PopplPontifex
py playbill	Playbill
pz poliphil	Polophilus
qr quorum	Quorum
qt boulevar	Boulevard
r0 romana	Romana
r1 rotis	RotisSemi
r2 cantoria	Cantoria
ra raleigh	Raleigh
ro rotis	Rotis
rm carmina	Carmina
rp reporter	Reporter
rq russelsq	RussellSquare
rs arrus	Arrus
rt carta	Carta
ru runic	Runic
rv revue	Revue
rw rockwell	Rockwell Slate b:GeometricSlab712BT
ry ryumin	Ryumin
s0 sanmarco	SanMarco
s1 scotchro	ScotchRoman
s2 script	Script
s3 seagull	Seagull
s4 shotgun	Shotgun ShotgunBlanks
s5 snell	Snell
s6 stuyvesa	Stuyvesant
s7 sassoon	Sassoon
sb sabon	Sabon b:ClassicalGaramondBT
sc slimbach	Slimbach
sf serif	Serifa
sg serifgothic	SerifGothic
sh shannon	Shannon
sk skia	e:Skia
sl stencil	Stencil
sm spectrum	Spectrum

sn spartan	Spartan
so sonata	Sonata
sp serpenti	Serpentine
sr snellrnd	SnellRoundhand
ss stschnei	StempelSchneidler
st stone	Stone
sv souvenir	Souvenir
sw swing	Swing
sx syntax	Syntax
sy symbol	Symbol m:MSymbolPS u:StandardSymL
t0 tango	Tango
t1 thunderb	Thunderbird
t2 typo	TypoUpright
tb bebononi	BBodoni
te timeseur	TimesEuropa
tf tiffany	Tiffany
tg tradegth	TradeGothic
ti techphon	TechPhonetic
tj trajan	Trajan
tk tekton	Tekton
tl castella	Castellar
tm times	Times u:NimbusRoman u:NimbusRomNo9L b:Dutch801BT
to torino	Torino b:Industrial736BT
tp tempo	Tempo
tv trumpmed	TrumpMediaeval b:Kuenstler480BT
tw twentyc	TwentiethCentury
ty typewrit	Typewriter
u0 columbus	Columbus
ub babodonni	BauerBodoni
ug bengugh	BenguiatGothic
uh cushing	Cushing
ul universa	Universal
um umbra	Umbra
un univers	Univers b:ZurichBT
ur centaur	Centaur b:Venetian301BT
ut utopia	Utopia
uw usherwoo	Usherwood
uy universi	University
v0 vineta	Vineta
va activa	Activa
vc vectora	Vectora
vd vandijck	VanDijck
vi victoria	Victoria
vj veljovic	Veljovic
vl versail	Versailles
vr vagrnd	VAGRounded
w0 weddingt	WeddingT
wb walbaum	Walbaum

Berthold Bodoni

wd weideman	Weidemann
wg wlklgth	WilhelmKlingsporGotisch
wi wingding	Wingdings
wk wilke	Wilke
wn windsor	Windsor
wr wittenbe	WitternbergerFrakt
ws weiss	Weiss
ww willow	Willow
yg centuryg	CenturyGothic
yh strayhor	Strayhorn
ym stymie	Stymie
za zantiqua	ZAntiqua
zc zapfchan	ZapfChancery m:ZapfChanceryPS u:URWChanceryL
zd zapfding	ZapfDingbats m:ZapfDingbatsPS u:Dingbats
zg neuzeitg	NeuzeitGrotesk
zt zeitgeis	Zeitgeist

## 2.3 Weights

The *weight* of a font specifies its boldness. Arranged from lightest to heaviest (more or less):

- hairline, extra light, light
- book, regular, medium
- demibold, semibold, bold, extra bold, heavy
- black, ultra, poster

Here is the table, from the file ‘weight.map’. It is organized alphabetically by abbreviation. Each line consists of an abbreviation and any parts of a PostScript ‘FontName’ which use that abbreviation.

a	Thin Hairline
b	Bold
c	Black
d	Demi
h	Heavy Heavyface
j	ExtraLight
k	Book
l	Light
m	Medium
p	Poster
r	Regular Roman
s	Semibold
u	Ultra UltraBlack
x	ExtraBold ExtraBlack

## 2.4 Variants

*Variants* include typeface variations (e.g., italic, sans serif), and font encodings (e.g., Adobe standard, TEX text).

A fontname may require multiple variants. To resolve the worst ambiguities, we specify that any encoding variant ('7', '8', or '9', see below) come last and any other numeral variant come first (to avoid confusion with a design size). We recommend but do not require that the other variants be given in alphabetical order. (It's not required because it's too painful to implement the sorting in TEX, and many existing names already have non-alphabetized variants.)

The letterspacing possibilities introduced by `fontinst` and virtual fonts have not yet become sufficiently widespread to make standardization beneficial. Likewise for the many possible ways to generate small caps fonts.

Notes on specific variants, both old and new:

'1'

'4'

'6'

'b'

These variants ('semisans', 'bright', 'semiserif', and 'fax') were used only for single typefaces, so to conserve variant abbreviations, they now have typeface abbreviations instead. Also, for 'b', to avoid too-long names; and for the others, to avoid variant vs. design-size ambiguities.

'g'

'h'

Since these variants were not actually used in any font names, they are now obsolete and may be reassigned in the future.

'5'

'6'

'7'

'8'

'9'

These characters begin a two-character *encoding variant*. Generally, '7' is for 7-bit encodings, '8' is for 8-bit encodings, and '9' is for expertised encodings with or without oldstyle digits (see the 'x' item below), but this is not an absolute rule. Also, '5' is presently used for phonetic encodings and '6' for Cyrillic encodings. The '9s' ('SuperFont') variant contain all of Adobe, Latin 1, and Expert glyphs, perhaps with slightly different metrics than the original fonts.

For a font to be named with a certain encoding variant, it's not necessary that all the characters appear in precisely the same positions as in the encoding definition. It's enough that the usual TEX macros work. In practice, this means that it's ok for a font to be labelled '7t' if the only difference from Computer Modern is that the ligatures and the 'lslash' and 'Lslash' characters are different, since it's impossible to access or change the ligature table from TEX. Standard PostScript fonts don't have an 'lslash' character the way Computer Modern does, but they do have the 'Lslash' and 'lslash' characters themselves, so the usual TEX `lslash` and `Lslash` macros can be made to work via ligatures. See the file 'T1.etx' file in the `fontinst` distribution for details.

If a name does not contain a specific encoding variant, its encoding is unspecified. For example, some of the fonts distributed with Dvips(k) have names like ‘ptmr’ for ‘Times–Roman’; they use the Dvips encoding (see [\(undefined\) \[dvips\]](#), [page \(undefined\)](#)), which is close to (but not the same as) the TeX text encoding (as in Computer Modern Roman). Similarly, the TFM files distributed with Dvijl(j) for the builtin LaserJet 4 fonts have names like ‘cunm’, since these fonts, while compatible with TeX text, contain many additional characters.

‘9’  
These items are needed only because ‘x’ (and possibly ‘j’) followed by a two-character regular variant makes some names too long. That is, ‘9t’ is equivalent in meaning to ‘x7t’, and ‘9d’ is equivalent to ‘jx7t’. (This may not be true for all ‘9x’ encodings, though.)

‘k’  
‘z’  
These variants (indicating Greek and Cyrillic fonts, respectively) are obsolete; future fonts in different scripts should be assigned an appropriate encoding abbreviation. These are not currently standardized, due to ignorance of the appropriate encodings. Please send suggestions for abbreviations to the address in [Chapter 1 \[Introduction\], page 1](#).

‘m’  
‘v’  
‘y’  
These math-related variants remain for the sake of typeface-specific math encodings, e.g., Lucida. Fonts that use the Computer Modern math encodings should use ‘7m’ (see [\(undefined\) \[texmital\]](#), [page \(undefined\)](#)), ‘7v’ (see [\(undefined\) \[texmext\]](#), [page \(undefined\)](#)), and ‘7y’ (see [\(undefined\) \[texmsym\]](#), [page \(undefined\)](#)).

‘n’  
This is used for several different (but very rare) variants: only the Stone typeface has an “informal” variant, and only a few Monotype fonts have a “schoolbook” variant, with different ‘a’, ‘g’, and ‘y’ shapes.

‘r’  
Included only if no other variants, including encodings, apply, and either the width (see [Section 2.5 \[Widths\]](#), [page 18](#)) is not ‘r’ or a design size is present. I.e., ‘r’ is only used as a placeholder. When the normal version of the typeface is sans serif (e.g., Helvetica), ‘r’ should be used when necessary, not ‘s’. Use ‘s’ only when the typeface family has both serif and sans serif variants.

‘s’  
‘t’  
Mittelbach in *TUGboat* 13(1) suggests that these variants (for ‘sans’ and ‘typewriter’) should be identified as part of the typeface name, because there are few typeface families with these variants. I feel that since they are logically variants, it’s best to name them that way. But ‘LucidaSans’ (see [Section 2.2 \[Typefaces\]](#), [page 4](#)) and a few others are exceptions, to avoid too-long names.

‘x’  
‘8x’  
‘9?’  
‘8x’ indicates a font in the ‘Expert’ encoding itself. ‘x’ indicates an *expertised* font, i.e., a composite (virtual) font that includes characters from an ‘8x’ font. And in fact an ‘xee’ sequence is replaced by ‘9e’, to save characters.

Fontname 1 assignments are shown in brackets in the following table, from the file ‘variant.map’. It is organized alphabetically by abbreviation. Each line consists of an abbreviation and either any parts of a PostScript ‘FontName’ which use that abbreviation or the PostScript ‘Encoding’ name.

obsolete [0=‐8a]	Adobe standard encoding
obsolete [1 SemiSans]	
obsolete [2=‐7c]	Fraktur encoding
obsolete [3=‐7f]	Fraction
obsolete [4 fax; now typeface ‘1x’, Lucida Fax]	
5	escape for (presently) phonetic encodings
6	escape for Cyrillic encodings [was ‘SemiSerif’]
7	escape for (mostly) 7-bit encodings
8	escape for (mostly) 8-bit encodings
9	escape for (presently) expert encodings [was oldstyle digits]
a Alt Arrows Alternative	[was alternate encoding]
obsolete [b bright; now typeface lh, Lucida Bright]	
c SmallCaps	
d Display Titling Caption Headline TallCaps SwashCaps LombardicCaps	
e Engraved Copperplate Elite	
f Fraktur Gothic OldEnglish Handtooled (‘gothic’ can also be sans)	
g SmallText	designed for small sizes [was grooved, as in the IBM logo]
h Shadow	
i Italic Kursiv Ital	text italic
j	old-style digits [was invisible]
k Greek	obsolete
l Outline OpenFace Blanks	
m math italic	
n Informal Fashion Schlbk	for Stone
o Oblique Obl	slanted
p Ornaments	
obsolete [q=‐8t Cork (TeX extended) encoding]	
r	roman or sans; often omitted, see text
s Gothic	sans serif
t Monospace	fixed-width typewriter
u	unslanted italic
v MathExtension	
w Script Handwritten Swash Calligraphy Cursive Tango	
x built with Adobe expert encoding [was expert-encoded]	
y MathSymbol	
z Cyrillic	font-dependent Cyrillic
5a PhoneticAlternate	
5i PhoneticIPA	
5s sil-IPA	
6b Cyrillic part of ISO 8859-5, seven bits	
6d Cyrillic CP866 encoding	
6i ISO 8859-5	
6k Cyrillic KOI-8 encoding	
6m Cyrillic Macintosh encoding	

6w Cyrillic CP1251 encoding	
7a A	alternate characters only
7c Dfr	Fraktur
7d OsF OSF	oldstyle digit encoding
7f Fraction	
7k OT2Cyrillic	
7m TeXMathItalicEncoding	see <a href="#">⟨undefined⟩ [texmital]</a> , page <a href="#">⟨undefined⟩</a>
7t	TeX text encoding (as in Computer Modern Roman)
7v TeXMathExtensionEncoding	see <a href="#">⟨undefined⟩ [texmext]</a> , page <a href="#">⟨undefined⟩</a>
7y TeXMathSymbolEncoding	see <a href="#">⟨undefined⟩ [texmsym]</a> , page <a href="#">⟨undefined⟩</a>
82 GreekKeys	
83 Ibucus1	
84 Ibucus2	
8a StandardEncoding	Adobe standard encoding, see <a href="#">⟨undefined⟩</a>
8a [8a], page <a href="#">⟨undefined⟩</a>	
8c TeXTextCompanion	LaTeX's TS1
8m Macintosh standard encoding	
8r TeXBase1Encoding	see <a href="#">⟨undefined⟩ [8r]</a> , page <a href="#">⟨undefined⟩</a>
8t CorkEncoding	see <a href="#">⟨undefined⟩ [cork]</a> , page <a href="#">⟨undefined⟩</a>
8u XT2Encoding	cmtt + Latin 2, see 'x12.enc'
8w Windows 3.1 ANSI encoding	
8x Expert	expert encoding
8z XL2Encoding	cmr + Latin 2, see 'x12.enc'
9c expert + Text companion	
9d expert + oldstyle digits + Cork	
9e expert + Cork	
9o expert + oldstyle digits + TeX text	
9s SF	SuperFont
9t expert + TeX text	

## 2.5 Widths

The *width* of a font specifies the compression or expansion of the font. Arranged from narrowest to widest (more or less):

- ultra compressed, extra condensed, compressed, condensed, narrow
- regular
- extended, expanded, wide

Expansion or compression of fonts is sometimes done automatically (as by the PostScript `scale` operator), and sometimes done by humans. In the latter case, the human will also presumably choose a font name which includes ‘Extended’ or ‘Expanded’ or ‘Condensed’ or ‘Narrow’ or whatever according to their own preferences; the abbreviation can follow along. When creating a new synthetically expanded or compressed font for use with TeX, e.g., with `Afm2tfm` or `fontinst`, use ‘n’ and ‘e’.

Here is the table, from the file ‘width.map’. It is organized alphabetically by abbreviation. Each line consists of an abbreviation and any parts of a PostScript ‘FontName’ which use that abbreviation.

c	Condensed	Cond		
e	Expanded			
n	Narrow			
o	UltraCondensed			
p	Compressed	Compact		
q	ExtraCompressed	ExtraCondensed		
r	Normal	Medium	Regular	(usually omitted)
t	Thin			
u	UltraCompressed			
v	ExtraExpanded	more than Expanded, less than Wide		
w	Wide			
x	Extended	Elongated		

## 3 Long names

Eight characters is not enough to unambiguously represent all fonts. To do that, we have to allow ourselves arbitrarily long names. Although we certainly cannot use such names for the files themselves, we could still use them in  $\text{\TeX}$  documents given a simple mapping file, as discussed below.

### 3.1 A fontname mapping file

At the moment, most implementations of  $\text{\TeX}$  look up a TFM file (as part of the `font` command), by searching for a file with the name given by the user (possibly in any of series of directories). But if we also looked TFM names up in *another* file (or set of files), which specifies the actual filename, the fontname given in the  $\text{\TeX}$  source file could be almost anything at all, of any length.

In version 5.851d of Web2c, I implemented this mapping file. Each file ‘`texfonts.map`’ in a search path is read for abbreviations. The file has a straightforward format: each line specifies the filename and the  $\text{\TeX}$  name for one font, separated by whitespace. Extra information on the line is ignored; then more information could be specified for the benefit of DVI-reading programs in the same file. Comments start with % and continue to the end of the line.

Besides allowing long names, this sort of mapping file has other benefits.  $\text{\TeX}$  source or DVI files can be more easily transported, because the font names in a particular file can be made work on every system. Also, when combined with a consistent naming scheme, macros could be written to access any of a number of fonts. Right now, each font family has to have specialized macros written to deal with it.

Incidentally, Professor Knuth has approved this as a legitimate “system-dependent” extension; a  $\text{\TeX}$  with such a feature can still be called “ $\text{\TeX}$ ”.

### 3.2 A naming scheme for long names

Once we allow ourselves long names, we can construct a naming scheme to handle arbitrary fonts without much difficulty. Here is one proposal, based on the X Window System font naming conventions.

*supplier-family-weight-variants-width-encoding--size*

*supplier* is the usual `Adobe`, `Autologic`, etc., as well as `unknown` or `bizarre`—this last meaning the rest of the name is nonstandard. If the *supplier* is missing, i.e., the name starts with a -, “public domain” is assumed. For fonts made by individuals, the initials of the designer would probably make a good *supplier*.

*family* is `ComputerModern` or `Times` or whatever.

Everything else is optional. The `--` before the *size* lets one specify a name with, say, a weight and variants, but then skip the *width* and *encoding*, but still be able to give a size.

*weight* and *width* are as described earlier.

If there is more than one variant, they are separated with some character other than ‘-’, say ‘=’:

**B+H-Lucida-Bold-Sans=Typewriter--10**

*encoding* is what Metafont calls the `font coding scheme`—the layout of the characters in the font. For example, ‘Cork’ or ‘ISOLatin1’ or ‘AdobeAlternate’.

Names are case-sensitive, for consistency with the rest of TEX and with PostScript, etc. Spaces cannot be used in the name, to make it easier for TEX to parse. Likewise, characters with default category codes other than 11 (letter) or 12 (other) should not be used.

Another possibility is to forget all the above, and simply use the vendor’s name (perhaps prefixed by the vendor): ‘Times-Roman’.

## Appendix A Font name lists

These sections contain a list of fonts from various suppliers together with the corresponding names.

### A.1 Standard PostScript fonts

Abbreviated names for the 35 standard PostScript fonts. An encoding variant, such as ‘8a’ for the Adobe ‘StandardEncoding’, is omitted.

‘pagk’	‘AvantGarde-Book’
‘pagko’	‘AvantGarde-BookOblique’
‘pagd’	‘AvantGarde-Demi’
‘pagdo’	‘AvantGarde-DemiOblique’
‘pbkd’	‘Bookman-Demi’
‘pbkdi’	‘Bookman-DemiItalic’
‘pbkl’	‘Bookman-Light’
‘pbkli’	‘Bookman-LightItalic’
‘pcrb’	‘Courier-Bold’
‘pcrbo’	‘Courier-BoldOblique’
‘pcrr’	‘Courier’
‘pcrro’	‘Courier-Oblique’
‘phvb’	‘Helvetica-Bold’
‘phvbo’	‘Helvetica-BoldOblique’
‘phvbrn’	‘Helvetica-NarrowBold’
‘phvbon’	‘Helvetica-NarrowBoldOblique’
‘phvr’	‘Helvetica’
‘phvro’	‘Helvetica-Oblique’
‘phvrrn’	‘Helvetica-Narrow’
‘phvron’	‘Helvetica-NarrowOblique’
‘pncb’	‘NewCenturySchlbk-Bold’
‘pncbi’	‘NewCenturySchlbk-BoldItalic’
‘pncri’	‘NewCenturySchlbk-Italic’
‘pncre’	‘NewCenturySchlbk-Roman’

‘pplb’	‘Palatino-Bold’
‘pplbi’	‘Palatino-BoldItalic’
‘pplri’	‘Palatino-Italic’
‘pplr’	‘Palatino-Roman’
‘psyr’	‘Symbol’
‘ptmb’	‘Times-Bold’
‘ptmbi’	‘Times-BoldItalic’
‘ptmri’	‘Times-Italic’
‘ptmr’	‘Times-Roman’
‘pzcmi’	‘ZapfChancery-MediumItalic’
‘pzdr’	‘ZapfDingbats’

## A.2 Adobe fonts

The ‘adobe.map’ file has abbreviations for Adobe fonts.

ierb8r	ItcEras-Bold
ierd8r	ItcEras-Demi
ierk8r	ItcEras-Book
ierl8r	ItcEras-Light
ierm8r	ItcEras-Medium
ieru8r	ItcEras-Ultra
ikbb8r	ItcKabel-Bold
ikbd8r	ItcKabel-Demi
ikbk8r	ItcKabel-Book
ikbm8r	ItcKabel-Medium
ikbu8r	ItcKabel-Ultra
isyb8r	ItcSymbol-Bold
isybi8r	ItcSymbol-BoldItalic
isyc8r	ItcSymbol-Black
isyci8r	ItcSymbol-BlackItalic
isyk8r	ItcSymbol-Book
isyki8r	ItcSymbol-BookItalic
isym8r	ItcSymbol-Medium
isymi8r	ItcSymbol-MediumItalic
paab8r	Aachen-Bold
pabr8r	ArnoldBoecklin
pacb7a	ACaslon-AltBold
pacb8r	ACaslon-Bold
pacb8x	ACaslonExp-Bold
pacbi7a	ACaslon-AltBoldItalic
pacbi8r	ACaslon-BoldItalic
pacbi8x	ACaslonExp-BoldItalic

pacbwi8r ACaslon-SwashBoldItalic  
pacr7a ACaslon-AltRegular  
pacr8r ACaslon-Regular  
pacr8x ACaslonExp-Regular  
pacri7a ACaslon-AltItalic  
pacri8r ACaslon-Italic  
pacri8x ACaslonExp-Italic  
pacrp8r ACaslon-Ornaments  
pacrwi8r ACaslon-SwashItalic  
pacs7a ACaslon-AltSemibold  
pacs8r ACaslon-Semibold  
pacs8x ACaslonExp-Semibold  
pacsi7a ACaslon-AltSemiboldItalic  
pacsi8r ACaslon-SemiboldItalic  
pacsi8x ACaslonExp-SemiboldItalic  
pacswi8r ACaslon-SwashSemiboldItalic  
padb8r AGaramond-Bold  
padb8x AGaramondExp-Bold  
padbi8r AGaramond-BoldItalic  
padbi8x AGaramondExp-BoldItalic  
padr7a AGaramondAlt-Regular  
padr8r AGaramond-Regular  
padr8x AGaramondExp-Regular  
padrd8r AGaramond-Titling  
padri7a AGaramondAlt-Italic  
padri8r AGaramond-Italic  
padri8x AGaramondExp-Italic  
pads8r AGaramond-Semibold  
pads8x AGaramondExp-Semibold  
padsi8r AGaramond-SemiboldItalic  
padsi8x AGaramondExp-SemiboldItalic  
pagb8r AvantGarde-Bold  
pagbo8r AvantGarde-BoldObl  
pagbr8rc AvantGarde-CondBold  
pagd8r AvantGarde-Demi  
pagdo8r AvantGarde-DemiOblique  
pagdr8rc AvantGarde-CondDemi  
pagi8r AvantGarde-ExtraLight  
pagio8r AvantGarde-ExtraLightObl  
pagk8r AvantGarde-Book  
pagko8r AvantGarde-BookOblique  
pagkr8rc AvantGarde-CondBook  
pagm8r AvantGarde-Medium  
pagmo8r AvantGarde-MediumObl  
pagmr8rc AvantGarde-CondMedium  
pamb8r Americana-Bold  
pamr8r Americana  
pamri8r Americana-Italic

pamx8r Americana-ExtraBold  
panr8r Anna  
paob7a AntiqueOliveEastA-Bold  
paob8r AntiqueOlive-Bold  
paobr8rc AntiqueOlive-BoldCond  
paoc7a AntiqueOliveEastA-Black  
paoc8r AntiqueOlive-Black  
paohix8r AntiqueOlive-NordItalic  
paohrx8r AntiqueOlive-Nord  
paol7a AntiqueOliveEastA-Light  
paol8r AntiqueOlive-Light  
paor7a AntiqueOliveEastA-Roman  
paor8r AntiqueOlive-Roman  
paori7a AntiqueOliveEastA-Italic  
paori8r AntiqueOlive-Italic  
paorr8rn AntiqueOlive-Compact  
parr7a Arcadia-A  
parr8r Arcadia  
pasr8r Aldus-Roman  
pasrc8r Aldus-RomanSC  
pasri7d Aldus-ItalicOsF  
pasri8r Aldus-Italic  
patb7aa AmericanTypewriter-BoldA  
patb7ac AmericanTypewriter-BoldCondA  
patb8r AmericanTypewriter-Bold  
patbr8rc AmericanTypewriter-BoldCond  
patl7a AmericanTypewriter-LightA  
patl7ac AmericanTypewriter-LightCondA  
patl8r AmericanTypewriter-Light  
patlr8rc AmericanTypewriter-LightCond  
patm7a AmericanTypewriter-MediumA  
patm8r AmericanTypewriter-Medium  
patr7ac AmericanTypewriter-CondA  
patrr8rc AmericanTypewriter-Cond  
paub8r Auriol-Bold  
paubi8r Auriol-BoldItalic  
pauc8r Auriol-Black  
pauci8r Auriol-BlackItalic  
paur8r Auriol  
pauri8r Auriol-Italic  
pavc8r Avenir-Black  
pavco8r Avenir-BlackOblique  
pavh8r Avenir-Heavy  
pavho8r Avenir-HeavyOblique  
pavk8r Avenir-Book  
pavko8r Avenir-BookOblique  
pavl8r Avenir-Light  
pavlo8r Avenir-LightOblique

pavm8r Avenir-Medium  
pavmo8r Avenir-MediumOblique  
pavr8r Avenir-Roman  
pavro8r Avenir-Oblique  
pazb8r AkzidenzGrotesk-Bold  
pazc8r AkzidenzGrotesk-Black  
pazl8r AkzidenzGrotesk-Light  
pazr8r AkzidenzGrotesk-Roman  
pb0r8r Blackoak  
pbbb8r Bembo-Bold  
pbbbi8r Bembo-BoldItalic  
pbbr8r Bembo  
pb bri8r Bembo-Italic  
pbbs8r Bembo-Semibold  
pbb si8r Bembo-SemiboldItalic  
pbbx8r Bembo-ExtraBold  
pbbxi8r Bembo-ExtraBoldItalic  
pbcr8r Banco  
pbdb8r Bodoni-Bold  
pbdbi8r Bodoni-BoldItalic  
pb dbr8rc Bodoni-BoldCondensed  
pbdk8r Bodoni-Book  
pb dk i8r Bodoni-BookItalic  
pb dp8r Bodoni-Poster  
pb dpi8r Bodoni-PosterItalic  
pb dpr8rp Bodoni-PosterCompressed  
pbdr8r Bodoni  
pb dri8r Bodoni-Italic  
pbgb8r Benguiat-Bold  
pb gk8r Benguiat-Book  
pbhb8r Bauhaus-Bold  
pbhd8r Bauhaus-Demi  
pb hh8r Bauhaus-Heavy  
pb h18r Bauhaus-Light  
pb hm8r Bauhaus-Medium  
pb ir8r Birch  
pb kb8r Bookman-Bold  
pb kbi8r Bookman-BoldItalic  
pb kd8r Bookman-Demi  
pb kdi8r Bookman-DemiItalic  
pb kl8r Bookman-Light  
pb kli8r Bookman-LightItalic  
pb km8r Bookman-Medium  
pb kmi8r Bookman-MediumItalic  
pb lb8r Belwe-Bold  
pb ll8r Belwe-Light  
pb lm8r Belwe-Medium  
pb lrr8rc Belwe-Condensed

pbrb8r Berling-Bold  
pbrbi8r Berling-BoldItalic  
pbrr8r Berling-Roman  
pbrr18r Berling-Italic  
pbsr8r BakerSignet  
pburw8r BrushScript  
pbvbz8r BaskervilleCyrillic-Bold  
pbvroz8r BaskervilleCyrillic-Inclined  
pbvrz8r BaskervilleCyrillic-Upright  
pbyb8r Berkeley-Bold  
pbybi8r Berkeley-BoldItalic  
pbyc8r Berkeley-Black  
pbyci8r Berkeley-BlackItalic  
pbyk8r Berkeley-Book  
pbyki8r Berkeley-BookItalic  
pbym8r Berkeley-Medium  
pbyri8r Berkeley-Italic  
pc0r7c Carolina-Dfr  
pc0r8r Carolina  
pc2b8r CaslonTwoTwentyFour-Bold  
pc2bi8r CaslonTwoTwentyFour-BoldIt  
pc2c8r CaslonTwoTwentyFour-Black  
pc2ci8r CaslonTwoTwentyFour-BlackIt  
pc2k8r CaslonTwoTwentyFour-Book  
pc2ki8r CaslonTwoTwentyFour-BookIt  
pc2m8r CaslonTwoTwentyFour-Medium  
pc2mi8r CaslonTwoTwentyFour-MediumIt  
pc3r8r CaslonThree-Roman  
pc3rc8r CaslonThree-RomanSC  
pc3ri7d CaslonThree-ItalicOsF  
pc3ri8r CaslonThree-Italic  
pc5r8r CaslonFiveForty-Roman  
pc5rc8r CaslonFiveForty-RomanSC  
pc5ri7d CaslonFiveForty-ItalicOsF  
pc5ri8r CaslonFiveForty-Italic  
pcarl8r CaslonOpenFace  
pcbc8r CooperBlack  
pcbc18r CooperBlack-Italic  
pccrw8r CascadeScript  
pcdb8r Clarendon-Bold  
pcdl8r Clarendon-Light  
pcdr8r Clarendon  
pceb7d Centennial-BoldOsF  
pceb8r Centennial-Bold  
pcebi7d Centennial-BoldItalicOsF  
pcebi8r Centennial-BoldItalic  
pcec7d Centennial-BlackOsF  
pcec8r Centennial-Black

pceci7d Centennial-BlackItalic0sF  
pceci8r Centennial-BlackItalic  
pcel8r Centennial-Light  
pcelc8r Centennial-LightSC  
pceli7d Centennial-LightItalic0sF  
pceli8r Centennial-LightItalic  
pcer8r Centennial-Roman  
pcerc8r Centennial-RomanSC  
pceri7d Centennial-Italic0sF  
pceri8r Centennial-Italic  
pcf8r Clearface-Bold  
pcfbi8r Clearface-BoldItalic  
pcf8r Clearface-Black  
pcfci8r Clearface-BlackItalic  
pcf8r Clearface-Heavy  
pcfhi8r Clearface-HeavyItalic  
pcf8r Clearface-Regular  
pcfri8r Clearface-RegularItalic  
pcgb8r Charlemagne-Bold  
pcgr8r Charlemagne-Regular  
pcib8r Candida-Bold  
pcir8r Candida-Roman  
pciri8r Candida-Italic  
pcnb8r Century-Bold  
pcnbi8r Century-BoldItalic  
pcnbi8rc Century-BoldCondensedItalic  
pcnbr8rc Century-BoldCondensed  
pcnk8r Century-Book  
pcnki8r Century-BookItalic  
pcnki8rc Century-BookCondensedItalic  
pcnkr8rc Century-BookCondensed  
pcnl8r Century-Light  
pcnli8r Century-LightItalic  
pcnli8rc Century-LightCondensedItalic  
pcnlr8rc Century-LightCondensed  
pcnri8rx CenturyExpanded-Italic  
pcnrr8rx CenturyExpanded  
pcnu8r Century-Ultra  
pcnui8r Century-UltraItalic  
pcnui8rc Century-UltraCondensedItalic  
pcnur8rc Century-UltraCondensed  
pcob8r Cochin-Bold  
pcobi8r Cochin-BoldItalic  
pcor8r Cochin  
pcori8r Cochin-Italic  
pcqr8r Cheq  
pcrb8r Courier-Bold  
pcrbo8r Courier-BoldOblique

pcrr8r Courier  
pcrro8r Courier-Oblique  
pctb8r Cheltenham-Bold  
pctbi8r Cheltenham-BoldItalic  
pctbi8rc Cheltenham-BoldCondItalic  
pctbr8rc Cheltenham-BoldCond  
pctk8r Cheltenham-Book  
pctki8r Cheltenham-BookItalic  
pctki8rc Cheltenham-BookCondItalic  
pctkr8rc Cheltenham-BookCond  
pctl8r Cheltenham-Light  
pctli8r Cheltenham-LightItalic  
pctli8rc Cheltenham-LightCondItalic  
pctlr8rc Cheltenham-LightCond  
pctrio8r Cheltenham-UltraCondItalic  
pctrro8r Cheltenham-UltraCond  
pctu8r Cheltenham-Ultra  
pctui8r Cheltenham-UltraItalic  
pcub8r CenturyOldStyle-Bold  
pcur8r CenturyOldStyle-Regular  
pcuri8r CenturyOldStyle-Italic  
pcvr7c Clairvaux-Dfr  
pcvr8r Clairvaux  
pcwr8r Cottonwood  
pcxb8r Caxton-Bold  
pcxbi8r Caxton-BoldItalic  
pcxk8r Caxton-Book  
pcxki8r Caxton-BookItalic  
pcxl8r Caxton-Light  
pcxli8r Caxton-LightItalic  
pcyb8r City-Bold  
pcybi8r City-BoldItalic  
pcyl8r City-Light  
pcyli8r City-LightItalic  
pcym8r City-Medium  
pcymi8r City-MediumItalic  
pdcb8r DomCasual-Bold  
pdcr8r DomCasual  
pddr7c DucDeBerry-Dfr  
pddr8r DucDeBerry  
pdrb8r Doric-Bold  
pefb8r EgyptienneF-Bold  
pefc8r EgyptienneF-Black  
pefr8r EgyptienneF-Roman  
pefri8r EgyptienneF-Italic  
pegb7d StempelGaramond-BoldOsF  
pegb8r StempelGaramond-Bold  
pegb7d StempelGaramond-BoldItalicOsF

pegbi8r StempelGaramond-BoldItalic  
pegr8r StempelGaramond-Roman  
pegrc8r StempelGaramond-RomanSC  
pegri7d StempelGaramond-ItalicOsF  
pegri8r StempelGaramond-Italic  
pehr8r DINEngschrift  
peib8r Esprit-Bold  
peibi8r Esprit-BoldItalic  
peic8r Esprit-Black  
peici8r Esprit-BlackItalic  
peik8r Esprit-Book  
peiki8r Esprit-BookItalic  
peim8r Esprit-Medium  
peimi8r Esprit-MediumItalic  
pesb8r Eurostile-Bold  
pesb8rx2 Eurostile-BoldExtendedTwo  
pesbo8r Eurostile-BoldOblique  
pesbr8rc Eurostile-BoldCondensed  
pesd8r Eurostile-Demi  
pesdo8r Eurostile-DemiOblique  
pesr28rx Eurostile-ExtendedTwo  
pesr8r Eurostile  
pesr8rc2 Eurostile-Condensed  
pesro8r Eurostile-Oblique  
pexb7a ExcelsiorEastA-Bold  
pexb8r Excelsior-Bold  
pexbz8r ExcelsiorCyrillic-Bold  
pexr7a ExcelsiorEastA-Roman  
pexr8r Excelsior  
pexri7a ExcelsiorEastA-Italic  
pexri8r Excelsior-Italic  
pexroz8r ExcelsiorCyrillic-Inclined  
pexrz8r ExcelsiorCyrillic-Upright  
pfab8r Formata-Bold  
pfabi8r Formata-BoldItalic  
pfal8r Formata-Light  
pfali8r Formata-LightItalic  
pfam8r Formata-Medium  
pfami8r Formata-MediumItalic  
pfar8r Formata-Regular  
pfari8r Formata-Italic  
pfgd8r FranklinGothic-Demi  
pfgdo8r FranklinGothic-DemiOblique  
pfgh8r FranklinGothic-Heavy  
pfgho8r FranklinGothic-HeavyOblique  
pfgk8r FranklinGothic-Book  
pfgko8r FranklinGothic-BookOblique  
pfgr8r FranklinGothic-Roman

pfgrr8rc FranklinGothic-Condensed  
pfgrr8rq FranklinGothic-ExtraCond  
pf1b8r Flora-Bold  
pf1m8r Flora-Medium  
pfnb8r Fenice-Bold  
pfnbo8r Fenice-BoldOblique  
pfnl8r Fenice-Light  
pfnlo8r Fenice-LightOblique  
pfnr8r Fenice-Regular  
pfnro8r Fenice-RegularOblique  
pfnu8r Fenice-Ultra  
pfnuo8r Fenice-UltraOblique  
pfob8r Folio-Bold  
pfobr8rc Folio-BoldCondensed  
pfol8r Folio-Light  
pfom8r Folio-Medium  
pfox8r Folio-ExtraBold  
pfqb8r FrizQuadrata-Bold  
pfqr8r FrizQuadrata  
pfrb8r Frutiger-Bold  
pfrbi8r Frutiger-BoldItalic  
pfrbr8rc Frutiger-BoldCn  
pfrc8r Frutiger-Black  
pfrci8r Frutiger-BlackItalic  
pfrcr8rc Frutiger-BlackCn  
pfrl8r Frutiger-Light  
pfrli8r Frutiger-LightItalic  
pfrlr8rc Frutiger-LightCn  
pfrr8r Frutiger-Roman  
pfrri8r Frutiger-Italic  
pfrrr8rc Frutiger-Cn  
pfru8r Frutiger-UltraBlack  
pfrxr8rc Frutiger-ExtraBlackCn  
pfsrw8r FreestyleScript  
pftrf7c FetteFraktur-Dfr  
pftrf8r FetteFraktur  
pub8r Futura-Bold  
pfubo8r Futura-BoldOblique  
pfubo8rc Futura-CondensedBoldOblique  
pfubr8rc Futura-CondensedBold  
pfuh8r Futura-Heavy  
pfuho8r Futura-HeavyOblique  
pfuk8r Futura-Book  
pfuko8r Futura-BookOblique  
pful8r Futura-Light  
pfulo8r Futura-LightOblique  
pfulo8rc Futura-CondensedLightOblique  
pfulr8rc Futura-CondensedLight

pfur8r Futura  
pfuro8r Futura-Oblique  
pfuro8rc Futura-CondensedOblique  
pfurr8rc Futura-Condensed  
pfux8r Futura-ExtraBold  
pfuxo8r Futura-ExtraBoldOblique  
pfuxo8rc Futura-CondExtraBoldOb1  
pfuxr8rc Futura-CondensedExtraBold  
pfycr8rc Flyer-BlackCondensed  
pfyxr8rc Flyer-ExtraBlackCondensed  
pg1r8r Gothic-Thirteen  
pg3b8r GaramondThree-Bold  
pg3bc8r GaramondThree-BoldSC  
pg3bi7d GaramondThree-BoldItalicOsF  
pg3bi8r GaramondThree-BoldItalic  
pg3r8r GaramondThree  
pg3rc8r GaramondThree-SC  
pg3ri7d GaramondThree-ItalicOsF  
pg3ri8r GaramondThree-Italic  
pggb8r GarthGraphic-Bold  
pggb18r GarthGraphic-BoldItalic  
pggb8rc GarthGraphic-BoldCondensed  
pggc8r GarthGraphic-Black  
pggr8r GarthGraphic  
pggri8r GarthGraphic-Italic  
pggrr8rc GarthGraphic-Condensed  
pggx8r GarthGraphic-ExtraBold  
pgjb7d Granjon-BoldOsF  
pgjb8r Granjon-Bold  
pgjr8r Granjon  
pgjrc8r Granjon-SC  
pgjri7d Granjon-ItalicOsF  
pgjri8r Granjon-Italic  
pglb8r Galliard-Bold  
pglb18r Galliard-BoldItalic  
pglc8r Galliard-Black  
pglc18r Galliard-BlackItalic  
pglr8r Galliard-Roman  
pglri8r Galliard-Italic  
pglu8r Galliard-Ultra  
pglui8r Galliard-UltraItalic  
pgmb8r Garamond-Bold  
pgmbi8r Garamond-BoldItalic  
pgmbi8rc Garamond-BoldCondensedItalic  
pgmbr8rc Garamond-BoldCondensed  
pgmk8r Garamond-Book  
pgmki8r Garamond-BookItalic  
pgmki8rc Garamond-BookCondensedItalic

pgmkr8rc Garamond-BookCondensed  
pgml8r Garamond-Light  
pgqli8r Garamond-LightItalic  
pgqli8rc Garamond-LightCondensedItalic  
pgmlr8rc Garamond-LightCondensed  
pgmu8r Garamond-Ultra  
pgmui8r Garamond-UltraItalic  
pgmui8rc Garamond-UltraCondensedItalic  
pgmur8rc Garamond-UltraCondensed  
pgpa8r Glypha-Thin  
pgpao8r Glypha-ThinOblique  
pgpb8r Glypha-Bold  
pgpbo8r Glypha-BoldOblique  
pgpc8r Glypha-Black  
pgpc08r Glypha-BlackOblique  
pgpl8r Glypha-Light  
pgplo8r Glypha-LightOblique  
pgpr8r Glypha  
pgpro8r Glypha-Oblique  
pgsb8r GillSans-Bold  
pgsbi8r GillSans-BoldItalic  
pgsbr8rc GillSans-BoldCondensed  
pgsl8r GillSans-Light  
pgsli8r GillSans-LightItalic  
pgsr8r GillSans  
pgsri8r GillSans-Italic  
pgsrr8rc GillSans-Condensed  
pgsu8r GillSans-UltraBold  
pgsur8rc GillSans-UltraBoldCondensed  
pgsx8r GillSans-ExtraBold  
pgub8r Guardi-Bold  
pgubi8r Guardi-BoldItalic  
pguc8r Guardi-Black  
pguci8r Guardi-BlackItalic  
pgur8r Guardi-Roman  
pguri8r Guardi-Italic  
pgvb8r Giovanni-Bold  
pgvbi8r Giovanni-BoldItalic  
pgvc8r Giovanni-Black  
pgvci8r Giovanni-BlackItalic  
pgvk8r Giovanni-Book  
pgvki8r Giovanni-BookItalic  
pgyb8r Goudy-Bold  
pgybi8r Goudy-BoldItalic  
pgyh8r Goudy-Heavyface  
pgyhi8r Goudy-HeavyfaceItalic  
pgyr8r Goudy  
pgyrc8r Goudy-SC

pgyri8r Goudy-Italic  
pgyx8r Goudy-ExtraBold  
phbr8r Hobo  
phcr8r Herculaneum  
phgb8r Hiroshige-Bold  
phgb18r Hiroshige-BoldItalic  
phgc8r Hiroshige-Black  
phgc18r Hiroshige-BlackItalic  
phgk8r Hiroshige-Book  
phgk18r Hiroshige-BookItalic  
phgm8r Hiroshige-Medium  
phgmi8r Hiroshige-MediumItalic  
phir8r HelveticaInserat-Roman  
phmr8r Charme  
phna8r HelveticaNeue-Thin  
phnai8rt HelveticaNeue-ThinItalic  
phnao8rc HelveticaNeue-ThinCondObl  
phnao8rx HelveticaNeue-ThinExtObl  
phnar8rc HelveticaNeue-ThinCond  
phnar8rx HelveticaNeue-ThinExt  
phnb7a HelveticaNeueEastA-Bold  
phnb8r HelveticaNeue-Bold  
phnb18r HelveticaNeue-BoldItalic  
phnb18r HelveticaNeue-BoldOutline  
phnb07a HelveticaNeueEastA-BoldObl  
phnb08rc HelveticaNeue-BoldCondObl  
phnb08rx HelveticaNeue-BoldExtObl  
phnbr8rc HelveticaNeue-BoldCond  
phnbr8rx HelveticaNeue-BoldExt  
phnc8r HelveticaNeue-Black  
phnci8r HelveticaNeue-BlackItalic  
phnco8rc HelveticaNeue-BlackCondObl  
phnco8rx HelveticaNeue-BlackExtObl  
phnco8rc HelveticaNeue-BlackCond  
phnco8rx HelveticaNeue-BlackExt  
phnh8r HelveticaNeue-Heavy  
phnhi8r HelveticaNeue-HeavyItalic  
phnho8rc HelveticaNeue-HeavyCondObl  
phnho8rx HelveticaNeue-HeavyExtObl  
phnhr8rc HelveticaNeue-HeavyCond  
phnhr8rx HelveticaNeue-HeavyExt  
phnj8r HelveticaNeue-UltraLight  
phnji8r HelveticaNeue-UltraLightItalic  
phnjo8rc HelveticaNeue-UltraLigCondObl  
phnjo8rx HelveticaNeue-UltraLigExtObl  
phnjr8rc HelveticaNeue-UltraLigCond  
phnjr8rx HelveticaNeue-UltraLigExt  
phnl8r HelveticaNeue-Light

phnli8r HelveticaNeue-LightItalic  
phnlo8rc HelveticaNeue-LightCondObl  
phnlo8rx HelveticaNeue-LightExtObl  
phnlr8rc HelveticaNeue-LightCond  
phnlr8rx HelveticaNeue-LightExt  
phnm8r HelveticaNeue-Medium  
phnmi8r HelveticaNeue-MediumItalic  
phnmo8rc HelveticaNeue-MediumCondObl  
phnmo8rx HelveticaNeue-MediumExtObl  
phnmr8rc HelveticaNeue-MediumCond  
phnmr8rx HelveticaNeue-MediumExt  
phnr7a HelveticaNeueEastA-Roman  
phnr7at HelveticaNeueEastA-Thin  
phnr8r HelveticaNeue-Roman  
phnri8r HelveticaNeue-Italic  
phnro7a HelveticaNeueEastA-RomanObl  
phnro7at HelveticaNeueEastA-ThinObl  
phnro8rc HelveticaNeue-CondensedObl  
phnro8rx HelveticaNeue-ExtendedObl  
phnrr8rc HelveticaNeue-Condensed  
phnrr8rx HelveticaNeue-Extended  
phnxo8rc HelveticaNeue-ExtBlackCondObl  
phnxr8rc HelveticaNeue-ExtBlackCond  
phrb8r HelveticaRounded-Bold  
phrbo8r HelveticaRounded-BoldObl  
phrbo8rc HelveticaRounded-BoldCondObl  
phrbr8rc HelveticaRounded-BoldCond  
phrc8r HelveticaRounded-Black  
phrc08r HelveticaRounded-BlackObl  
phvb7f Helvetica-FractionBold  
phvb8r Helvetica-Bold  
phvbk8r HelveticaGreekP-Bold  
phvbko8r HelveticaGreekP-BoldInclined  
phvbo8r Helvetica-BoldOblique  
phvbo8rc Helvetica-Condensed-BoldObl  
phvbo8rn Helvetica-Narrow-BoldOblique  
phvboz8r HelveticaCyrillic-BoldIncl  
phvbr8rc Helvetica-Condensed-Bold  
phvbr8rn Helvetica-Narrow-Bold  
phvbr8rp Helvetica-Compressed  
phvbz8r HelveticaCyrillic-Bold  
phvc8r Helvetica-Black  
phvco8r Helvetica-BlackOblique  
phvco8rc Helvetica-Condensed-BlackObl  
phvcr8rc Helvetica-Condensed-Black  
phvl8r Helvetica-Light  
phvlo8r Helvetica-LightOblique  
phvlo8rc Helvetica-Condensed-LightObl

phvlr8rc Helvetica-Condensed-Light  
phvr7f Helvetica-Fraction  
phvr8r Helvetica  
phvrk8r HelveticaGreekP-Upright  
phvrko8r HelveticaGreekP-Inclined  
phvro8r Helvetica-Oblique  
phvro8rc Helvetica-Condensed-Oblique  
phvro8rn Helvetica-Narrow-Oblique  
phvroz8r HelveticaCyrillic-Inclined  
phvrr8rc Helvetica-Condensed  
phvrr8rn Helvetica-Narrow  
phvrr8rq Helvetica-ExtraCompressed  
phvrr8ru Helvetica-UltraCompressed  
phvrz8r HelveticaCyrillic-Upright  
piar7a Insignia-A  
piar8r Insignia  
picr8r Impact  
pigb8r SimonciniGaramond-Bold  
pigr8r SimonciniGaramond  
pigri8r SimonciniGaramond-Italic  
pilb8r Caecilia-Bold  
pilbc8r Caecilia-BoldSC  
pilbc18r Caecilia-BoldItalicSC  
pilbi8r Caecilia-BoldItalic  
pilh8r Caecilia-Heavy  
pilhc8r Caecilia-HeavySC  
pilhci8r Caecilia-HeavyItalicSC  
pilhi8r Caecilia-HeavyItalic  
pill8r Caecilia-Light  
pillc8r Caecilia-LightSC  
pillci8r Caecilia-LightItalicSC  
pilli8r Caecilia-LightItalic  
pilr8r Caecilia-Roman  
pilrc8r Caecilia-RomanSC  
pilrci8r Caecilia-ItalicSC  
pilri8r Caecilia-Italic  
pimk8r Imago-Book  
pimki8r Imago-BookItalic  
pimpl8r Imago-Light  
pimli8r Imago-LightItalic  
pimm8r Imago-Medium  
pimmi8r Imago-MediumItalic  
pimx8r Imago-ExtraBold  
pimxi8r Imago-ExtraBoldItalic  
pinr7a Industria-SolidA  
pinr8r Industria-Solid  
pinrh7a Industria-InlineA  
pinrh8r Industria-Inline

pipb8r Impressum-Bold  
pipr8r Impressum-Roman  
pipri8r Impressum-Italic  
pitb8r Italia-Bold  
pitk8r Italia-Book  
pitm8r Italia-Medium  
piwr8r Ironwood  
pjnb7d JansonText-Bold0sF  
pjnb8r JansonText-Bold  
pjnbi7d JansonText-BoldItalic0sF  
pjnbi8r JansonText-BoldItalic  
pjnr8r JansonText-Roman  
pjnrc8r JansonText-RomanSC  
pjnri7d JansonText-Italic0sF  
pjnri8r JansonText-Italic  
pjpr8r Juniper  
pkbc8r Kabel-Black  
pkbh8r Kabel-Heavy  
pkbk8r Kabel-Book  
pkbl8r Kabel-Light  
pkrb8r Korinna-Bold  
pkrib8r Korinna-KursivBold  
pkrr8r Korinna-Regular  
pkrris8r Korinna-KursivRegular  
pksb28r KuenstlerScript-TwoBold  
pksc8r KuenstlerScript-Black  
pksm8r KuenstlerScript-Medium  
pkub8r Kaufmann-Bold  
pkur8r Kaufmann  
plbd8r LubalinGraph-Demi  
plbdo8r LubalinGraph-DemiOblique  
plbk8r LubalinGraph-Book  
plbko8r LubalinGraph-BookOblique  
plcb8r Lucida-Bold  
plcbi8r Lucida-BoldItalic  
plcbs8r LucidaSans-Bold  
plcbsi8r LucidaSans-BoldItalic  
plcr8r Lucida  
plcri8r Lucida-Italic  
plcrm8r LucidaMath-Italic  
plcrs8r LucidaSans  
plcrsi8r LucidaSans-Italic  
plcrv8r LucidaMath-Extension  
plcry8r LucidaMath-Symbol  
plfb8r Life-Bold  
plfr8r Life-Roman  
plfri8r Life-Italic  
plgb8r LetterGothic-Bold

plgbo8r LetterGothic-BoldSlanted  
plgr8r LetterGothic  
plgro8r LetterGothic-Slanted  
plnr8r Linotext  
plnrv8r Linoscript  
plob8r Lithos-Bold  
ploc8r Lithos-Black  
ploi8r Lithos-ExtraLight  
plol8r Lithos-Light  
plor8r Lithos-Regular  
plsr8r DINMittelschrift  
plwb8r Leawood-Bold  
plwbi8r Leawood-BoldItalic  
plwc8r Leawood-Black  
plwci8r Leawood-BlackItalic  
plwk8r Leawood-Book  
plwki8r Leawood-BookItalic  
plwm8r Leawood-Medium  
plwmi8r Leawood-MediumItalic  
pmdb8r Meridien-Bold  
pmdbi8r Meridien-BoldItalic  
pmdm8r Meridien-Medium  
pmdi8r Meridien-MediumItalic  
pmdr8r Meridien-Roman  
pmdi8r Meridien-Italic  
pmhb8r Machine-Bold  
pmhr8r Machine  
pmirw8r MediciScript  
pmlb8r Melior-Bold  
pmlbi8r Melior-BoldItalic  
pmlr8r Melior  
pmlri8r Melior-Italic  
pmnb8r Minion-Bold  
pmnb8x MinionExp-Bold  
pmnbi8r Minion-BoldItalic  
pmnbi8x MinionExp-BoldItalic  
pmnc8r Minion-Black  
pmnc8x MinionExp-Black  
pmnr8r Minion-Regular  
pmnr8x MinionExp-Regular  
pmnrd8r Minion-DisplayRegular  
pmnrd8x MinionExp-DisplayRegular  
pmnrdi8r Minion-DisplayItalic  
pmnrdi8x MinionExp-DisplayItalic  
pmnri8r Minion-Italic  
pmnri8x MinionExp-Italic  
pmnrp8r Minion-Ornaments  
pmnrdi8r Minion-SwashDisplayItalic

pmnrwi8r Minion-SwashItalic  
pmns8r Minion-Semibold  
pmns8x MinionExp-Semibold  
pmnsi8r Minion-SemiboldItalic  
pmnsi8x MinionExp-SemiboldItalic  
pmnswi8r Minion-SwashSemiboldItalic  
pmpb8r Memphis-Bold  
pmpbi8r Memphis-BoldItalic  
pmpl8r Memphis-Light  
pmpli8r Memphis-LightItalic  
pmpm8r Memphis-Medium  
pmpmi8r Memphis-MediumItalic  
pmpx8r Memphis-ExtraBold  
pmqr8r Mesquite  
pmrr8r Madrone  
pmsr8r Mistral  
pmtb8r Minister-Bold  
pmtbi8r Minister-BoldItalic  
pmtc8r Minister-Black  
pmtci8r Minister-BlackItalic  
pmtk8r Minister-Book  
pmtki8r Minister-BookItalic  
pmtl8r Minister-Light  
pmtli8r Minister-LightItalic  
pmxr8r Maximus  
pnab8r NewAster-Bold  
pnabi8r NewAster-BoldItalic  
pnac8r NewAster-Black  
pnaci8r NewAster-BlackItalic  
pnar8r NewAster  
pnari8r NewAster-Italic  
pnas8r NewAster-SemiBold  
pnasi8r NewAster-SemiBoldItalic  
pnbb8r NewBaskerville-Bold  
pnbbc8r NewBaskerville-BoldSC  
pnbbi7d NewBaskerville-BoldItalic0sF  
pnbbi8r NewBaskerville-BoldItalic  
pnbr8r NewBaskerville-Roman  
pnbrcc8r NewBaskerville-SC  
pnbri7d NewBaskerville-Italic0sF  
pnbri8r NewBaskerville-Italic  
pncb7f NewCenturySchlbk-FractionBold  
pncb8r NewCenturySchlbk-Bold  
pncbi8r NewCenturySchlbk-BoldItalic  
pncbk8r NewCenturySchlbkGreek-Bd  
pnccr7f NewCenturySchlbk-Fraction  
pnccr8r NewCenturySchlbk-Roman  
pncri8r NewCenturySchlbk-Italic

pncrik8r NewCenturySchlbkGreek-Ic  
pncrk8r NewCenturySchlbkGreek-Up  
pndb8r NewCaledonia-Bold  
pndbc8r NewCaledonia-BoldSC  
pndbi7d NewCaledonia-BoldItalicOsF  
pndbi8r NewCaledonia-BoldItalic  
pndc8r NewCaledonia-Black  
pndci8r NewCaledonia-BlackItalic  
pndr8r NewCaledonia  
pndrc8r NewCaledonia-SC  
pn드리7d NewCaledonia-ItalicOsF  
pn드리8r NewCaledonia-Italic  
pnds8r NewCaledonia-SemiBold  
pndsi8r NewCaledonia-SemiBoldItalic  
pnfb8r Nofret-Bold  
pnfb'i8r Nofret-BoldItalic  
pnfl8r Nofret-Light  
pnfli8r Nofret-LightItalic  
pnfm8r Nofret-Medium  
pnfmi8r Nofret-MediumItalic  
pnfr8r Nofret-Regular  
pnfri8r Nofret-Italic  
pngb8r NewsGothic-Bold  
pngbo8r NewsGothic-BoldOblique  
pngr8r NewsGothic  
pngro8r NewsGothic-Oblique  
pnsb8r TimesNewRomanPS-Bold  
pnsbi8r TimesNewRomanPS-BoldItalic  
pnsr8r TimesNewRomanPS  
pnsri8r TimesNewRomanPS-Italic  
pnurw8r NuptialScript  
pnvb8r Novarese-Bold  
pnb'i8r Novarese-BoldItalic  
pnvk8r Novarese-Book  
pnvki8r Novarese-BookItalic  
pnvm8r Novarese-Medium  
pnvmi8r Novarese-MediumItalic  
pnvu8r Novarese-Ultra  
pnzh8r NeuzeitS-BookHeavy  
pnzk8r NeuzeitS-Book  
po7r8r OldStyleSeven  
po7rc8r OldStyleSeven-SC  
po7ri7d OldStyleSeven-ItalicOsF  
po7ri8r OldStyleSeven-Italic  
poar8r OCRA  
pobr8r OCRB  
pocb8r Concorde-Bold  
pocbi8r Concorde-BoldItalic

pocr8r	Concorde-Roman
pocri8r	Concorde-Italic
pomr8r	Omnia
ponb8r	Corona-Bold
ponr8r	Corona
ponri8r	Corona-Italic
popb8r	Optima-Bold
popbo8r	Optima-BoldOblique
popr8r	Optima
popro8r	Optima-Oblique
porr8r	Orator
porro8r	Orator-Slanted
poyb8r	Olympian-Bold
poybi8r	Olympian-BoldItalic
poyr8r	Olympian
poyri8r	Olympian-Italic
pp0r8r	Poplar
ppar8r	ParkAvenue
ppeb8r	PrestigeElite-Bold
ppebo8r	PrestigeElite-BoldSlanted
pper8r	PrestigeElite
ppero8r	PrestigeElite-Slanted
ppgb8r	Peignot-Bold
ppgd8r	Peignot-Demi
ppgl8r	Peignot-Light
ppi001	BorderPi-OneFiveOneFiveNine
ppi002	BundesbahnPi-One
ppi003	BundesbahnPi-Two
ppi004	BundesbahnPi-Three
ppi005	EuropeanPi-Four
ppi006	EuropeanPi-One
ppi007	EuropeanPi-Three
ppi008	EuropeanPi-Two
ppi009	LAstrologyPi-One
ppi010	LAstrologyPi-Two
ppi011	LDecorationPi-One
ppi012	LDecorationPi-Two
ppi013	LGamePi-ChessDraughts
ppi014	LGamePi-DiceDominoes
ppi015	LGamePi-EnglishCards
ppi016	LGamePi-FrenchCards
ppi017	LHolidayPi-One
ppi018	LHolidayPi-Two
ppi019	LHolidayPi-Three
ppi020	MathematicalPi-One
ppi021	MathematicalPi-Two
ppi022	MathematicalPi-Three
ppi023	MathematicalPi-Four

ppi024 MathematicalPi-Five  
ppi025 MathematicalPi-Six  
ppi026 WoodtypeOrnaments-One  
ppi027 WoodtypeOrnaments-Two  
pplb7d Palatino-BoldOsF  
pplb8r Palatino-Bold  
pplbi7d Palatino-BoldItalicOsF  
pplbi8r Palatino-BoldItalic  
pplr8r Palatino-Roman  
pplr8r Palatino-SC  
pplri7d Palatino-ItalicOsF  
pplri8r Palatino-Italic  
ppnb8r Plantin-Bold  
ppnb8x PlantinExpert-Bold  
ppnbi8r Plantin-BoldItalic  
ppnbi8x PlantinExpert-BoldItalic  
ppnbr8rc Plantin-BoldCondensed  
ppnl8r Plantin-Light  
ppnli8r Plantin-LightItalic  
ppnr8r Plantin  
ppnr8x PlantinExpert  
ppnri8r Plantin-Italic  
ppnri8x PlantinExpert-Italic  
ppns8r Plantin-Semibold  
ppnsi8r Plantin-SemiboldItalic  
ppor8r Ponderosa  
pppb8r Perpetua-Bold  
pppb8r Perpetua-BoldItalic  
pppr8r Perpetua  
pppri8r Perpetua-Italic  
ppqb8r PostAntiqua-Bold  
ppqr8r PostAntiqua-Roman  
ppsr8r Parisian  
ptr8r Present  
ppxb8r PopplPontifex-Bold  
ppxb8r PopplPontifex-BoldCondensed  
ppxc8r PopplPontifex-Black  
ppxr8r PopplPontifex-Roman  
ppxr8rc PopplPontifex-RomanSC  
ppxri8r PopplPontifex-Italic  
pqrb8r Quorum-Bold  
pqrc8r Quorum-Black  
pqrk8r Quorum-Book  
pqrl8r Quorum-Light  
pqrm8r Quorum-Medium  
pr1b8r RotisSemiSerif-Bold  
pr1bs8r RotisSemiSans-Bold  
pr1lis8r RotisSemiSans-LightItalic

pr1ls8r RotisSemiSans-Light  
pr1r8r RotisSemiSerif  
pr1ris8r RotisSemiSans-Italic  
pr1rs8r RotisSemiSans  
pr1xs8r RotisSemiSans-ExtraBold  
prab8r Raleigh-Bold  
prad8r Raleigh-DemiBold  
pram8r Raleigh-Medium  
prar8r Raleigh  
prob8r RotisSerif-Bold  
probs8r RotisSansSerif-Bold  
prolis8r RotisSansSerif-LightItalic  
prols8r RotisSansSerif-Light  
pror8r RotisSerif  
prori8r RotisSerif-Italic  
proris8r RotisSansSerif-Italic  
prors8r RotisSansSerif  
proxs8r RotisSansSerif-ExtraBold  
prpr28r Reporter-Two  
prqr8r RussellSquare  
prqro8r RussellSquare-Oblique  
ptrr8r Carta  
prvr8r Revue  
prwb8r Rockwell-Bold  
prwbi8r Rockwell-BoldItalic  
prwbr8rc Rockwell-BoldCondensed  
prwl8r Rockwell-Light  
prwli8r Rockwell-LightItalic  
prwr8r Rockwell  
prwri8r Rockwell-Italic  
prwrr8rc Rockwell-Condensed  
prwx8r Rockwell-ExtraBold  
ps0r7c8r SanMarco-Dfr  
ps0r8r SanMarco  
ps7rp Sassoon-Primary  
psbb7d Sabon-BoldOsF  
psbb8r Sabon-Bold  
psbbi7d Sabon-BoldItalicOsF  
psbbi8r Sabon-BoldItalic  
psbr8r Sabon-Roman  
psbrc8r Sabon-RomanSC  
psbri7d Sabon-ItalicOsF  
psbri8r Sabon-Italic  
pscbb8r Slimbach-Bold  
pscbbi8r Slimbach-BoldItalic  
pscbb8r Slimbach-Black  
pscbbi8r Slimbach-BlackItalic  
pscck8r Slimbach-Book

pscki8r Slimbach-BookItalic  
pscml8r Slimbach-Medium  
pscmi8r Slimbach-MediumItalic  
psfb8r Serifa-Bold  
psfc8r Serifa-Black  
psfl8r Serifa-Light  
psfli8r Serifa-LightItalic  
psfr8r Serifa-Roman  
psfri8r Serifa-Italic  
psgb8r SerifGothic-Bold  
psgc8r SerifGothic-Black  
psgh8r SerifGothic-Heavy  
psgl8r SerifGothic-Light  
psgr8r SerifGothic  
psgx8r SerifGothic-ExtraBold  
pshb8r Shannon-Bold  
pshk8r Shannon-Book  
pshro8r Shannon-Oblique  
pshx8r Shannon-ExtraBold  
pslr8r Stencil  
psnh8r Spartan-HeavyClassified  
psnk8r Spartan-BookClassified  
psor8r Sonata  
pspb8r Serpentine-Bold  
pspb08r Serpentine-BoldOblique  
pspl8r Serpentine-Light  
psplo8r Serpentine-LightOblique  
pspm8r Serpentine-Medium  
pspm08r Serpentine-MediumOblique  
psrbw8r SnellRoundhand-BoldScript  
psrcw8r SnellRoundhand-BlackScript  
psrrw8r SnellRoundhand-Script  
pssb8r StempelSchneidler-Bold  
pssbi8r StempelSchneidler-BoldItalic  
pssc8r StempelSchneidler-Black  
pssci8r StempelSchneidler-BlackItalic  
pssl8r StempelSchneidler-Light  
pssli8r StempelSchneidler-LightItalic  
pssm8r StempelSchneidler-Medium  
pssmi8r StempelSchneidler-MedItalic  
pssr8r StempelSchneidler-Roman  
pssri8r StempelSchneidler-Italic  
pstb8r StoneSerif-Bold  
pstbi8r StoneSerif-BoldItalic  
pstbin8r StoneInformal-BoldItalic  
pstbis8r StoneSans-BoldItalic  
pstbn8r StoneInformal-Bold  
pstbs8r StoneSans-Bold

pstr5a StoneSerif-PhoneticAlternate  
pstr5i StoneSerif-PhoneticIPA  
pstr8r StoneSerif  
pstrei8r StoneSerif-Italic  
pstrin8r StoneInformal-Italic  
pstris8r StoneSans-Italic  
pstrn8r StoneInformal  
pstrs5a StoneSans-PhoneticAlternate  
pstrs5i StoneSans-PhoneticIPA  
pstrs8r StoneSans  
pstsi8r StoneSerif-Semibold  
pstsin8r StoneInformal-SemiboldItalic  
pstsis8r StoneSans-SemiboldItalic  
pstsn8r StoneInformal-Semibold  
pstss8r StoneSans-Semibold  
psvb8r Souvenir-Bold  
psvbi8r Souvenir-BoldItalic  
psvd8r Souvenir-Demi  
psvdi8r Souvenir-DemiItalic  
psvl8r Souvenir-Light  
psvli8r Souvenir-LightItalic  
psvm8r Souvenir-Medium  
psvmi8r Souvenir-MediumItalic  
psxb8r Syntax-Bold  
psxc8r Syntax-Black  
psxr8r Syntax-Roman  
psxri8r Syntax-Italic  
psxu8r Syntax-UltraBlack  
psyb Symbol-Bold  
psybi Symbol-BoldItalic  
psyc Symbol-Black  
psyci Symbol-BlackItalic  
psyk Symbol-Book  
psyki Symbol-BookItalic  
psym Symbol-Medium  
psymi Symbol-MediumItalic  
psyr Symbol  
ptbb8r BBodoni-Bold  
ptbbi8r BBodoni-BoldItalic  
ptbl8r BBodoni-Light  
ptbli8r BBodoni-LightItalic  
ptbm8r BBodoni-Medium  
ptbmi8r BBodoni-MediumItalic  
ptbr8r BBodoni-Regular  
ptbri8r BBodoni-Italic  
pte8r TimesEuropa-Bold  
pte8i8r TimesEuropa-BoldItalic

pter8r TimesEuropa-Roman  
pteri8r TimesEuropa-Italic  
ptfd8r Tiffany-Demi  
ptfdi8r Tiffany-DemiItalic  
ptfh8r Tiffany-Heavy  
ptfhi8r Tiffany-HeavyItalic  
ptfr8r Tiffany  
ptfri8r Tiffany-Italic  
ptgb28r TradeGothic-BoldTwo  
ptgb2o8r TradeGothic-BoldTwoOblique  
ptgb8r TradeGothic-Bold  
ptgb8r20c TradeGothic-BoldCondTwenty  
ptgb8r20o TradeGothic-BoldCondTwentyObl  
ptgbo8r TradeGothic-BoldOblique  
ptgl8r TradeGothic-Light  
ptglo8r TradeGothic-LightOblique  
ptgr188rc TradeGothic-CondEighteen  
ptgr18o8r TradeGothic-CondEighteenObl  
ptgr8r TradeGothic  
ptgro8r TradeGothic-Oblique  
ptjb8r Trajan-Bold  
ptjr8r Trajan-Regular  
ptkb8r Tekton-Bold  
ptkbo8r Tekton-BoldOblique  
ptkr8r Tekton  
ptkro8r Tekton-Oblique  
ptmb10 TimesTen-Bold  
ptmb7a10 TimesTenEastA-Bold  
ptmb7d10 TimesTen-BoldOsF  
ptmb7di10 TimesTen-BoldItalicOsF  
ptmb8r Times-Bold  
ptmbc8r Times-BoldSC  
ptmbi10 TimesTen-BoldItalic  
ptmbi7a10 TimesTenEastA-BoldItalic  
ptmbi7d Times-BoldItalicOsF  
ptmbi8r Times-BoldItalic  
ptmbk10 TimesTenGreekP-Bold  
ptmbko10 TimesTenGreekP-BoldInclined  
ptmboz10 TimesTenCyrillic-BoldInclined  
ptmbz10 TimesTenCyrillic-Bold  
ptmr10 TimesTen-Roman  
ptmr7a10 TimesTenEastA-Roman  
ptmr7di10 TimesTen-ItalicOsF  
ptmr8r Times-Roman  
ptmrc10 TimesTen-RomanSC  
ptmrc8r Times-RomanSC  
ptmri10 TimesTen-Italic  
ptmri7a10 TimesTenEastA-Italic

ptmri7d Times-Italic0sF  
ptmri8r Times-Italic  
ptmrk10 TimesTenGreekP-Upright  
ptmrko10 TimesTenGreekP-Inclined  
ptmroz10 TimesTenCyrillic-Inclined  
ptmrz10 TimesTenCyrillic-Upright  
ptms8r Times-Semibold  
ptmsi8r Times-SemiboldItalic  
ptmx8r Times-ExtraBold  
ptphi8rc Tempo-HeavyCondensedItalic  
ptphr8rc Tempo-HeavyCondensed  
ptvb7d TrumpMediaeval-Bold0sF  
ptvb8r TrumpMediaeval-Bold  
ptvbi7d TrumpMediaeval-BoldItalic0sF  
ptvbi8r TrumpMediaeval-BoldItalic  
ptvr8r TrumpMediaeval-Roman  
ptvrc8r TrumpMediaeval-SC  
ptvri7d TrumpMediaeval-Italic0sF  
ptvri8r TrumpMediaeval-Italic  
pubb7d BauerBodoni-Bold0sF  
pubb8r BauerBodoni-Bold  
pubbi7d BauerBodoni-BoldItalic0sF  
pubbi8r BauerBodoni-BoldItalic  
pubbr8rc BauerBodoni-BoldCond  
pubc8r BauerBodoni-Black  
pubci8r BauerBodoni-BlackItalic  
pubcr8rc BauerBodoni-BlackCond  
pubr8r BauerBodoni-Roman  
pubrc8r BauerBodoni-RomanSC  
pubri7d BauerBodoni-Italic0sF  
pubri8r BauerBodoni-Italic  
pugb8r BenguiatGothic-Bold  
pugbo8r BenguiatGothic-BoldOblique  
pugh8r BenguiatGothic-Heavy  
pugho8r BenguiatGothic-HeavyOblique  
pugk8r BenguiatGothic-Book  
pugko8r BenguiatGothic-BookOblique  
pugm8r BenguiatGothic-Medium  
pugmo8r BenguiatGothic-MediumOblique  
puhb8r Cushing-Bold  
puhbi8r Cushing-BoldItalic  
puhh8r Cushing-Heavy  
puhhi8r Cushing-HeavyItalic  
puhk8r Cushing-Book  
puhki8r Cushing-BookItalic  
puhm8r Cushing-Medium  
puhmi8r Cushing-MediumItalic  
pulrk8r Universal-GreekwithMathPi

pumr8r Umbra  
punaro8r Univers-ThinUltraCondensed  
punb8r Univers-Bold  
punbo8r Univers-BoldOblique  
punbo8rc Univers-CondensedBoldOblique  
punbo8rx Univers-BoldExtObl  
punbr8rc Univers-CondensedBold  
punbr8rx Univers-BoldExt  
punc8r Univers-Black  
punc08r Univers-BlackOblique  
punc08rx Univers-BlackExtObl  
puncr8rx Univers-BlackExt  
punl8r Univers-Light  
punlo8r Univers-LightOblique  
punlo8rc Univers-CondensedLightOblique  
punlr8rc Univers-CondensedLight  
punlro8r Univers-LightUltraCondensed  
punr8r Univers  
punro8r Univers-Oblique  
punro8rc Univers-CondensedOblique  
punro8rx Univers-ExtendedObl  
punrr8rc Univers-Condensed  
punrr8rx Univers-Extended  
punrro8r Univers-UltraCondensed  
punx8r Univers-ExtraBlack  
punxo8r Univers-ExtraBlackObl  
punxo8rx Univers-ExtraBlackExtObl  
punxr8rx Univers-ExtraBlackExt  
putb8r Utopia-Bold  
putb8x UtopiaExp-Bold  
putbi8r Utopia-BoldItalic  
putbi8x UtopiaExp-BoldItalic  
putc8r Utopia-Black  
putc8x UtopiaExp-Black  
putr8r Utopia-Regular  
putr8x UtopiaExp-Regular  
putrd8r Utopia-Titling  
putri8r Utopia-Italic  
putri8x UtopiaExp-Italic  
putrp8r Utopia-Ornaments  
puts8r Utopia-Semibold  
puts8x UtopiaExp-Semibold  
putsi8r Utopia-SemiboldItalic  
putsi8x UtopiaExp-SemiboldItalic  
puwb8r Usherwood-Bold  
puwbi8r Usherwood-BoldItalic  
puwc8r Usherwood-Black  
puwci8r Usherwood-BlackItalic

puwk8r Usherwood-Book  
puwki8r Usherwood-BookItalic  
puwm8r Usherwood-Medium  
puwmi8r Usherwood-MediumItalic  
puyr8r UniversityRoman  
pvjb8r Veljovic-Bold  
pvjbi8r Veljovic-BoldItalic  
pvjc8r Veljovic-Black  
pvjci8r Veljovic-BlackItalic  
pvjk8r Veljovic-Book  
pvjki8r Veljovic-BookItalic  
pvjm8r Veljovic-Medium  
pvjmi8r Veljovic-MediumItalic  
pvlb8r Versailles-Bold  
pvlbi8r Versailles-BoldItalic  
pvlc8r Versailles-Black  
pvlci8r Versailles-BlackItalic  
pvl18r Versailles-Light  
pvl1i8r Versailles-LightItalic  
pvlr8r Versailles-Roman  
pvlri8r Versailles-Italic  
pvra8r VAGRounded-Thin  
pvrbb8r VAGRounded-Bold  
pvrc8r VAGRounded-Black  
pvr18r VAGRounded-Light  
pwbb7d Walbaum-BoldOsF  
pwbb8r Walbaum-Bold  
pwbbi7d Walbaum-BoldItalicOsF  
pwbbi8r Walbaum-BoldItalic  
pwbr8r Walbaum-Roman  
pwbrcc8r Walbaum-RomanSC  
pwbbri7d Walbaum-ItalicOsF  
pwbbri8r Walbaum-Italic  
pwdb8r Weidemann-Bold  
pwdbi8r Weidemann-BoldItalic  
pwdc8r Weidemann-Black  
pwdcii8r Weidemann-BlackItalic  
pwdk8r Weidemann-Book  
pwdki8r Weidemann-BookItalic  
pwdm8r Weidemann-Medium  
pwdmi8r Weidemann-MediumItalic  
pwgr7c WilhelmKlingsporGotisch-Dfr  
pwgr8r WilhelmKlingsporGotisch  
pwkb8r Wilke-Bold  
pwkbi8r Wilke-BoldItalic  
pwkc8r Wilke-Black  
pwkci8r Wilke-BlackItalic  
pwkr8r Wilke-Roman

pkri8r Wilke-Italic  
pwsb8r Weiss-Bold  
pwsr8r Weiss  
pwsri8r Weiss-Italic  
pwsx8r Weiss-ExtraBold  
pwwr8r Willow  
pzcb8r ZapfChancery-Bold  
pzcd8r ZapfChancery-Demi  
pzcl8r ZapfChancery-Light  
pzcli8r ZapfChancery-LightItalic  
pzcmi8r ZapfChancery-MediumItalic  
pzcr8r ZapfChancery-Roman  
pzcri8r ZapfChancery-Italic  
pzdr ZapfDingbats  
pzgbr8rc DINNeuzeitGrotesk-BoldCond  
pzgl8r DINNeuzeitGrotesk-Light  
zpcp29ab Copperplate-TwentyNineAB  
zpcp29bc Copperplate-TwentyNineBC  
zpcp30ab Copperplate-ThirtyAB  
zpcp30bc Copperplate-ThirtyBC  
zpcp31ab Copperplate-ThirtyOneAB  
zpcp31bc Copperplate-ThirtyOneBC  
zpcp32ab Copperplate-ThirtyTwoAB  
zpcp32bc Copperplate-ThirtyTwoBC  
zpcp33bc Copperplate-ThirtyThreeBC  
zpgbm7h GothicBBB-Medium-78-H  
zpgbm7v GothicBBB-Medium-78-V  
zpgbm8rh GothicBBB-Medium-83pv-RKSJ-H  
zpgbmah GothicBBB-Medium-Add-H  
zpgbmav GothicBBB-Medium-Add-V  
zpgbmeh GothicBBB-Medium-Ext-H  
zpgbmev GothicBBB-Medium-Ext-V  
zpgbmh GothicBBB-Medium-H  
zpgbmv GothicBBB-Medium-V  
zpmicr MICR  
zpryl7h Ryumin-Light-78-H  
zpryl7v Ryumin-Light-78-V  
zpryl8rh Ryumin-Light-83pv-RKSJ-H  
zprylah Ryumin-Light-Add-H  
zprylav Ryumin-Light-Add-V  
zpryleh Ryumin-Light-Ext-H  
zprylev Ryumin-Light-Ext-V  
zprylh Ryumin-Light-H  
zprylv Ryumin-Light-V  
zpshals Shelley-AllegroScript  
zpshans Shelley-AndanteScript  
zpshvos Shelley-VolanteScript  
zpsrliolh SerlioLH

zpulrncp Universal-NewswithCommPi

### A.3 Apple fonts

The ‘apple.map’ file has abbreviations for Apple fonts.

eacr8r	AppleChancery
eger8r	Geneva
ehtr8r	HoeflerText
emcr8r	Monaco
epi001	Zeal
eskr8r	Skia

### A.4 Bitstream fonts

The ‘bitstrea.map’ file has abbreviations for Bitstream fonts.

ba3r8r	AdLibBT-Regular	1154a
ba4r8r	AlternateGothicNo2BT-Regular	0542a
ba5r8r	AllegroBT-Regular	1138a
ba6r8r	AmeliaBT-Regular	0510a
ba7r8r	AmericanTextBT-Regular	0211a
ba8b8rc	AuroraBT-BoldCondensed	1028a
ba9b8r	Humanist970BT-BoldC	0265a
ba9r8r	Humanist970BT-RomanC	0264a
baab8r	AachenBT-Bold	1103a
baar8r	AachenBT-Roman	1102a
balb8r	Flareserif821BT-Bold	0918a
ball8r	Flareserif821BT-Light	0916a
balr8r	Flareserif821BT-Roman	0917a
bamb8r	AmericanaBT-Bold	0500a
bamr8r	AmericanaBT-Roman	0498a
bamri8r	AmericanaBT-Italic	0499a
bamx8r	AmericanaBT-ExtraBold	0501a
bamx8rc	AmericanaBT-ExtraBoldCondensed	0502a
baob8r	Incised901BT-Bold	0390a
baob8rc	Incised901BT-BoldCondensed	0467a
baoc8r	Incised901BT-Black	0391a
baoh8rx	Incised901BT-Nord	0469a
baohi8rx	Incised901BT-NordItalic	0470a
baol8r	Incised901BT-Light	0387a
baop8r	Incised901BT-Compact	0468a
baor8r	Incised901BT-Roman	0388a
baori8r	Incised901BT-Italic	0389a
baub8r	Freeform721BT-Bold	0999a
baubi8r	Freeform721BT-BoldItalic	1000a
bauc8r	Freeform721BT-Black	1001a
bauci8r	Freeform721BT-BlackItalic	1002a

baur8r	Freeform721BT-Roman	0997a
bauri8r	Freeform721BT-Italic	0998a
bazb8r	Gothic725BT-BoldA	0541a
bazc8r	Gothic725BT-BlackA	1007a
bb4r8r	Brush738BT-RegularA	0806a
bb5r8r	Freehand591BT-RegularA	1043a
bb6r8rc	Gothic821CondensedBT-Regular	0807a
bb7b8r	BernhardModernBT-Bold	0838a
bb7b8rc	BernhardBoldCondensedBT-Regular	1003a
bb7bi8r	BernhardModernBT-BoldItalic	0839a
bb7r8r	BernhardModernBT-Roman	0607a
bb7ri8r	BernhardModernBT-Italic	0837a
bb7rn8r	BernhardFashionBT-Regular	1051a
bb7rw8r	BernhardTangoBT-Regular	0986a
bb8c8r	BlippoBT-Black	0511a
bb9b8r	BremenBT-Bold	1231a
bb9c8r	BremenBT-Black	1232a
bbbb8a	Aldine401BT-BoldA	0304a
bbbbbi8a	Aldine401BT-BoldItalicA	0305a
bbbr8a	Aldine401BT-RomanA	0302a
bbibri8a	Aldine401BT-ItalicA	0303a
bbdb8r	BodoniBT-Bold	0037a
bbdb8rc	BodoniBT-BoldCondensed	0973a
bbdbi8r	BodoniBT-BoldItalic	0038a
bbdk8r	BodoniBT-Book	0035a
bbdk18r	BodoniBT-BookItalic	0036a
bbdp8r	PosterBodoniBT-Roman	0129a
bbdpi8r	PosterBodoniBT-Italic	0130a
bbdr8r	BodoniBT-Roman	0055a
bbdri8r	BodoniBT-Italic	0056a
bb1b8r	BelweBT-Bold	1024a
bb1l8r	BelweBT-Light	1022a
bb1m8r	BelweBT-Medium	1023a
bb1r8rc	BelweBT-RomanCondensed	1025a
bbob8r	BalloonBT-Bold	0728a
bbol8r	BalloonBT-Light	0121a
bbox8r	BalloonBT-ExtraBold	0729a
bbpr8r	Modern735BT-RomanA	0793a
bbrb8r	Revival565BT-Bold	1070a
bbribi8r	Revival565BT-BoldItalic	1071a
bbrr8r	Revival565BT-Roman	1068a
bbrrri8r	Revival565BT-Italic	1069a
bbsr8r	BakerSignetBT-Roman	1152a
bburw8r	BrushScriptBT-Regular	0199a
bwrr8r	BroadwayBT-Regular	0131a
bbwre8r	BroadwayEngravedBT-Regular	0802a
bc5r8r	Caslon540BT-Roman	0118a
bc5ri8r	Caslon540BT-Italic	0119a

bc7b8r	CompactaBT-Bold	0786a
bc7bi8r	CompactaBT-BoldItalic	0787a
bc7c8r	CompactaBT-Black	0788a
bc7r8r	CompactaBT-Roman	0784a
bc7ri8r	CompactaBT-Italic	0785a
bc9r8r	Calligraphic421BT-RomanB	1139a
bcab8r	CaslonBT-Bold	0443a
bcabi8r	CaslonBT-BoldItalic	0444a
bcarl8r	CaslonOpenfaceBT-Regular	0581a
bcbb8r	CooperBT-Bold	0579a
bcbi8r	CooperBT-BoldItalic	0580a
bcbbl8r	CooperBT-BlackOutline	1034a
bcbc8r	CooperBT-Black	0630a
bcbc18r	CooperBT-BlackItalic	0631a
bcbcil8r	CooperBT-BlackItalicHeadline	0232a
bcbc18r	CooperBT-BlackHeadline	0231a
bcbl8r	CooperBT-Light	0575a
bcbli8r	CooperBT-LightItalic	0576a
bcbm8r	CooperBT-Medium	0577a
bcbmi8r	CooperBT-MediumItalic	0578a
bccr8r	Freehand471BT-Regular	0418a
bcdb8r	ClarendonBT-Bold	0284a
bcdb8rc	ClarendonBT-BoldCondensed	0228a
bcdc8r	ClarendonBT-Black	0351a
bcdh8r	ClarendonBT-Heavy	0416a
bcdl8r	ClarendonBT-Light	0282a
bcdr8r	ClarendonBT-Roman	0283a
bcdr8rc	ClarendonBT-RomanCondensed	0846a
bchb8r	CharterBT-Bold	
bchbi8r	CharterBT-BoldItalic	
bchr8r	CharterBT-Roman	
bchri8r	CharterBT-Italic	
bclc8r	CloisterBlackBT-Regular	0757a
bcnb8rx	CenturyExpandedBT-Bold	0041a
bcnbi8rx	CenturyExpandedBT-BoldItalic	0042a
bcnr8rx	CenturyExpandedBT-Roman	0039a
bcnri8rx	CenturyExpandedBT-Italic	0040a
bcpbs8r	CopperplateGothicBT-Bold	0421a
bcpbs8rc	CopperplateGothicBT-BoldCond	0424a
bcphs8r	CopperplateGothicBT-Heavy	0422a
bcprs8r	CopperplateGothicBT-Roman	0420a
bcprs8rc	CopperplateGothicBT-RomanCond	0423a
bcsb8r	CenturySchoolbookBT-Bold	0085a
bcsb8rc	CenturySchoolbookBT-BoldCond	0574a
bcsi8r	CenturySchoolbookBT-BoldItalic	0086a
bcsr8r	CenturySchoolbookBT-Roman	0083a
bcsri8r	CenturySchoolbookBT-Italic	0084a
bcsrt8r	CenturySchoolbookBT-Monospace	0600a

bctb8r	CheltenhamBT-Bold	0622a
bctb8rc	CheltenhamBT-BoldCondensed	1065a
bctb8rq	CheltenhamBT-BoldExtraCondensed	1067a
bctbd8r	CheltenhamBT-BoldHeadline	0508a
bctbdi8r	CheltenhamBT-BoldItalicHeadline	0509a
bctbi8r	CheltenhamBT-BoldItalic	0623a
bctbi8rc	CheltenhamBT-BoldCondItalic	1066a
bctr8r	CheltenhamBT-Roman	0620a
bctri8r	CheltenhamBT-Italic	0621a
bcub8r	CenturyOldstyleBT-Bold	0287a
bcur8r	CenturyOldstyleBT-Roman	0285a
bcuri8r	CenturyOldstyleBT-Italic	0286a
bcyb8r	SquareSlabserif711BT-Bold	0412a
bcyl8r	SquareSlabserif711BT-Light	0410a
bcym8r	SquareSlabserif711BT-Medium	0411a
bczr8r	Staccato555BT-RegularA	1153a
bd0b8r	DavidaBoldBT-Regular	0195a
bdcb8r	DomBoldBT-Regular	0769a
bdcbi8r	DomDiagonalBT-Bold	0921a
bdcr8r	DomCasualBT-Regular	0604a
bdcri8r	DomDiagonalBT-Regular	0920a
bdeb8r	DellaRobbiaBT-Bold	1113a
bder8r	DellaRobbiaBT-Roman	1112a
bdir8r	Calligraphic810BT-Roman	0811a
bdiri8r	Calligraphic810BT-Italic	0812a
be0r8r	EmbassyBT-Regular	0588a
be1r8r	EmpireBT-Regular	1176a
beab8r	Transitional521BT-BoldA	0915a
bear8r	Transitional521BT-RomanA	0913a
bearw8r	Transitional521BT-CursiveA	0914a
beeb8r	Egyptian505BT-Bold	0964a
beel8r	Egyptian505BT-Light	0961a
beem8r	Egyptian505BT-Medium	0963a
beer8r	Egyptian505BT-Roman	0962a
begb8r	OriginalGaramondBT-Bold	0865a
begbi8r	OriginalGaramondBT-BoldItalic	0866a
begr8r	OriginalGaramondBT-Roman	0863a
begri8r	OriginalGaramondBT-Italic	0864a
bekr8r	Freeform710BT-Regular	0714a
benb8r	EngraversRomanBT-Bold	0974a
benbf8r	EngraversOldEnglishBT-Bold	1045a
benr8r	EngraversRomanBT-Regular	0587a
benrf8r	EngraversOldEnglishBT-Regular	0212a
benrs8r	EngraversGothicBT-Regular	0586a
beob8a	AmerigoBT-BoldA	0645a
beobi8a	AmerigoBT-BoldItalicA	0772a
beom8a	AmerigoBT-MediumA	0770a
beomi8a	AmerigoBT-MediumItalicA	0771a

beor8a	AmerigoBT-RomanA	0643a
beori8a	AmerigoBT-ItalicA	0644a
besb8r	Square721BT-Bold	0247a
besb8rc	Square721BT-BoldCondensed	0249a
besb8rx	Square721BT-BoldExtended	0251a
besr8r	Square721BT-Roman	0246a
besr8rc	Square721BT-RomanCondensed	0248a
besr8rx	Square721BT-RomanExtended	0250a
bf0r8r	FlemishScriptBT-Regular	0591a
bffm8r	Transitional551BT-MediumB	0884a
bffmi8r	Transitional551BT-MediumItalicB	0885a
bfrb8r	Humanist777BT-BoldB	0859a
bfrbi8r	Humanist777BT-BoldItalicB	0860a
bfrc8r	Humanist777BT-BlackB	0861a
bfrci8r	Humanist777BT-BlackItalicB	0862a
bfrl8r	Humanist777BT-LightB	0855a
bfrli8r	Humanist777BT-LightItalicB	0856a
bfrr8r	Humanist777BT-RomanB	0857a
bfrri8r	Humanist777BT-ItalicB	0858a
bftr8r	FrakturBT-Regular	0983a
bfuc8r	FuturaBlackBT-Regular	0206a
bg0r8r	GandoBT-Regular	0625a
bg3b8r	AmericanGaramondBT-Bold	0045a
bg3bi8r	AmericanGaramondBT-BoldItalic	0046a
bg3r8r	AmericanGaramondBT-Roman	0043a
bg3ri8r	AmericanGaramondBT-Italic	0044a
bg5r8r	GoudyCatalogueBT-Regular	1054a
bg6r8r	GorillaITCbyBT-Regular	0664a
bgjb8r	ElegantGaramondBT-Bold	0713a
bgjr8r	ElegantGaramondBT-Roman	0711a
bgjri8r	ElegantGaramondBT-Italic	0712a
bgob8r	GoudyOldStyleBT-Bold	0109a
bgobi8r	GoudyOldStyleBT-BoldItalic	0110a
bgor8r	GoudyOldStyleBT-Roman	0107a
bgori8r	GoudyOldStyleBT-Italic	0108a
bgox8r	GoudyOldStyleBT-ExtraBold	0111a
bgsb8r	Humanist521BT-Bold	0292a
bgsb8rc	Humanist521BT-BoldCondensed	0496a
bgsci8r	Humanist521BT-BoldItalic	0293a
bgsl8r	Humanist521BT-Light	0288a
bgсли8r	Humanist521BT-LightItalic	0289a
bgsr8r	Humanist521BT-Roman	0290a
bgср8rc	Humanist521BT-RomanCondensed	0495a
bgсri8r	Humanist521BT-Italic	0291a
bgсу8r	Humanist521BT-UltraBold	0295a
bgsx8r	Humanist521BT-ExtraBold	0294a
bgsx8rc	Humanist521BT-XtraBoldCondensed	0497a
bgyh8r	GoudyHeavyfaceBT-Regular	1049a

bgyrf8r	GoudyHandtooledBT-Regular	1053a
bgyrrc8r	GoudyHeavyfaceBT-RegularCond	1050a
bh0r8r	HandelGothicBT-Regular	0768a
bhbr8r	HoboBT-Regular	0057a
bhir8r	Swiss921BT-RegularA	0562a
bhrb8r	Swiss721BT-BoldRounded	0813a
bhrc8r	Swiss721BT-BlackRounded	0815a
bhsr8r	Swiss924BT-RegularB	0969a
bhva8r	Swiss721BT-Thin	0100a
bhvai8r	Swiss721BT-ThinItalic	0101a
bhvb8r	Swiss721BT-Bold	0005a
bhvb8rc	Swiss721BT-BoldCondensed	0010a
bhvbx8r	Swiss721BT-BoldExtended	0373a
bhvbi8r	Swiss721BT-BoldItalic	0006a
bhvbi8rc	Swiss721BT-BoldCondensedItalic	0172a
bhvbit8r	Monospace821BT-BoldItalic	0599a
bhvbl8r	Swiss721BT-BoldOutline	0175a
bhvbl8rc	Swiss721BT-BoldCondensedOutline	0767a
bhvbt8r	Monospace821BT-Bold	0598a
bhvc8r	Swiss721BT-Black	0007a
bhvc8rc	Swiss721BT-BlackCondensed	0173a
bhvc8rx	Swiss721BT-BlackExtended	0374a
bhvci8r	Swiss721BT-BlackItalic	0008a
bhvci8rc	Swiss721BT-BlackCondensedItalic	0174a
bhvcl8r	Swiss721BT-BlackOutline	0563a
bhv8r	Swiss721BT-Heavy	0102a
bhvhi8r	Swiss721BT-HeavyItalic	0103a
bhv18r	Swiss721BT-Light	0001a
bhv18rc	Swiss721BT-LightCondensed	0169a
bhv18rx	Swiss721BT-LightExtended	0371a
bhvli8r	Swiss721BT-LightItalic	0002a
bhvli8rc	Swiss721BT-LightCondensedItalic	0170a
bhvrm8r	Swiss721BT-Medium	0759a
bhvmi8r	Swiss721BT-MediumItalic	0760a
bhvr8r	Swiss721BT-Roman	0003a
bhvr8rc	Swiss721BT-RomanCondensed	0009a
bhvr8rq	Swiss911BT-ExtraCompressed	0105a
bhvr8ru	Swiss911BT-UltraCompressed	0106a
bhvr8rx	Swiss721BT-RomanExtended	0372a
bhvri8r	Swiss721BT-Italic	0004a
bhvri8rc	Swiss721BT-ItalicCondensed	0171a
bhvrit8r	Monospace821BT-Italic	0597a
bhvrt8r	Monospace821BT-Roman	0596a
bhwcc8rc	SchadowBT-BlackCondensed	1114a
bhxr8r	HuxleyVerticalBT-Regular	1177a
bi0r8r	CommercialScriptBT-Regular	0976a
bi1r8r	ImpressBT-Regular	0209a
bi2r8r	ImpulsBT-Regular	0725a

biob8r	News701BT-BoldA	0320a
bior8r	News701BT-RomanA	0318a
biori8r	News701BT-ItalicA	0319a
biyb8r	IowanOldStyleBT-Bold	1200a
biybi8r	IowanOldStyleBT-BoldItalic	1201a
biyc8r	IowanOldStyleBT-Black	1202a
biyci8r	IowanOldStyleBT-BlackItalic	1203a
biyr8r	IowanOldStyleBT-Roman	1198a
biyri8r	IowanOldStyleBT-Italic	1199a
bjfr8r	Freehand575BT-RegularB	1046a
bkbb8r	Geometric231BT-BoldC	1128a
bkh8r	Geometric231BT-HeavyC	1129a
bkb18r	Geometric231BT-LightC	1126a
bkbr8r	Geometric231BT-RomanC	1127a
bkg18r	BankGothicBT-Light	0589a
bkgm8r	BankGothicBT-Medium	0590a
bkub8r	KaufmannBT-Bold	0727a
bkur8r	KaufmannBT-Regular	0726a
bl1r8r	LibertyBT-Regular	0987a
bl2r8r	LibraBT-Regular	0690a
bl3r8r	LuciaBT-Regular	0847a
bl4b8r	LucianBT-Bold	1143a
bl4r8r	LucianBT-Roman	1142a
blgb8r	LetterGothic12PitchBT-Bold	0533a
blgbi8r	LetterGothic12PitchBT-BoldItalic	0543a
blgr8r	LetterGothic12PitchBT-Roman	0414a
blgri8r	LetterGothic12PitchBT-Italic	0532a
blir8rc	LatinExtraCondensedBT-Regular	0507a
blyb8r	LydianBT-Bold	0843a
blybi8r	LydianBT-BoldItalic	0844a
blyr8r	LydianBT-Roman	0841a
blyri8r	LydianBT-Italic	0842a
blyrw8r	LydianCursiveBT-Regular	0845a
bm2c8r	Geometric415BT-BlackA	0524a
bm2ci8r	Geometric415BT-BlackItalicA	0525a
bm218r	Geometric415BT-LiteA	0520a
bm2li8r	Geometric415BT-LiteItalicA	0521a
bm2m8r	Geometric415BT-MediumA	0522a
bm2mi8r	Geometric415BT-MediumItalicA	0523a
bm3b8r	MiraraeBT-Bold	0831a
bm3r8r	MiraraeBT-Roman	0830a
bm4r8r	MisterEarlBT-Regular	1221a
bm5b8r	MurrayHillBT-Bold	0886a
bmar8r	Freehand521BT-RegularC	1018a
bmlb8r	ZapfElliptical711BT-Bold	0053a
bmlbi8r	ZapfElliptical711BT-BoldItalic	0054a
bmlr8r	ZapfElliptical711BT-Roman	0051a
bmlri8r	ZapfElliptical711BT-Italic	0052a

bmor8r	Modern20BT-RomanB	1168a
bmori8r	Modern20BT-ItalicB	1169a
bmpb8r	GeometricSlab703BT-Bold	0310a
bmpb8rc	GeometricSlab703BT-BoldCond	1020a
bmpbi8r	GeometricSlab703BT-BoldItalic	0311a
bmpl8r	GeometricSlab703BT-Light	0306a
bmpli8r	GeometricSlab703BT-LightItalic	0307a
bmpm8r	GeometricSlab703BT-Medium	0308a
bmpm8rc	GeometricSlab703BT-MediumCond	1019a
bmpmi8r	GeometricSlab703BT-MediumItalic	0309a
bmpx8r	GeometricSlab703BT-XtraBold	0312a
bmpx8rc	GeometricSlab703BT-XtraBoldCond	1021a
bmpxi8r	GeometricSlab703BT-XtraBoldItal	0313a
bmsr8r	Staccato222BT-Regular	0610a
bmzr8r	AmazoneBT-Regular	1040a
bn0r8r	NormandeBT-Roman	1011a
bn0ri8r	NormandeBT-Italic	1012a
bnlc8r	Informal011BT-Black	1116a
bnlr8r	Informal011BT-Roman	1115a
bnur8r	NuptialBT-Regular	0981a
bnzb8rc	Geometric706BT-BoldCondensedB	0662a
bnzc8r	Geometric706BT-BlackB	0661a
bnzc8rc	Geometric706BT-BlackCondensedB	0663a
bnzm8r	Geometric706BT-MediumB	0660a
bo0r8r	OldDreadfulNo7BT-Regular	7009a
bo1b8r	OrandaBT-Bold	1206a
bo1bi8r	OrandaBT-BoldItalic	1207a
bo1brc8r	OrandaBT-BoldCondensed	1209a
bo1r8r	OrandaBT-Roman	1204a
bo1ri8r	OrandaBT-Italic	1205a
bo1rrc8r	OrandaBT-RomanCondensed	1208a
bo2r8r	OrbitBbyBT-Regular	0213a
boar8r	OCRAByBT-Regular	0395x
bobr8r	OCRB10PitchBT-Regular	0646x
boer8r	English157BT-Regular	0840a
boir8r	FormalScript421BT-Regular	0609a
bopb8r	ZapfHumanist601BT-Bold	0017a
bopi8r	ZapfHumanist601BT-BoldItalic	0018a
bopd8r	ZapfHumanist601BT-Demi	0134a
bopdi8r	ZapfHumanist601BT-DemiItalic	0135a
bopr8r	ZapfHumanist601BT-Roman	0015a
bopri8r	ZapfHumanist601BT-Italic	0016a
bopu8r	ZapfHumanist601BT-Ultra	0136a
bopui8r	ZapfHumanist601BT-UltraItalic	0137a
borr108r	OratorBT-TenPitch	0755a
borr158r	OratorBT-FifteenPitch	0758a
botb8r	Ribbon131BT-Bold	0208a
botr8r	Ribbon131BT-Regular	0207a

boxr8r	OnyxBT-Regular	0519a
bozr8r	OzHandicraftBT-Roman	1178a
bp3r8r	Brush445BT-Regular	0990a
bp4r8r	PioneerITCbyBT-Regular	0214a
bp5r8r	PiranesiItalicBT-Regular	0592a
bpar8r	ParkAvenueBT-Regular	0362a
bpbr8r	PTBarnumBT-Regular	0720a
bpfr8r	Decorated035BT-Regular	0605a
bpgb8r	Exotic350BT-Bold	0628a
bpgd8r	Exotic350BT-DemiBold	0627a
bpgl8r	Exotic350BT-Light	0626a
bpi001	NewspaperPiBT-Regular	9836x
bpi002	SymbolProportionalBT-Regular	9830x
bpi003	UniversalMath1BT-Regular	9014x
bpi004	CommercialPiBT-Regular	9025x
bplb8r	ZapfCalligraphic801BT-Bold	0025a
bplbi8r	ZapfCalligraphic801BT-BoldItalic	0026a
bplr8r	ZapfCalligraphic801BT-Roman	0023a
bplri8r	ZapfCalligraphic801BT-Italic	0024a
bpb8r	Aldine721BT-Bold	0114a
bpbni8r	Aldine721BT-BoldItalic	0115a
bpn18r	Aldine721BT-Light	0804a
bpnli8r	Aldine721BT-LightItalic	0805a
bpn8r	Aldine721BT-Roman	0112a
bpnri8r	Aldine721BT-Italic	0113a
bppb8r	Lapidary333BT-Bold	0717a
bppbi8r	Lapidary333BT-BoldItalic	0718a
bppc8r	Lapidary333BT-Black	1052a
bppr8r	Lapidary333BT-Roman	0715a
bppri8r	Lapidary333BT-Italic	0716a
bpsr8r	ParisianBT-Regular	1064a
bpyr8r	PlaybillBT-Regular	0867a
br0b8r	RomanaBT-Bold	0897a
br0r8r	RomanaBT-Roman	0896a
brab8r	RaleighBT-Bold	1081a
brad8r	RaleighBT-DemiBold	1080a
bral8r	RaleighBT-Light	1077a
bram8r	RaleighBT-Medium	1079a
brar8r	RaleighBT-Roman	1078a
brax8r	RaleighBT-ExtraBold	1082a
brmb8r	CarminaBT-Bold	0723a
brmbi8r	CarminaBT-BoldItalic	0724a
brmc8r	CarminaBT-Black	0668a
brmci8r	CarminaBT-BlackItalic	0719a
brml8r	CarminaBT-Light	0667a
brmli8r	CarminaBT-LightItalic	0624a
brmm8r	CarminaBT-Medium	0721a
brmmi8r	CarminaBT-MediumItalic	0722a

brsb8r	ArrusBT-Bold	1147a
brsbi8r	ArrusBT-BoldItalic	1148a
brsc8r	ArrusBT-Black	1149a
brsci8r	ArrusBT-BlackItalic	1150a
brsr8r	ArrusBT-Roman	1145a
brsri8r	ArrusBT-Italic	1146a
brvr8r	RevueBT-Regular	0895a
brwb8r	GeometricSlab712BT-BoldA	0487a
brwl8r	GeometricSlab712BT-LightA	0483a
brwli8r	GeometricSlab712BT-LightItalicA	0484a
brwm8r	GeometricSlab712BT-MediumA	0485a
brwmi8r	GeometricSlab712BT-MediumItalicA	0486a
brwx8r	GeometricSlab712BT-ExtraBoldA	0488a
bs3b8r	SeagullBT-Bold	0819a
bs3h8r	SeagullBT-Heavy	0820a
bs3l8r	SeagullBT-Light	0817a
bs3m8r	SeagullBT-Medium	0818a
bs4r8r	ShotgunBT-Regular	0167a
bs4rl8r	ShotgunBlanksBT-Regular	0234a
bs5b8r	SnellBT-Bold	0197a
bs5c8r	SnellBT-Black	0198a
bs5r8r	SnellBT-Regular	0196a
bs6r8r	StuyvesantBT-Regular	0980a
bsbb8r	ClassicalGaramondBT-Bold	0279a
bsbbi8r	ClassicalGaramondBT-BoldItalic	0972a
bsbr8r	ClassicalGaramondBT-Roman	0277a
bsbri8r	ClassicalGaramondBT-Italic	0278a
bslr8r	StencilBT-Regular	0191a
bt0r8r	TangoBT-Regular	1151a
bt1r8r	ThunderbirdBT-Regular	0606a
bt2r8r	TypoUprightBT-Regular	0939a
btmb8r	Dutch801BT-Bold	0013a
btmbi8r	Dutch801BT-BoldItalic	0014a
btmr8r	Dutch801BT-Roman	0011a
btmrd8r	Dutch801BT-RomanHeadline	1035a
btmri8r	Dutch801BT-Italic	0012a
btms8r	Dutch801BT-SemiBold	0834a
btmsi8r	Dutch801BT-SemiBoldItalic	0835a
btmx8r	Dutch801BT-ExtraBold	0549a
btmx8r	Dutch801BT-ExtraBoldItalic	0971a
btor8r	Industrial736BT-Roman	1047a
btori8r	Industrial736BT-Italic	1048a
btvb8r	Kuenstler480BT-Bold	0763a
btvbi8r	Kuenstler480BT-BoldItalic	0764a
btvc8r	Kuenstler480BT-Black	1026a
btvr8r	Kuenstler480BT-Roman	0761a
btvri8r	Kuenstler480BT-Italic	0762a
bumr8r	UmbraBT-Regular	1074a

bunb8r	ZurichBT-Bold	0180a
bunb8rc	ZurichBT-BoldCondensed	0300a
bunb8rq	ZurichBT-BoldExtraCondensed	0960a
bunb8rx	ZurichBT-BoldExtended	0261a
bunbi8r	ZurichBT-BoldItalic	0181a
bunbi8rc	ZurichBT-BoldCondensedItalic	0301a
bunc8r	ZurichBT-Black	0182a
bunc8rx	ZurichBT-BlackExtended	0262a
bunci8r	ZurichBT-BlackItalic	0183a
bunl8r	ZurichBT-Light	0176a
bunl8rc	ZurichBT-LightCondensed	0296a
bunl8rq	ZurichBT-LightExtraCondensed	0958a
bunli8r	ZurichBT-LightItalic	0177a
bunli8rc	ZurichBT-LightCondensedItalic	0297a
bunr8r	ZurichBT-Roman	0178a
bunr8rc	ZurichBT-RomanCondensed	0298a
bunr8rq	ZurichBT-ExtraCondensed	0959a
bunr8rx	ZurichBT-RomanExtended	0260a
bunri8r	ZurichBT-Italic	0179a
bunri8rc	ZurichBT-ItalicCondensed	0299a
bunu8rx	ZurichBT-UltraBlackExtended	0263a
bunx8r	ZurichBT-ExtraBlack	0970a
burb8r	Venetian301BT-Bold	1099a
burb8r	Venetian301BT-BoldItalic	1100a
burd8r	Venetian301BT-Demi	1097a
burdi8r	Venetian301BT-DemiItalic	1098a
burr8r	Venetian301BT-Roman	1095a
burri8r	Venetian301BT-Italic	1096a
buyb8r	UniversityRomanBT-Bold	0317a
buyr8r	UniversityRomanBT-Regular	0316a
bv0r8r	VinetaBT-Regular	0215a
bvrr8r	VAGRoundedBT-Regular	0756a
bw0r8r	WeddingTextBT-Regular	0985a
bwnl8r	WindsorBT-Light	0909a
bwnl8rc	WindsorBT-LightCondensed	0326a
bwnr8r	WindsorBT-Roman	0122a
bwnr8rx	WindsorBT-Elongated	0327a
bwnrl8r	WindsorBT-Outline	0988a
zbshals	ShelleyAllegroBT-Regular	0594a
zbshans	ShelleyAndanteBT-Regular	0593a
zbshvos	ShelleyVolanteBT-Regular	0595a

## A.5 DTC fonts

The ‘dtc.map’ file has abbreviations for DTC (Digital Typeface Corporation) fonts.

dhvc8rc SansBlackCondensed-DTC  
 dhvco8rc SansBlackCondensed-Oblique-DTC

```

dhvm8rx SansExtended-Medium-DTC
dhvr8rx SansExtended-Regular-DTC
dhvro8rc SansExtended-RegularOblique-DTC
dhvx8rc SansExtraBlackCondensed-DTC
dhvl8rx SansLightExtended-DTC
dhvh8rc SansThinCondensed-DTC
dhvho8rc SansThinCondensed-Oblique-DTC
dnbb8r NewBaskerville-Bold-DTC
dnbbi8r NewBaskerville-BoldItalic-DTC
dnbri8r NewBaskerville-RomanItalic-DTC
dnbr8r NewBaskerville-Roman-DTC
dopr8r Optimum-Roman-DTC
dopb8r Optimum-Bold-DTC
dopbo8r Optimum-BoldItalic-DTC
doro8r Optimum-RomanItalic-DTC
dpl18r Palton-Light-DTC

```

## A.6 Linotype fonts

The ‘linotype.map’ file has abbreviations for Linotype fonts.

```

lenb8r EngraversLH-BoldFace
lpi001 OlympicLH-Pi
ltgb8rx TradeGothicLH-BoldExtended
ltgr8rx TradeGothicLH-Extended
lvcc8r VectoralH-Black
lvcci8r VectoralH-BlackItalic
lvcb8r VectoralH-Bold
lvcbi8r VectoralH-BoldItalic
lvcri8r VectoralH-Italic
lvcl8r VectoralH-Light
lvcli8r VectoralH-LightItalic
lvcr8r VectoralH-Roman
lpi002 WarningLH-Pi
lpi003 AudioLH-Pi
lcfc8r ClearfaceGothicLH-Black
lcfb8r ClearfaceGothicLH-Bold
lcfls8r ClearfaceGothicLH-Light
lcfms8r ClearfaceGothicLH-Medium
lcfrs8r ClearfaceGothicLH-Roman
lpi004 EECLH-Pi
lffb8r FairfieldLH-Bold
lffb18r FairfieldLH-BoldItalic
lffbc8r FairfieldLH-BoldSC
lffbd8r FairfieldLH-CaptionBold
lffhd8r FairfieldLH-CaptionHeavy
lffld8r FairfieldLH-CaptionLight
lffmd8r FairfieldLH-CaptionMedium

```

```

lffh8r  FairfieldLH-Heavy
lffhi8r  FairfieldLH-HeavyItalic
lffhc8r  FairfieldLH-HeavySC
lffl8r  FairfieldLH-Light
lffli8r  FairfieldLH-LightItalic
lfflc8r  FairfieldLH-LightSC
lffm8r  FairfieldLH-Medium
lffmi8r  FairfieldLH-MediumItalic
lffmc8r  FairfieldLH-MediumSC
lffb7d  FairfieldLH-SwBoldItalicOsF
lffhiw7d  FairfieldLH-SwHeavyItalicOsF
lffliw7d  FairfieldLH-SwLightItalicOsF
lffmiw7d  FairfieldLH-SwMediumItalicOsF

```

## A.7 Monotype fonts

The ‘monotype.map’ file has abbreviations for Monotype fonts.

```

ma1b8r  ArialMT-Bold
ma1b8rn  ArialNarrowMT-Bold MArial-NarrowBold
ma1b9s  ArialSFMT-Bold
ma1bi8r  ArialMT-BoldItalic
ma1bi8rn  ArialNarrowMT-BoldItalic MArial-NarrowBoldItalic
ma1bi9s  ArialSFMT-BoldItalic
ma1bot8r  ArialMonospacedMT-BoldOblique
ma1br8rc  ArialMT-CondensedBold
ma1bt8r  ArialMonospacedMT-Bold
ma1c8r  ArialMT-Black
ma1ci8r  ArialMT-BlackItalic
ma1l8r  ArialMT-Light
ma1l8rc  ArialMT-CondensedLight
ma1li8r  ArialMT-LightItalic
ma1m8r  ArialMT-Medium
ma1mi8r  ArialMT-MediumItalic
ma1r8r  ArialMT
ma1r8rc  ArialMT-Condensed
ma1r8rn  ArialNarrowMT MArial-Narrow
ma1r9s  ArialSFMT
ma1ri8r  ArialMT-Italic
ma1ri9s  ArialSFMT-Italic
ma1rin8r  ArialNarrowMT-Italic MArial-NarrowItalic
ma1ro8r  ArialMonospacedMT-Oblique
ma1rt8r  ArialMonospacedMT
ma1x8r  ArialMT-ExtraBold
ma1x8rc  ArialMT-CondensedExtraBold
ma1xi8r  ArialMT-ExtraBoldItalic
ma2b8r  AmasisMT-Bold
ma2bi8r  AmasisMT-BoldItalic

```

ma2c8r AmasisMT-Black  
ma2ci8r AmasisMT-BlackItalic  
ma2l8r AmasisMT-Light  
ma2li8r AmasisMT-LightItalic  
ma2m8r AmasisMT-Medium  
ma2mi8r AmasisMT-MediumItalic  
ma2r8r AmasisMT  
ma2ri8r AmasisMT-Italic  
magd8r MAvantGardeGothicPS-Demi  
magdo8r MAvantGardeGothicPS-DemiObl  
magk8r MAvantGardeGothicPS-Book  
magko8r MAvantGardeGothicPS-BookObl  
mahr8r AshleyScriptMT  
maib8r AbadiMT-Bold MAbadi-Bold  
maib8rc AbadiMT-CondensedBold  
maibi8r AbadiMT-BoldItalic MAbadi-BoldItalic  
mai8r AbadiMT-ExtraLight MAbadi-ExtraLight  
mai8r AbadiMT-ExtraLightItalic MAbadi-ExtraLightItalic  
mail8r AbadiMT-Light MAbadi-Light  
mail8rc AbadiMT-CondensedLight  
maili8r AbadiMT-LightItalic MAbadi-LightItalic  
mair8r AbadiMT MAbadi  
mair8rc AbadiMT-Condensed  
mairi8r AbadiMT-Italic MAbadi-Italic  
maix8r AbadiMT-ExtraBold MAbadi-ExtraBold  
maix8rc AbadiMT-CondensedExtraBold  
maixi8r AbadiMT-ExtraBoldItalic MAbadi-ExtraBoldItalic  
mall8r MALbertus-Light AlbertusMT-Light  
malr8r MALbertus AlbertusMT  
malri8r MALbertus-Italic AlbertusMT-Italic  
mapr8r ApolloMT MApollo  
maprc8r ApolloMT-SC  
mapri7d ApolloMT-ItalicOsF  
mapri8r ApolloMT-Italic MApollo-Italic  
mapri8x ApolloMT-ItalicExpert  
maps7d ApolloMT-SemiBoldOsF  
maps8r ApolloMT-SemiBold MApollo-SemiBold  
maps8x ApolloMT-SemiBoldExpert  
maqb8r BookAntiqua-Bold  
maqbi8r BookAntiqua-BoldItalic  
maqr8r BookAntiqua  
maqri8r BookAntiqua-Italic  
mb1ri8r BladoMT-Italic MBlado-Italic  
mb1ri8x BladoExpertMT-Italic  
mb2r8r BinnyOldStyleMT  
mb2ri8r BinnyOldStyleMT-Italic  
mb3r8r MBraggadocio  
mbbb7a Bembo-AltBold

mbbb8r Bembo-Bold  
mbbb8x BemboExpert-Bold MBemboExpert-Bold  
mbbbi7a Bembo-AltBoldItalic  
mbbbi8r Bembo-BoldItalic  
mbbbi8x BemboExpert-BoldItalic MBemboExpert-BoldItalic  
mbbbin8r BemboMT-SchlbkBoldItalic  
mbbbn8r BemboMT-SchlbkBold  
mbbr7a Bembo-Alt  
mbbr8r Bembo  
mbbr8x BemboExpert MBemboExpert  
mbbrd8r BemboTitlingMT  
mbbrdi8r BemboTitlingMT-Italic  
mbbri7a Bembo-AltItalic  
mbbri8r Bembo-Italic  
mbbri8x BemboExpert-Italic MBemboExpert-Italic  
mbbrin8r BemboMT-SchlbkItalic  
mbbrn8r BemboMT-Schlbk  
mbbs7a Bembo-AltSemiBold  
mbbs8r Bembo-Semibold  
mbbs8x BemboExpert-SemiBold MBemboExpert-SemiBold  
mbbsi7a Bembo-AltSemiBoldItalic  
mbbsi8r Bembo-SemiboldItalic  
mbbsi8x BemboExpert-SemiBoldItalic MBemboExpert-SemiBoldItalic  
mbbx7a Bembo-AltExtraBold  
mbbx8r Bembo-ExtraBold  
mbbx8x BemboExpert-ExtraBold MBemboExpert-ExtraBold  
mbbxi8r Bembo-ExtraBoldItalic  
mbbxi8x BemboExpert-ExtraBoldItalic MBemboExpert-ExtraBoldItalic  
mbdb8r BodoniMT-Bold  
mbdb8rc BodoniMT-CondensedBold MBodoni-BoldCondensed  
mbdbi8r BodoniMT-BoldItalic  
mbdbi8rc BodoniMT-CondensedBoldItalic MBodoni-BoldCondensedItalic  
mbdc8r BodoniMT-Black MBodoni-Black  
mbdci8r BodoniMT-BlackItalic MBodoni-BlackItalic  
mbdk8r BodoniMT-Book MBodoni-Book  
mbdki8r BodoniMT-BookItalic MBodoni-BookItalic  
mbdr8r BodoniMT  
mbdri8r BodoniMT-Italic  
mbdu8r BodoniMT-UltraBold MBodoni-UltraBold  
mbdui8r BodoniMT-UltraBoldItalic MBodoni-UltraBoldItalic  
mbeb8r BellMT-Bold MBell-Bold  
mbeb8x BellExpertMT-Bold  
mbebi8r BellMT-BoldItalic  
mbebi8x BellExpertMT-BoldItalic  
mber7a BellMT-Alt  
mber8r BellMT MBell  
mber8x BellExpertMT  
mbera8x BellExpertMT-Alt

mberi7a BellMT-AltItalic  
mberi8r BellMT-Italic MBell-Italic  
mberi8x BellExpertMT-Italic  
mbes7a BellMT-AltSemiBold  
mbes8r BellMT-SemiBold MBell-SemiBold  
mbes8x BellExpertMT-SemiBold  
mbesa8x BellExpertMT-AltSemiBold  
mbesi7a BellMT-AltSemiBoldItalic  
mbesi8r BellMT-SemiBoldItalic  
mbesi8x BellExpertMT-SemiBoldItalic  
mbfr8r BiffoMT  
mbkd8r MBookmanPS-Demi  
mbkdi8r MBookmanPS-DemiItalic  
mbkl8r MBookmanPS-Light  
mbkli8r MBookmanPS-LightItalic  
mbmb7a BulmerMT-BoldAlt  
mbmb8r BulmerMT-Bold  
mbmb8x BulmerMT-BoldExpert  
mbmbd7a BulmerMT-BoldDisplayAlt  
mbmbd8r BulmerMT-BoldDisplay  
mbmbdi7a BulmerMT-BoldItalicDisplayAlt  
mbmbdi8r BulmerMT-BoldItalicDisplay  
mbmbi7a BulmerMT-BoldItalicAlt  
mbmbi8r BulmerMT-BoldItalic  
mbmbi8x BulmerMT-BoldItalicExpert  
mbmr7a BulmerMT-RegularAlt  
mbmr8r BulmerMT-Regular  
mbmr8x BulmerMT-RegularExpert  
mbmrc8r BulmerMT-RegularSC  
mbmr7a BulmerMT-RegularDisplayAlt  
mbmr8r BulmerMT-RegularDisplay  
mbmrdi7a BulmerMT-ItalicDisplayAlt  
mbmrdi8r BulmerMT-ItalicDisplay  
mbmri7a BulmerMT-ItalicAlt  
mbmri8r BulmerMT-Italic  
mbmri8x BulmerMT-ItalicExpert  
mbms7a BulmerMT-SemiBoldAlt  
mbms8r BulmerMT-SemiBold  
mbms8x BulmerMT-SemiBoldExpert  
mbmsi7a BulmerMT-SemiBoldItalicAlt  
mbmsi8r BulmerMT-SemiBoldItalic  
mbmsi8x BulmerMT-SemiBoldItalicExpert  
mbmss8r BulmerMT-SemiBoldSC  
mbnr8rc BernardMT-Condensed  
mbtm Boton-Medium  
mbtmi Boton-MediumItalic  
mbtr Boton-Regular  
mbtri Boton-Italic

mburw8r BrushScriptMT  
mbvb8r BaskervilleMT-Bold  
mbvb8x BskvilleExpMT-Bold MBaskervilleExpert-Bold  
mbvbi8r BaskervilleMT-BoldItalic  
mbvbi8x BskvilleExpMT-BoldItalic MBaskervilleExpert-BoldItalic  
mbvr8r BaskervilleMT  
mbvr8x BskvilleExpMT MBaskervilleExpert  
mbvri8r BaskervilleMT-Italic  
mbvri8x BskvilleExpMT-Italic MBaskervilleExpert-Italic  
mbvs8r BaskervilleMT-SemiBold  
mbvs8x BskvilleExpMT-SemiBold MBaskervilleExpert-SemiBold  
mbvsi8r BaskervilleMT-SemiBoldItalic  
mbvsi8x BskvilleExpMT-SemiBoldItalic MBaskervilleExpt-SemiBoldIta  
mc1b8r CalistoMT-Bold  
mc1bi8r CalistoMT-BoldItalic  
mc1r8r CalistoMT  
mc1ri8r CalistoMT-Italic  
mc6b8r ClarionMT-Bold MClarion-Bold  
mc6r8r ClarionMT MClarion  
mc6ri8r ClarionMT-Italic MClarion-Italic  
mc7b8r CompactaMT-Bold  
mc8b8r CalvertMT-Bold  
mc8l8r CalvertMT-Light  
mc8m8r CalvertMT-Medium  
mc8r8r CalvertMT  
mcard8r CaslonTitlingMT  
mcdr8r ClarendonMT MtClarendon  
mcfb8r ClearfaceMT-Bold  
mcfbs8r ClearfaceGothicMT-Bold  
mcfds8r ClearfaceGothicMT-DemiBold  
mcnb8r CenturyMT-Bold MCentury-Bold  
mcnbi8r CenturyMT-BoldItalic MCentury-BoldItalic  
mcnr8rx CenturyMT-Expanded MCentury-Expanded  
mcnri8rx CenturyMT-ExpandedItalic MCentury-ExpandedItalic  
mcr8r12 CourierTwelveMT  
mcrb8r CourierPS-Bold MCourierPS-Bold  
mcri8r CourierPS-BoldItalic MCourierPS-BoldItalic  
mcrr8r CourierPS MCourierPS  
mcrrri8r CourierPS-Italic MCourierPS-Italic  
mcsb8r CenturySchbookMT-Bold MCenturySchoolbook-Bold  
mcsbi8r CenturySchbookMT-BoldItalic MCenturySchoolbook-BoldItalic  
mcsr8r CenturySchbookMT MCenturySchoolbook  
mcsri8r MCenturySchoolbook-Italic  
mcub8r CenturyOSMT-Bold MCenturyOldStyle-Bold  
mcubi8r CenturyOSMT-BoldItalic MCenturyOldStyle-BoldItalic  
mcur8r CenturyOSMT MCenturyOldStyle  
mcuri8r CenturyOSMT-Italic MCenturyOldStyle-Italic  
mdmb8r DelimaMT-Bold

mdmbi8r DelimaMT-BoldItalic  
mdml8r DelimaMT-Light  
mdmli8r DelimaMT-LightItalic  
mdmr8r DelimaMT  
mdmri8r DelimaMT-Italic  
mdms8r DelimaMT-SemiBold  
mdmsi8r DelimaMT-SemiBoldItalic  
mdmx8r DelimaMT-ExtraBold  
mdmxi8r DelimaMT-ExtraBoldItalic  
mdsr8r DorchesterScriptMT  
mdtb7a DanteMT-AltBold  
mdtb8r DanteMT-Bold  
mdtb8x DanteExpertMT-Bold  
mdtbi7a DanteMT-AltBoldItalic  
mdtbi8r DanteMT-BoldItalic  
mdtbi8x DanteExpertMT-BoldItalic  
mdtm7a DanteMT-AltMedium  
mdtm8r DanteMT-Medium  
mdtm8x DanteExpertMT-Medium  
mdtmi7a DanteMT-AltMediumItalic  
mdtmi8r DanteMT-MediumItalic  
mdtmi8x DanteExpertMT-MediumItalic  
mdtr7a DanteMT-Alt  
mdtr8r DanteMT  
mdtr8x DanteExpertMT  
mdtrd8r DanteTitlingMT  
mdtri7a DanteMT-AltItalic  
mdtri8r DanteMT-Italic  
mdtri8x DanteExpertMT-Italic  
mebm8r BaskervilleBE-Medium  
mebmi8r BaskervilleBE-MediumItalic  
mebr8r BaskervilleBE-Regular  
mebri8r BaskervilleBE-Italic  
meer8r EgyptianMT-Extended MEgyptianExtended  
melb8r EllingtonMT-Bold MEllington-Bold  
melbi8r EllingtonMT-BoldItalic MEllington-BoldItalic  
mell8r EllingtonMT-Light MEllington-Light  
melli8r EllingtonMT-LightItalic MEllington-LightItalic  
melr8r EllingtonMT MEllington  
melri8r EllingtonMT-Italic MEllington-Italic  
melx8r EllingtonMT-ExtraBold MEllington-ExtraBold  
melxi8r EllingtonMT-ExtraBoldItalic MEllington-ExtraBoldItalic  
menb8r EngraversMT-Bold  
menr8r EngraversMT  
menrf8r EngraversOldEnglishMT  
metr8r EhrhardtMT  
metr8x EhrhardtExpMT MEhrhardtExpt  
metri8r EhrhardtMT-Italic

metri8x EhrhardtExpMT-Italic MEhrhardtExpt-Italic  
mets8r EhrhardtMT-SemiBold  
mets8x EhrhardtExpMT-SemiBold MEhrhardtExpt-SemiBold  
metsi8r EhrhardtMT-SemiBoldItalic  
metsi8x EhrhardtExpMT-SemiBoldItalic MEhrhardtExpt-SemiBoldItalic  
mf1r7a FournierMT-Alt  
mf1r8r FournierMT  
mf1r8x FournierExpertMT  
mf1rd8r FournierMT-TallCaps  
mf1rdi8r FournierMT-TallCapsItalic  
mf1ri7a FournierMT-AltItalic  
mf1ri8r FournierMT-Italic  
mf1ri8x FournierExpertMT-Italic  
mf1rp8r FournierOrnamentsMT  
mf2r8rc FacadeMT-Condensed  
mf3rd8r FestivalTitlingMT  
mf4b8r FootlightMT-Bold  
mf4bi8r FootlightMT-BoldItalic  
mf4l8r FootlightMT-Light  
mf4li8r FootlightMT-LightItalic  
mf4r8r FootlightMT  
mf4ri8r FootlightMT-Italic  
mf4x8r FootlightMT-ExtraBold  
mf4xi8r FootlightMT-ExtraBoldItalic  
mfer8r ForteMT MFort  
mfgr8rq FrankGothMT-ExtraCondensed  
mfir8r FigaroMT MFigaro  
mfsr8r FalstaffMT MFalstaff  
mfsrd8r FalstaffFestivalMT  
mfxr8r FelixTitlingMT  
mg2rw Giddyup  
mg4r8r MGoudyModern  
mg4ri8r MGoudyModern-Italic  
mg5r8r GoudyCatalogueMT MGoudyCatalogue  
mg5ri8r GoudyCatalogueMT-Italic MGoudyCatalogue-Italic  
mgmb8r GaramondMT-Bold  
mgmb8x GaramondExpertMT-Bold MGaramondExpert-Bold  
mgmbi8r GaramondMT-BoldItalic  
mgmbi8x GaramondExpertMT-BoldItalic MGaramondExpert-BoldItalic  
mgmr8r GaramondMT  
mgmr8x GaramondExpertMT MGaramondExpert  
mgmr8r GaramondMT-SwashCaps  
mgmri7a GaramondMT-AlternativeItalic  
mgmri8r GaramondMT-Italic  
mgmri8x GaramondExpertMT-Italic MGaramondExpert-Italic  
mgmrw8r GaramondMT-Swash  
mgor8r GoudyOldStyleMT MGoudyOldStyle  
mgori8r GoudyOldStyleMT-Italic MGoudyOldStyle-Italic

mgqb8r GrotesqueMT-Bold MGrotesque-Bold  
mgqb8rx GrotesqueMT-BoldExtended  
mgqbd8rc GrotesqueDisplayMT-BoldCond  
mgqbd8rx GrotesqueDisplayMT-BoldExt  
mgqc8r GrotesqueMT-Black MGrotesque-Black  
mgql8r GrotesqueMT-Light MGrotesque-Light  
mgql8rc GrotesqueMT-LightCondensed MGrotesque-LightCondensed  
mgqli8r GrotesqueMT-LightItalic MGrotesque-LightItalic  
mgqr8r GrotesqueMT MGrotesque  
mgqr8rc GrotesqueMT-Condensed MGrotesque-Condensed  
mgqr8rq GrotesqueMT-ExtraCondensed MGrotesque-ExtraCondensed  
mgqri8r GrotesqueMT-Italic MGrotesque-Italic  
mgrb8r GlouceMT-Bold MGloucester-Bold  
mgrb8rc GlouceMT-CondensedBold MGloucester-BoldCondensed  
mgrb8ro GlouceMT-ExtraCondensedBold MGloucester-BoldExtraCondensed  
mgrb8rx GlouceMT-ExtendedBold MGloucester-BoldExtended  
mgrr8r MGloucester-OldStyle  
mgs8rc GillSans-Condensed  
mgsb7a GillAltOneMT-Bold  
mgsb8r GillSans-Bold  
mgsb8rc GillSans-BoldCondensed  
mgsb8rq GillSansMT-ExCondensedBold  
mgsbd8r GillSansDisplayMT-Bold  
mgsbd8rc GillSansDisplayMT-CondBold  
mgsbi7a GillAltOneMT-BoldItalic  
mgsbi8r GillSans-BoldItalic  
mgsbin8r GillSansMT-SchlbkBoldItalic  
mgsbn8r GillSansMT-SchlbkBold  
mgsh7a GillAltOneMT-Heavy  
mgsh8r GillSans-Heavy  
mgshi7a GillAltOneMT-HeavyItalic  
mgshi8r GillSans-HeavyItalic  
mgsk7a GillAltOneMT-Book  
mgsk8r GillSans-Book  
mgski7a GillAltOneMT-BookItalic  
mgski8r GillSans-BookItalic  
mgsl7a GillAltOneMT-Light  
mgsl8r GillSans-Light  
mgsli7a GillAltOneMT-LightItalic  
mgsli8r GillSans-LightItalic  
mgsr7a GillAltOneMT  
mgsr8r GillSans  
mgsr8rc GillSans-Condensed  
mgsrh8r GillSansMT-Shadow  
mgsri7a GillAltOneMT-Italic  
mgsri8r GillSans-Italic  
mgsrin8r GillSansMT-SchlbkItalic  
mgsrl8r GillSansShadowedMT-Light

mgsrn8r GillSansMT-Schlbk  
mgsu8r GillSans-UltraBold  
mgsu8rc GillSans-UltraBoldCondensed  
mgsx8r GillSans-ExtraBold  
mgsxd8r GillSansDisplayMT-ExtraBold  
mgtr7a GoudyTextMT-Alternate  
mgtr7c GoudyTextMT-Dfr  
mgtr8r MGoudyText GoudyTextMT  
mgtrd8r GoudyTextMT-LombardicCapitals  
mgyb8r GoudyMT-Bold MGoudyBold  
mgybi8r GoudyMT-BoldItalic  
mgyrp8r GoudySorts  
mgyx8r GoudyMT-ExtraBold MGoudyExtraBold  
mhdr8r HeadlineMT-Bold MHeadlineBold  
mhob8r HorleyOSMT-Bold MHorleyOldStyle-Bold  
mhobi8r HorleyOSMT-BoldItalic MHorleyOldStyle-BoldItalic  
mhol8r HorleyOSMT-Light MHorleyOldStyle-Light  
mholi8r HorleyOSMT-LightItalic MHorleyOldStyle-LightItalic  
mhor8r HorleyOSMT MHorleyOldStyle  
mhori8r HorleyOSMT-Italic MHorleyOldStyle-Italic  
mhos8r HorleyOSMT-SemiBold MHorleyOldStyle-SemiBold  
mhosi8r HorleyOSMT-SemiBoldItalic MHorleyOldStyle-SemiBoldItalic  
mhrb8r ArialRoundedMT-Bold  
mhrl8r ArialRoundedMT-Light  
mhrr8r ArialRoundedMT  
mhrx8r ArialRoundedMT-ExtraBold  
mi0r8r CommercialScriptMT  
micr8r ImpactMT  
mifb8r InflexMT-Bold MInflex-Bold  
miib8r ImprintMT-Bold MImprint-Bold  
miib8x ImprintExpertMT-Bold  
miibi8r ImprintMT-BoldItalic MImprint-BoldItalic  
miibi8x ImprintExpertMT-BoldItalic  
miir8r ImprintMT MImprint  
miir8x ImprintExpertMT  
miirh8r ImprintMT-Shadow  
miirhi8r ImprintMT-ShadowItalic  
miiri8r ImprintMT-Italic MImprint-Italic  
miiri8x ImprintExpertMT-Italic  
miirp ImprintExtras  
miob8r IonicMT-Bold MIonic-Bold  
mior8r IonicMT MIonic  
miori8r IonicMT-Italic MIonic-Italic  
misb8r ItalianOldStyleMT-Bold MIItalianOldStyle-Bold  
misbi8r ItalianOldStyleMT-BoldItalic MIItalianOldStyle-BoldItalic  
misr8r ItalianOldStyleMT MIItalianOldStyle  
misri8r ItalianOldStyleMT-Italic MIItalianOldStyle-Italic  
mjnb8r JansonMT-Bold MJanson-Bold

mjnb8x JansonExpertMT-Bold  
mjnbi8r JansonMT-BoldItalic MJanson-BoldItalic  
mjnbi8x JansonExpertMT-BoldItalic  
mjnr8r JansonMT MJanson  
mjnr8x JansonExpertMT  
mjnri8r JansonMT-Italic MJanson-Italic  
mjnri8x JansonExpertMT-Italic  
mjob7d JoannaMT-BoldOSF  
mjob8r JoannaMT-Bold  
mjob8x JoannaMT-BoldExpert  
mjobi7d JoannaMT-BoldItalicOSF  
mjobi8r JoannaMT-BoldItalic  
mjobi8x JoannaMT-BoldItalicExpert  
mjor8r JoannaMT  
mjor8x JoannaMT-Expert  
mjorc7d JoannaMT-SCOSF  
mjori7d JoannaMT-ItalicOSF  
mjori8r JoannaMT-Italic  
mjori8x JoannaMT-ItalicExpert  
mjos8r JoannaMT-SemiBold  
mjos8x JoannaMT-SemiBoldExpert  
mjos7d JoannaMT-SemiBoldItalicOSF  
mjos8r JoannaMT-SemiBoldItalic  
mjos8x JoannaMT-SemiBoldItaExpert  
mjoss7d JoannaMT-SemiBoldSCOSF  
mjox7d JoannaMT-ExtraBoldOSF  
mjox8r JoannaMT-ExtraBold  
mjox8x JoannaMT-ExtraBoldExpert  
mklr8r KlangMT MKlang  
mkn8r KinoMT  
mkob8r BookmanOldStyle-Bold  
mkobi8r BookmanOldStyle-BoldItalic  
mkor8r BookmanOldStyle  
mkori8r BookmanOldStyle-Italic  
mlgb8r LetterGothicMT-Bold  
mlgbo8r LetterGothicMT-BoldOblique  
mlgr8r LetterGothicMT  
mlgro8r LetterGothicMT-Oblique  
mlir8rc LatinMT-Condensed  
mlyr8r LydianMT  
mlyrw8r LydianCursiveMT  
mm1r8r MonolineScriptMT  
mm7r8r MaturaMT  
mm7rw8r MaturaMT-ScriptCapitals  
mm8b18r MonotypeOldStyleMT-BoldOut  
mmeb8r MercuriusMT-BoldScript MercuriusScriptMT-Bold  
mmob8r ModernMT-Bold MModern-Bold  
mmobi8r ModernMT-BoldItalic MModern-BoldItalic

mmor8r ModernMT-Extended MModernExtended  
mmor8rc ModernMT-Condensed  
mmor8rw ModernMT-Wide  
mmori8r ModernMT-CondensedItalic MModernExtended-Italic  
mmori8rw ModernMT-WideItalic  
mmori8rx ModernMT-ExtendedItalic  
mn1p8r BinnerPosterMT  
mn1r8r BinnerGothicMT  
mncb8r MCenturySchoolbookPS-Bold  
mncbi8r CentSchlbookPS-BoldItalic MCenturySchoolbookPS-BoldIta  
mncri8r CentSchlbookPS MCenturySchoolbookPS  
mncri8r CentSchlbookPS-Italic MCenturySchoolbookPS-Ita  
mngb8r NewsGothicMT-Bold  
mngb8rc NewsGothicMT-CondensedBold  
mngr8r NewsGothicMT  
mngr8rc NewsGothicMT-Condensed  
mngri8r NewsGothicMT-Italic  
mnib8r NimrodMT-Bold  
mnibi8r NimrodMT-BoldItalic  
mnir8r NimrodMT  
mniri8r NimrodMT-Italic  
mnkr8r NeographikMT  
mnnb8r NewClarendonMT-Bold MNewClarendon-Bold  
mnnr8r NewClarendonMT MNewClarendon  
mnpb8r NewsPlantinMT-Bold  
mnpbi8r NewsPlantinMT-BoldItalic  
mnpr8r NewsPlantinMT  
mnpri8r NewsPlantinMT-Italic  
mnrr8r NewBerolinaMT  
mnsb8r TimesNewRomanPS-Bold  
mnsb8x TimesNRPSExpert-Bold  
mnsbi8r TimesNewRomanPS-BoldItalic  
mnsbi8x TimesNRPSExpert-BoldItalic  
mnsr8r TimesNewRomanPS  
mnsr8x TimesNRPSExpert  
mnsri8r TimesNewRomanPS-Italic  
mnsri8x TimesNRPSExpert-Italic  
mntb78r TimesNRSevenMT-Bold  
mntb8r TimesNRMT-Bold  
mntb8rc TimesNewRomanMT-BoldCond TimesNRMT-CondensedBold  
mntb8x TimesNRExpertMT-Bold MTimesNewRomanExpert-Bold  
mntb9s TimesNewRomanSF-Bold  
mntbi78r TimesNRSevenMT-BoldItalic  
mntbi8r TimesNRMT-BoldItalic  
mntbi8x TimesNRExpertMT-BoldItalic MTimesNewRomanExpt-BoldItalic  
mntbi9s TimesNewRomanSF-BoldItalic  
mntbk8r MTimesNewRomanGreek-Bold  
mntbko8r MTimesNewRomanGreek-BoldInc

mntboz8r MTimesNewRomanCyrillic-BolInc  
mntbz8r MTimesNewRomanCyrillic-Bold  
mntm8r TimesNRMT-Medium MTimesNewRoman-Medium  
mntmi8r TimesNRMT-MediumItalic MTimesNewRoman-MediumItalic  
mntr78r TimesNRSevenMT  
mntr8r TimesNRMT  
mntr8rc TimesNewRomanMT-Cond TimesNRMT-Condensed  
mntr8x TimesNRExpertMT MTimesNewRomanExpert  
mntr9s TimesNewRomanSF  
mntri78r TimesNRSevenMT-Italic  
mntri8r TimesNRMT-Italic  
mntri8rc TimesNewRomanMT-CondItalic TimesNRMT-CondensedItalic  
mntri8x TimesNRExpertMT-Italic MTimesNewRomanExpert-Italic  
mntri9s TimesNewRomanSF-Italic  
mntrk8r MTimesNewRomanGreek  
mntrko MTimesNewRomanGreek-Inclined  
mntroz8r MTimesNewRomanCyrillic-Inc  
mntrz8r MTimesNewRomanCyrillic  
mnts8r TimesNRMT-SemiBold  
mntsi8r TimesNRMT-SemiBoldItalic  
mntx8r TimesNRMT-ExtraBold  
mo3r8r ColonnaMT  
mo4b8r OceanSansMT-Bold  
mo4bi8r OceanSansMT-BoldItalic  
mo4ji8r OceanSansMT-BookItalic  
mo4k8r OceanSansMT-Book  
mo4l8r OceanSansMT-Light  
mo4li8r OceanSansMT-LightItalic  
mo4s8r OceanSansMT-SemiBold  
mo4se8r OceanSansMT-SemiBoldItalic  
mo4x8r OceanSansMT-ExtraBold  
mo4xi8r OceanSansMT-ExtraBoldItalic  
moer8r OldEnglishTextMT MOldEnglishText  
molb7a ColmcilleAltMT-Bold  
molb8r ColmcilleMT-Bold  
molbi7a ColmcilleAltMT-BoldItalic  
molbi8r ColmcilleMT-BoldItalic  
molr7a ColmcilleAltMT  
molr8r ColmcilleMT  
molri7a ColmcilleAltMT-Italic  
molri8r ColmcilleMT-Italic  
molrp8r ColmcilleOrnamentsMT  
mosb8r OldStyleMT-Bold MOldStyle-Bold  
mosbi8r OldStyleMT-BoldItalic MOldStyle-BoldItalic  
mosbl8r MOldStyle-BoldOutline  
mosr8r OldStyleMT MOldStyle  
mosri8r OldStyleMT-Italic MOldStyle-Italic  
motb8r CoronetMT-Bold

movr8r OctavianMT  
movr8x OctavianMT-Expert  
movrc8r OctavianMT-SC  
movri7d OctavianMT-ItalicOsF  
movri8r OctavianMT-Italic  
movri8x OctavianMT-ItalicExpert  
moxr8r MOnyx OnyxMT  
mp1r8r PalaceScriptMT  
mp1rs8r PalaceScriptMT-SemiBold  
mp2r8r PepitaMT  
mp6b8r BlueprintMT-Bold  
mp6bi8r BlueprintMT-BoldItalic  
mp6r8r BlueprintMT  
mp6ri8r BlueprintMT-Italic  
mpdb8rc PlacardMT-CondensedBold  
mpdr8rc PlacardMT-Condensed  
mphb8r PhotinaMT-Bold  
mphbi8r PhotinaMT-BoldItalic  
mphr8r PhotinaMT  
mphri8r PhotinaMT-Italic  
mphs8r PhotinaMT-SemiBold MPhotina-SemiBold  
mphsi8r PhotinaMT-SemiBoldItalic MPhotina-SemiBoldItalic  
mphu8r PhotinaMT-UltraBold MPhotina-UltraBold  
mphui8r PhotinaMT-UltraBoldItalic MPhotina-UltraBoldItalic  
mpi001 RococoOrnamentsOne  
mpi002 RococoOrnamentsTwo  
mpi003 ArabesqueOrnamentsOne  
mpi101 AlmanacMT Almanac  
mpi102 BotanicalMT Botanical  
mpi103 DirectionsMT Directions  
mpi104 SportsOne SportsOneMT  
mpi105 SportsTwo SportsTwoMT  
mpi106 TransportMT Transport  
mpi107 VacationMT Vacation  
mpi108 SportsThree SportsThreeMT  
mpi109 SportsFour SportsFourMT  
mpi201 CircleFrameMT CircleFrame  
mpi202 CircleFrameNegMT CircleFrameNeg  
mpi203 SquareFrameMT SquareFrame  
mpi204 SquareFrameNegMT SquareFrameNeg  
mpi205 DiamondBodoni DiamondBodoni  
mpi206 DiamondPositive DiamondPositive  
mpi207 DiamondNegative DiamondNegative  
mpi208 OvalFrameMT circled numerals  
mpi209 OvalFrameNegativeMT ditto  
mpi300 Giddyup-Thangs  
mpi301 Petrucchio  
mpi302 AquaLifeMT fish

mpi303 BonApetit food  
mpi304 DinosaursMT dinosaurs  
mpi305 FrontierMT cowboys & indians  
mpi306 Holidays clip art  
mpi307 KeystrokesExtrasMT keyboards  
mpi308 KeystrokesMT ditto  
mpi309 Melodies musical instruments  
mpi310 MilestonesOneMT greeting card illos  
mpi311 MilestonesTwoMT ditto  
mpi312 MonkeyBusiness animals  
mpi313 MonotypeSorts dingbats  
mpi314 NatureMT animals  
mpi315 Parties clip art  
mpi319 PlaytimeMT toys  
mpi320 SignsMT signs  
mpi321 SouthwestOrnamentsMT geometrics  
mpi322 KeystrokesShadowExtrasMT  
mpi323 KeystrokesShadowMT  
mpnb8r Plantin-Bold  
mpnb8rc Plantin-BoldCondensed  
mpnb8x PlantinExp-Bold PlantinExpert-Bold  
mpnbd8rc PlantinHeadlineMT-BoldCond  
mpnbi8r Plantin-BoldItalic  
mpnbi8x PlantinExp-BoldItalic PlantinExpert-BoldItalic  
mpnbin8r PlantinMT-SchlbkBoldItalic  
mpnbn8r PlantinMT-SchlbkBold  
mpnl8r Plantin-Light  
mpnl8x PlantinExp-Light MPlantinExpt-Light  
mpnld8rc PlantinHeadlineMT-LightCond  
mpnli8r Plantin-LightItalic  
mpnli8x PlantinExp-LightItalic MPlantinExpt-LightItalic  
mpnmd8rc PlantinHeadlineMT-MedCond  
mpnr8r Plantin  
mpnr8x PlantinExp PlantinExpert  
mpnra8x PlantinExp-AltFigures  
mpnri8r Plantin-Italic  
mpnri8x PlantinExp-Italic PlantinExpert-Italic  
mpnrin8r PlantinMT-SchlbkItalic  
mpn rn8r PlantinMT-Schlbk  
mpns8r Plantin-Semibold  
mpns8x PlantinExp-SemiBold MPlantinExpt-SemiBold  
mpnsi8r Plantin-SemiboldItalic Plantin-SemiboldItalic  
mpnsi8x PlantinExp-SemiBoldItalic MPlantinExpt-SemiBoldItalic  
mppb8r Perpetua-Bold  
mppb8x PerpetuaExpert-Bold MPerpetuaExpert-Bold  
m ppbd8r PerpetuaTitlingMT-Bold  
m ppbi8r Perpetua-BoldItalic  
m ppbi8x PerpetuaExpert-BoldItalic MPerpetuaExpert-BoldItalic

mppld8r PerpetuaTitlingMT-Light  
mppr8r Perpetua  
mppr8x PerpetuaExpert MPerpetuaExpert  
mpprd8r PerpetuaTitlingMT  
mppri8r Perpetua-Italic  
mppri8x PerpetuaExpert-Italic MPerpetuaExpert-Italic  
mpum PopplLaudatio-Medium  
mpumi PopplLaudatio-MediumItalic  
mpur PopplLaudatio-Regular  
mpuri PopplLaudatio-Italic  
mpwb8r PerrywoodMT-Bold  
mpwbi8r PerrywoodMT-BoldItalic  
mpwl8r PerrywoodMT-Light  
mpwli8r PerrywoodMT-LightItalic  
mpwr8r PerrywoodMT  
mpwri8r PerrywoodMT-Italic  
mpws8r PerrywoodMT-SemiBold  
mpwsi8r PerrywoodMT-SemiBoldItalic  
mpwx8r PerrywoodMT-ExtraBold  
mpwx8r PerrywoodMT-ExtraBoldItalic  
mpzr8r PoliphilusMT MPoliphilus  
mpzr8x PoliphilusExpertMT  
mqtr Boulevard  
mr2b8r CantoriaMT-Bold  
mr2bi8r CantoriaMT-BoldItalic  
mr2l8r CantoriaMT-Light  
mr2li8r CantoriaMT-LightItalic  
mr2r8r CantoriaMT  
mr2ri8r CantoriaMT-Italic  
mr2s8r CantoriaMT-SemiBold  
mr2si8r CantoriaMT-SemiBoldItalic  
mr2x8r CantoriaMT-ExtraBold  
mr2xi8r CantoriaMT-ExtraBoldItalic  
mr5rw8r FrenchScriptMT  
mrur8rc RunicMT-Condensed  
mrwb8r Rockwell-Bold  
mrwb8rc Rockwell-BoldCondensed  
mrwb8r Rockwell-BoldItalic  
mrwl8r Rockwell-Light  
mrwli8r Rockwell-LightItalic  
mrwr8r Rockwell  
mrwr8rc Rockwell-Condensed  
mrwri8r Rockwell-Italic  
mrwx8r Rockwell-ExtraBold  
ms1r8r ScotchRomanMT MScotchRoman  
ms1ri8r ScotchRomanMT-Italic MScotchRoman-Italic  
ms2b8r ScriptMT-Bold  
ms7bai SassoonInfant-BoldAlt

ms7bais SassoonSanSlope-BoldAlt  
ms7bap SassoonPrimary-BoldAlt  
ms7bas SassoonSans-BoldAlt  
ms7bi SassoonInfant-Bold  
ms7bis SassoonSanSlope-Bold  
ms7bp SassoonPrimary-Bold  
ms7bs SassoonSans-Bold  
ms7mais SassoonSanSlope-MediumAlt  
ms7mas SassoonSans-MediumAlt  
ms7mis SassoonSanSlope-Medium  
ms7ms SassoonSans-Medium  
ms7rai SassoonInfant-Alt  
ms7rais SassoonSanSlope-Alt  
ms7rap SassoonPrimary-Alt  
ms7ras SassoonSans-Alt  
ms7ri SassoonInfant  
ms7ris SassoonSanSlope  
ms7rp SassoonPrimary  
ms7rs SassoonSans  
msbr8r SabonMT MSabon  
msbrc7d SabonMT-SCOSF  
msbri7d SabonMT-ItalicOSF  
msbri8r SabonMT-Italic MSabon-Italic  
msbs7c SabonMT-SemiBoldOSF  
msbs8r SabonMT-SemiBold MSabon-SemiBold  
msmr8r SpectrumMT MSpectrum  
msmr8x SpectrumMT-Expert  
msmrc8r SpectrumMT-SC  
msmri7d SpectrumMT-ItalicOsF  
msmri8r SpectrumMT-Italic MSpectrum-Italic  
msmri8x SpectrumMT-ItalicExpert  
msms7d SpectrumMT-SemiBoldOsF  
msms8r SpectrumMT-SemiBold MSpectrum-SemiBold  
msms8x SpectrumMT-SemiBoldExpert  
msn8r1 MSpartan-SizeOne  
msn8r2 MSpartan-SizeTwo  
msn8r3 MSpartan-SizeThree  
msn8r4 MSpartan-SizeFour SpartanFourMT  
msnb8r1 MSpartan-BoldSizeOne  
msnb8r12 SpartanOneTwoMT-Bold  
msnb8r13 SpartanOneThreeMT-Bold  
msnb8r2 MSpartan-BoldSizeTwo  
msnb8r24 SpartanTwoFourMT-Bold  
msnb8r3 MSpartan-BoldSizeThree  
msnb8r34 SpartanThreeFourMT-Bold  
msnb8r4 SpartanFourMT-Bold MSpartan-BoldSizeFour  
msni8r12 SpartanOneTwoMT-Italic  
msni8r13 SpartanOneThreeMT-Italic

msni8r24 SpartanTwoFourMT-Italic  
msni8r34 SpartanThreeFourMT-Italic  
msnr8r12 SpartanOneTwoMT  
msnr8r13 SpartanOneThreeMT  
msnr8r24 SpartanTwoFourMT  
msnr8r34 SpartanThreeFourMT  
msnri8r1 MSpartan-ItalicSizeOne  
msnri8r2 MSpartan-ItalicSizeTwo  
msnri8r3 MSpartan-ItalicSizeThree  
msnri8r4 SpartanFourMT-Italic MSpartan-ItalicSizeFour  
mswb8r SwingMT-Bold  
msyr MSymbolPS SymbolPS  
mtlr8r MCastellar CastellarMT  
mtmbg8r TimesSmallTextMT-Bold MTimesSmallText-Bold  
mtmrg8r TimesSmallTextMT MTimesSmallText  
mtmrgi8r TimesSmallTextMT-Italic MTimesSmallText-Italic  
mtwb8r TwCenMT-Bold MTwentiethCentury-Bold  
mtwb8rc TwCenMT-CondensedBold MTwentiethCentury-BoldCondensed  
mtwb8r TwCenMT-BoldItalic MTwentiethCentury-BoldItalic  
mtwl8r TwCenMT-Light MTwentiethCentury-Light  
mtwli8r TwCenMT-LightItalic MTwentiethCentury-LightItalic  
mtwm8r TwCenMT-Medium MTwentiethCentury-Medium  
mtwm8rc TwCenMT-CondensedMedium MTwentiethCentury-MediumCondensed  
mtwi8r TwCenMT-MediumItalic MTwentiethCentury-MediumItalic  
mtws8r TwCenMT-SemiBold MTwentiethCentury-SemiBold  
mtwsm8r TwCenMT-SemiMedium MTwentiethCentury-SemiMedium  
mtwu8r TwCenMT-UltraBold MTwentiethCentury-UltraBold  
mtwu8rc TwCenMT-CondensedUltraBold MTwentiethCentury-UltraBoldCondensed  
mtwui8r TwCenMT-UltraBoldItalic MTwentiethCentury-UltraBoldItalic  
mtwx8r TwCenMT-ExtraBold MTwentiethCentury-ExtraBold  
mtwx8rc TwCenMT-CondensedExtraBold MTwentiethCentury-ExtraBoldCondensed  
mtwx8r TwCenMT-ExtraBoldItalic MTwentiethCentury-ExtraBoldItalic  
mtyr8r TypewriterMT  
mtyre8r TypewriterEliteMT  
mtyrs8r TypewriterGothicMT  
mu0b8r ColumbusMT-Bold  
mu0b8x ColumbusExpMT-Bold  
mu0bi8r ColumbusMT-BoldItalic  
mu0bi8x ColumbusExpMT-BoldItalic  
mu0r8r ColumbusMT  
mu0r8x ColumbusExpMT  
mu0ri8r ColumbusMT-Italic  
mu0ri8x ColumbusExpMT-Italic  
mu0rp8r1 ColumbusOrnamentsOneMT  
mu0rp8r2 ColumbusOrnamentsTwoMT  
mu0s8r ColumbusMT-SemiBold  
mu0s8x ColumbusExpMT-SemiBold  
mu0si8r ColumbusMT-SemiBoldItalic

mu0si8x ColumbusExpMT-SemiBoldItal  
murb7a CentaurMT-AltBold  
murb8r CentaurMT-Bold  
murb8x CentaurExpertMT-Bold  
murb7a CentaurMT-AltBoldItalic  
murb8r CentaurMT-BoldItalic  
murb8x CentaurExpertMT-BoldItalic  
murr7a CentaurMT-Alt  
murr8r CentaurMT  
murr8x CentaurExpertMT  
murai CentaurMT-ItalicA  
murri7a CentaurMT-AltItalic  
murri8r CentaurMT-Italic  
murri8x CentaurExpertMT-Italic  
murrw8r CentaurSwashMT  
mvdr8r VanDijckMT MVanDijck  
mvdr8x VanDijckExpertMT  
mvdra8x VanDijckExpertMT-AltFigs  
mvdrai8x VanDijckExpertMT-AltFigsIta  
mvdri8r VanDijckMT-Italic  
mvdri8x VanDijckExpertMT-Italic  
mvird8rc VictoriaTitlingMT-Condensed  
mwbm8r WalbaumMT-Medium MWalbaum-Medium  
mwbm8x WalbaumExpMT-Medium  
mwbm8r WalbaumMT-MediumItalic MWalbaum-MediumItalic  
mwbm8x WalbaumExpMT-MediumItalic  
mwbr8r WalbaumMT MWalbaum  
mwbr8x WalbaumExpMT  
mwbri8r WalbaumMT-Italic MWalbaum-Italic  
mwbri8x WalbaumExpMT-Italic  
mwnr8r WindsorMT  
mwrb8r WitternbergerFraktMT-Bold  
mwrr8r WitternbergerFraktMT  
mygb8r CenturyGothic-Bold  
mygb8r CenturyGothic-BoldItalic  
mygr8r CenturyGothic  
mygri8r CenturyGothic-Italic  
myhb8r StrayhornMT-Bold  
myhbi8r StrayhornMT-BoldItalic  
myhl8r StrayhornMT-Light  
myhli8r StrayhornMT-LightItalic  
myhr8r StrayhornMT-Regular  
myhri8r StrayhornMT-Italic  
myhx8r StrayhornMT-ExtraBold  
myhx8r StrayhornMT-ExtraBoldItalic  
mzab8r MZAntiqua-Bold  
mzabi8r MZAntiqua-BoldItalic  
mzar8r MZAntiqua

```

mzari8r MZAntiqua-Italic
mzcb8r ZapfChancery-Bold
mzcd8r ZapfChancery-Demi
mzcmi8r MZapfChanceryPS-MediumItalic
mzdr MZapfDingbatsPS
mztb8r ZeitgeistMT-Bold
mztb8x ZeitgeistExpertMT-Bold
mztr7a ZeitgeistMT-Alternative
mztr8r ZeitgeistMT
mztr8rc ZeitgeistMT-Condensed
mztr8x ZeitgeistExpertMT
mztr8xc ZeitgeistExpertMT-Condensed
mztri8r ZeitgeistMT-Italic
mztri8x ZeitgeistExpertMT-Italic
zmztcm8r ZeitgeistMT-Cameo
zmztcz8r ZeitgeistMT-CrazyPaving
zmztr8xc ZeitgeistExpertMT-Cameo

```

## A.8 URW fonts

The ‘urw.map’ file has abbreviations for URW fonts.

```

uagd8r URWGothicL-Demi
uagdo8r URWGothicL-DemiObli
uagk8r URWGothicL-Book
uagko8r URWGothicL-BookObli
ubkd8r URWBookmanL-DemiBold
ubkdi8r URWBookmanL-DemiBoldItal
ubkl8r URWBookmanL-Ligh
ubkli8r URWBookmanL-LighItal
ucrb8r NimbusMonL-Bold
ucrbo8r NimbusMonL-BoldObli
ucrr8r NimbusMonL-Regu
ucrro8r NimbusMonL-ReguObli
uhvb8r NimbusSanL-Bold
uhvbo8r NimbusSanL-BoldItal
uhvboc8r NimbusSanL-ReguCondItal
uhvbrc8r NimbusSanL-BoldCond
uhvr8r NimbusSanL-Regu
uhvro8r NimbusSanL-ReguItal
uhvro8rc NimbusSanL-BoldCondItal
uhvr8rc NimbusSanL-ReguCond
uncb8r CenturySchL-Bold
uncbi8r CenturySchL-BoldItal
uncr8r CenturySchL-Roma
uncri8r CenturySchL-Ital
uplb8r URWPalladioL-Bold
uplbi8r URWPalladioL-BoldItal

```

uplr8r	URWPalladioL-Roma
uplri8r	URWPalladioL-Ital
usyr	StandardSymL
utmb8r	NimbusRomNo9L-Medi
utmbi8r	NimbusRomNo9L-MediItal
utmri8r	NimbusRomNo9L-Regu
utmri8r	NimbusRomNo9L-ReguItal
uzcmi8r	URWChanceryL-MediItal
uzdr	Dingbats

## Appendix B Encodings

The following sections define various encodings as PostScript encoding vectors. These files can be installed in the Dvips header directory and then used in ‘`psfonts.map`’ to change font encodings of downloadable or builtin fonts (see [section “`psfonts.map`” in \*Dvips\*](#)).

You can also specify these ‘.enc’ files to `Afm2tfm` when building a font (see [section “Changing font encodings” in \*Dvips\*](#)).

### B.1 ‘8a.enc’: Adobe standard encoding

```
/.notdef
/.notdef
/.notdef
/.notdef
/.notdef
/.notdef
/.notdef
/.notdef
/.notdef
/parenright
/parenleft
/asterisk
/plus
/comma
/hyphen
/period
/slash
/zero
/one
/two
/three
/four
/five
/six
/seven
/eight
/nine
/colon
/semicolon
/less
/equal
/greater
/question
/at
/A
/B
/C
/D
/E
/F
/G
```

/H  
/I  
/J  
/K  
/L  
/M  
/N  
/O  
/P  
/Q  
/R  
/S  
/T  
/U  
/V  
/W  
/X  
/Y  
/Z  
/bracketleft  
/backslash  
/bracketright  
/asciicircum  
/underscore  
/quotyleft  
/a  
/b  
/c  
/d  
/e  
/f  
/g  
/h  
/i  
/j  
/k  
/l  
/m  
/n  
/o  
/p  
/q  
/r  
/s  
/t  
/u  
/v  
/w

```
/x
/y
/z
/braceleft
/bar
/braceright
/asciitilde
/.notdef
/exclamdown
/cent
/sterling
/fraction
/yen
/florin
/section
```

```
/currency
/quotesingle
/quotedblleft
/guillemotleft
/guiltsinglleft
/guiltsinglright
/fi
/f1
/.notdef
/endash
/dagger
/daggerdbl
/periodcentered
/.notdef
/paragraph
/bullet
/quotesinglbase
/quotedblbase
/quotedblright
/guillemotright
/ellipsis
/perthousand
/.notdef
/questiondown
/.notdef
/grave
/acute
/circumflex
/tilde
/macron
/breve
/dotaccent
/dieresis
/.notdef
/ring
/cedilla
/.notdef
/hungarumlaut
/ogonek
/caron
/emdash
/.notdef
/.notdef
/.notdef
/.notdef
/.notdef
/.notdef
/.notdef
```

```

/.notdef
/Æ
/.notdef
/ordfeminine
/.notdef
/.notdef
/.notdef
/.notdef
/Lslash
/Oslash
/Œ
/ordmasculine
/.notdef
/.notdef
/.notdef
/.notdef
/.notdef
/æ
/.notdef
/.notdef
/.notdef
/dotlessi
/.notdef
/.notdef
/lslash
/oslash
/œ
/germandbls
/.notdef
/.notdef
/.notdef
/.notdef
] def

```

## B.2 ‘8r.enc’: TEX base encoding

```

% @psencodingfile
%   author = S. Rahtz, P. MacKay, Alan Jeffrey, B. Horn, K. Berry ,
%   version = 0.6 ,

```

```

%   date = 22 June 1996 ,
%   filename = 8r.enc ,
%   email = kb@mail.tug.org ,
%   address = 135 Center Hill Rd. // Plymouth, MA 02360 ,
%   codetable = ISO/ASCII ,
%   checksum = 119     662     4424 ,
%   docstring = Encoding for TrueType or Type 1 fonts to be used with TeX. ■
%
%
% Idea is to have all the characters normally included in Type 1 fonts
% available for typesetting. This is effectively the characters in Adobe
% Standard Encoding + ISO Latin 1 + extra characters from Lucida.
%
% Character code assignments were made as follows:
%
% (1) the Windows ANSI characters are almost all in their Windows ANSI
% positions, because some Windows users cannot easily reencode the
% fonts, and it makes no difference on other systems. The only Windows
% ANSI characters not available are those that make no sense for
% typesetting -- rubout (127 decimal), nobreakspace (160), softhyphen
% (173). quotesingle and grave are moved just because it's such an
% irritation not having them in TeX positions.
%
% (2) Remaining characters are assigned arbitrarily to the lower part
% of the range, avoiding 0, 10 and 13 in case we meet dumb software.
%
% (3) Y&Y Lucida Bright includes some extra text characters; in the
% hopes that other PostScript fonts, perhaps created for public
% consumption, will include them, they are included starting at 0x12.
%
% (4) Remaining positions left undefined are for use in (hopefully)
% upward-compatible revisions, if someday more characters are generally
% available.
%
% (5) hyphen appears twice for compatibility with both ASCII and Windows. ■
%
/TeXBase1Encoding [
% 0x00 (encoded characters from Adobe Standard not in Windows 3.1)
/.notdef /dotaccent /fi /fl
/fraction /hungarumlaut /Lslash /lslash
/ogonek /ring /.notdef
/breve /minus /.notdef
% These are the only two remaining unencoded characters, so may as
% well include them.
/Zcaron /zcaron
% 0x10
/caron /dotlessi
% (unusual TeX characters available in, e.g., Lucida Bright)

```

```

/dotlessj /ff /ffi /ffl
/.notdef /.notdef /.notdef /.notdef
/.notdef /.notdef /.notdef /.notdef
% very contentious; it's so painful not having quoteleft and quoteright
% at 96 and 145 that we move the things normally found there down to here.■
/grave /quotesingle
% 0x20 (ASCII begins)
/space /exclam /quotedbl /numbersign
/dollar /percent /ampersand /quoteright
/parenleft /parenright /asterisk /plus /comma /hyphen /period /slash
% 0x30
/zero /one /two /three /four /five /six /seven
/eight /nine /colon /semicolon /less /equal /greater /question
% 0x40
/at /A /B /C /D /E /F /G /H /I /J /K /L /M /N /O
% 0x50
/P /Q /R /S /T /U /V /W
/X /Y /Z /bracketleft /backslash /bracketright /asciicircum /underscore
% 0x60
/quoteleft /a /b /c /d /e /f /g /h /i /j /k /l /m /n /o
% 0x70
/p /q /r /s /t /u /v /w
/x /y /z /braceleft /bar /braceright /asciitilde
/.notdef % rubout; ASCII ends
% 0x80
/.notdef /.notdef /quotesinglbase /florin
/quotedblbase /ellipsis /dagger /daggerdbl
/circumflex /perthousand /Scaron /guilsinglleft
/OE /.notdef /.notdef /.notdef
% 0x90
/.notdef /.notdef /.notdef /quotedblleft
/quotedblright /bullet /endash /emdash
/tilde /trademark /scaron /guilsinglright
/oe /.notdef /.notdef /Ydieresis
% 0xA0
/.notdef % nobreakspace
/exclamdown /cent /sterling
/currency /yen /brokenbar /section
/dieresis /copyright /ordfeminine /guillemotleft
/logicalnot
/hyphen % Y&Y (also at 45); Windows' softhyphen
/registered
/macron
% 0xD0
/degree /plusminus /twosuperior /threesuperior
/acute /mu /paragraph /periodcentered
/cedilla /onesuperior /ordmasculine /guillemotright
/onequarter /onehalf /threequarters /questiondown

```

```
% 0xC0
/Agrave /Aacute /Acircumflex /Atilde /Adieresis /Aring /AE /Ccedilla
/Egrave /Eacute /Ecircumflex /Edieresis
/Igrave /Iacute /Icircumflex /Idieresis
% 0xD0
/Eth /Ntilde /Ograve /Oacute
/Ocircumflex /Otilde /Odieresis /multiply
/Oslash /Ugrave /Uacute /Ucircumflex
/Udieresis /Yacute /Thorn /germandbls
% 0xE0
/agrave /aacute /acircumflex /atilde
/adieresis /aring /ae /ccedilla
/egrave /eacute /ecircumflex /edieresis
/igrave /iacute /icircumflex /idieresis
% 0xF0
/eth /ntilde /ograve /oacute
/ocircumflex /otilde /odieresis /divide
/oslash /ugrave /uacute /ucircumflex
/udieresis /yacute /thorn /ydieresis
] def
```

### B.3 ‘cork.enc’: Cork encoding

```
% This is the Cork encoding, aka EC, Cork, aka TeX Latin 1, as
% described in TTN 1(4), December 1992, and TUGboat 11(4), November
% 1990, page 514. EC is the name of the Computer Modern-based fonts in
% this encoding. NFSS and Fontinst know it by ‘T1’.
%
% These are the ligs and kerns in addition to those found in the
% AFM file. (The only ligs in the Times-Roman.afm file are the
% fi and fl ligatures.)
%
% LIGKERN space l =: lslash ; space L =: Lslash ;
% LIGKERN question quoteleft =: questiondown ; exclam quoteleft =: exclamdown ;
% LIGKERN hyphen hyphen =: endash ; endash hyphen =: emdash ;
% LIGKERN quoteleft quoteleft =: quotedblleft ;
% LIGKERN quoteright quoteright =: quotedblrigh ;
%
% We blow away kerns to and from spaces (TeX doesn’t have a
% space) and also remove any kerns from the numbers (although
% the only kern pair that mentions a number in Times-Roman.afm
% is one one.)
%
% LIGKERN space * ; * space ; zero * ; * zero ;
% LIGKERN one * ; * one ; two * ; * two ;
```

```
% LIGKERN three * ; * three ; four * ; * four ;
% LIGKERN five * ; * five ; six * ; * six ;
% LIGKERN seven * ; * seven ; eight * ; * eight ;
% LIGKERN nine * ; * nine ;
% LIGKERN comma comma =: quotedblbase ; less less =: guillemotleft ;
% LIGKERN greater greater =: guillemotright ;
%
/CorkEncoding [ % now 256 chars follow
% 0x00
/grave /acute /circumflex /tilde /dieresis /hungarumlaut /ring /caron
/breve /macron /dotaccent /cedilla
/ogonek /quotesinglbase /guilsinglleft /guilsinglright
% 0x10
/quotedblleft /quotedblright /quotedblbase /guillemotleft
/guillemotright /endash /emdash /compworkmark
/perthousandzero /dotlessi /dotlessj /ff /fi /fl /ffi /ffl
% 0x20
/visualspace /exclam /quotedbl /numbersign
/dollar /percent /ampersand /quoteright
/parenleft /parenright /asterisk /plus /comma /hyphen /period /slash
% 0x30
/zero /one /two /three /four /five /six /seven
/eight /nine /colon /semicolon /less /equal /greater /question
% 0x40
/at /A /B /C /D /E /F /G /H /I /J /K /L /M /N /O
% 0x50
/P /Q /R /S /T /U /V /W
/X /Y /Z /bracketleft /backslash /bracketright /asciicircum /underscore
% 0x60
/quotelleft /a /b /c /d /e /f /g /h /i /j /k /l /m /n /o
% 0x70
/p /q /r /s /t /u /v /w
/x /y /z /braceleft /bar /braceright /asciitilde /hyphen
% 0x80
/Abreve /Aogonek /Cacute /Ccaron /Dcaron /Ecaron /Eogonek /Gbreve
/Lacute /Lcaron /Lslash /Nacute /Ncaron /Ng /Hungarumlaut /Racute
% 0x90
/Rcaron /Sacute /Scaron /Scedilla
/Tcaron /Tcedilla /Uhungarumlaut /Uring
/Ydieresis /Zacute /Zcaron /Zdotaccent /IJ /Idotaccent /dbar /section
% 0xA0
/abreve /aogonek /cacute /ccaron /dcaron /ecaron /eogonek /gbreve
/lacute /lcaron /lslash /nacute /ncaron /ng /hungarumlaut /racute
% 0xB0
/rcaron /sacute /scaron /scedilla
/tquoteright /tcedilla /uhungarumlaut /uring
/ydieresis /zacute /zcaron /zdotaccent
/ij /exclamdown /questiondown /sterling
```

```
% 0xC0
/Agrave /Aacute /Acircumflex /Atilde /Adieresis /Aring /AE /Ccedilla
/Egrave /Eacute /Ecircumflex /Edieresis
/Igrave /Iacute /Icircumflex /Idieresis
% 0xD0
/Eth /Ntilde /Ograve /Oacute /Ocircumflex /Otilde /Odieresis /OE
/Oslash /Ugrave /Uacute /Ucircumflex /Udieresis /Yacute /Thorn /Germandbls
% 0xE0
/agrave /aacute /acircumflex /atilde /adieresis /aring /ae /ccedilla
/egrave /eacute /ecircumflex /edieresis
/igrave /iacute /icircumflex /idieresis
% 0xF0
/eth /ntilde /ograve /oacute /ocircumflex /otilde /odieresis /oe
/oslash /ugrave /uacute /ucircumflex /udieresis /yacute /thorn /germandbls
] def
```

## B.4 ‘dvips.enc’: Dvips encoding

```
% @psencodingfile
%   author = T. Rokicki, K. Berry ,
%   version = 2.0 ,
%   date = 22 June 1996 ,
%   filename = dvips.enc ,
%   email = kb@mail.tug.org ,
%   address = 135 Center Hill Rd. // Plymouth, MA 02360 ,
%   codetable = ISO/ASCII ,
%   checksum = 75      515      3715 ,
%   docstring = An encoding for PostScript fonts to be used with TeX.
%
%
% This is almost the default encoding produced by the afm2tfm program
% that comes with the dvips distribution, when it is applied to a
% StandardEncoding PostScript font. The positions of the accented
% characters (which afm2tfm assigned more or less randomly in the
% previous set of fonts) have been held fixed.
%
% It is almost upward-compatible with TeX text. (The primary exceptions
% are dotaccent and hungarumlaut.) Some of the ligatures are also in
% different positions, but this is not important, since ligature
% positions are defined in the TFM file, not by macros.
%
% The character positions were assigned in this order:
%   1) non-composite characters in the afm2tfm encoding (except dotlessj
%       was included in its plain TeX position);
%   2) available characters in the Cork (EC) encoding;
```

```

%
% 3) remaining composite characters in the base encoding (starting at
% position 130 decimal). We don't include all the other base
% characters because that changes the height/depth/width tables in
% the TFM files (because more characters mean more distinct values).
%
% We leave the initial positions open for the Greek letters in Times-Roman.
%
/DvipsEncoding [
/.notdef /.notdef /.notdef /.notdef /.notdef /.notdef /.notdef
/.notdef /.notdef /.notdef
    /.notdef /quotesingle /exclamdown /questiondown
/dotlessi /dotlessj /grave /acute /caron /breve /macron /ring
/cedilla /germandbls /ae /oe /oslash /AE /OE /Oslash
/space /exclam /quotedbl /numbersign /dollar /percent /ampersand /quoteright
/parenleft /parenright /asterisk /plus /comma /hyphen /period /slash
/zero /one /two /three /four /five /six /seven
/eight /nine /colon /semicolon /less /equal /greater /question
/at /A /B /C /D /E /F /G
/H /I /J /K /L /M /N /O
/P /Q /R /S /T /U /V /W
/X /Y /Z /bracketleft /backslash /bracketright /circumflex /underscore
/quoteleft /a /b /c /d /e /f /g
/h /i /j /k /l /m /n /o
/p /q /r /s /t /u /v /w
/x /y /z /braceleft /bar /braceright /tilde /dieresis
/asciicircum /asciitilde /Ccedilla /Iacute
    /Icircumflex /atilde /edieresis /egrave
/scaron /zcaron /Eth /ff /ffi /ffl /.notdef /.notdef
/.notdef /.notdef /Scaron /.notdef /.notdef /.notdef /.notdef /.notdef
/Ydieresis /.notdef /Zcaron /.notdef /.notdef /.notdef /.notdef /.notdef
/.notdef /.notdef /cent /sterling /fraction /yen /florin /section
/currency /copyright /quotedblleft /guillemotleft
    /guilsinglleft /guilsinglright /fi /fl
/degree /endash /dagger /daggerdbl /periodcentered /.notdef /paragraph /bullet
/quotesinglbase /quotedblbase /quotedblrigh /guillemotright
    /ellipsis /perthousand /.notdef /.notdef
/Agrave /Aacute /Acircumflex /Atilde /Adieresis /Aring /.notdef /dotaccent
/Egrave /Eacute /Ecircumflex /Edieresis
    /Igrave /hungarumlaut /ogonek /Idieresis
/emdash /Ntilde /Ograve /Oacute /Ocircumflex /Otilde /Odieresis /.notdef
/.notdef /Ugrave /Uacute /Ucircumflex /Udieresis /Yacute /Thorn /.notdef
/agrave /aacute /acircumflex /ordfeminine
    /adieresis /aring /.notdef /ccedilla
/Lslash /eacute /ecircumflex /ordmasculine
    /igrave /iacute /icircumflex /idieresis
/.notdef /ntilde /ograve /oacute /ocircumflex /otilde /odieresis /.notdef
/lslash /ugrave /uacute /ucircumflex /udieresis /yacute /thorn /ydieresis
] def

```

## B.5 ‘texmext.enc’: TeX math symbol encoding

```
% TeX math extension encoding.  
% No ligatures or kerns.  
%  
/TeXMathExtensionEncoding [ % now 256 chars follow  
  
% 0x0  
/parenleftbig  
/parenrightbig  
/bracketleftbig  
/bracketrightbig  
/floorleftbig  
/floorrightbig  
/ceilingleftbig  
/ceilingrightbig  
  
% 0x8  
/braceleftbig  
/bracerightbig  
/angbracketleftbig  
/angbracketrightbig  
/vextendsingle  
/vextendsingle  
/slashbig  
/backslashbig  
  
% 0x10  
/parenleftBig  
/parenrightBig  
/parenleftbigg  
/parenrightbigg  
/bracketleftbigg  
/bracketrightbigg  
/floorleftbigg  
/floorrightbigg  
  
% 0x18  
/ceilingleftbigg  
/ceilingrightbigg  
/braceleftbigg  
/bracerightbigg  
/angbracketleftbigg  
/angbracketrightbigg  
/slashbigg  
/backslashbigg  
  
% 0x20
```

```
/parenleftBigg  
/parenrightBigg  
/bracketleftBigg  
/bracketrightBigg  
/floorleftBigg  
/floorrightBigg  
/ceilingleftBigg  
/ceilingrightBigg  
  
% 0x28  
/braceleftBigg  
/bracerightBigg  
/angbracketleftBigg  
/angbracketrightBigg  
/slashBigg  
/backslashBigg  
/slashBig  
/backslashBig  
  
% 0x30  
/parenlefttp  
/parenrighttp  
/bracketlefttp  
/bracketrighttp  
/bracketleftbt  
/bracketrightbt  
/bracketlefttex  
/bracketrighttex  
  
% 0x38  
/bracelefttp  
/bracerighttp  
/braceleftbt  
/bracerightbt  
/braceleftmid  
/bracerightmid  
/braceex  
/arrowvertex  
  
% 0x40  
/parenleftbt  
/parenrightbt  
/parenlefttex  
/parenrighttex  
/angbracketleftBig  
/angbracketrightBig  
/unionsqtext  
/unionsqdisplay
```

```
% 0x48
/contintegraltext
/contintegraldisplay
/circledottext
/circledotdisplay
/circleplustext
/circleplusdisplay
/circlemultiplytext
/circlemultiplydisplay

% 0x50
/summationtext
/producttext
/integraltext
/uniontext
/intersectiontext
/unionmultitext
/logicalandtext
/logicalortext

% 0x58
/summationdisplay
/productdisplay
/integraldisplay
/uniondisplay
/intersectiondisplay
/unionmultidisplay
/logicalanddisplay
/logicalordisplay

% 0x60
/coproducttext
/coproductdisplay
/hatwide
/hatwider
/hatwidest
/tildewide
/tildewider
/tildewidest

% 0x68
/bracketleftBig
/bracketrightBig
/floorleftBig
/floorrightBig
/ceilingleftBig
/ceilingrightBig
```

```

/braceleftBig
/bracerightBig

% 0x70
/radicalbig
/radicalBig
/radicalbigg
/radicalBigg
/radicalbt
/radicalvertex
/radicaltp
/arrowvertexdbl

% 0x78
/arrowtp
/arrowbt
/bracehtipdownleft
/bracehtipdownright
/bracehtipupleft
/bracehtipupright
/arrowdbltp
/arrowdblbt

% Have to have 128 .notdef's now to fill things out.
%
/.notdef /.notdef /.notdef /.notdef /.notdef /.notdef /.notdef
] def

```

## B.6 ‘texmsym.enc’: TeX math symbol encoding

```
% TeX math symbols encoding.
% No ligatures or kerns.
```

```
%  
/TeXMathSymbolEncoding [ % now 256 chars follow  
% 0x0  
/minus  
/periodcentered  
/multiply  
/asteriskmath  
/divide  
/diamondmath  
/plusminus  
/minusplus  
  
% 0x8  
/circleplus  
/circleminus  
/circlemultiply  
/circledivide  
/circledot  
/circlecopyrt  
/openbullet  
/bullet  
  
% 0x10  
/equivasympotic  
/equivalence  
/reflexsubset  
/reflexsuperset  
/lessequal  
/greaterequal  
/precedesequal  
/followsequal  
  
% 0x18  
/similar  
/approxequal  
/propersubset  
/propersuperset  
/lessmuch  
/greatermuch  
/precedes  
/follows  
  
% 0x20  
/arrowleft  
/arrowright  
/arrowup  
/arrowdown  
/arrowboth
```

```
/arrownortheast  
/arrowsoutheast  
/similarequal  
  
% 0x28  
/arrowdblleft  
/arrowdblright  
/arrowdblup  
/arrowdbldown  
/arrowdblboth  
/arrownorthwest  
/arrowsouthwest  
/proportional  
  
% 0x30  
/prime  
/infinity  
/element  
/owner  
/triangle  
/triangleinv  
/negationslash  
/mapsto  
  
% 0x38  
/universal  
/existential  
/logicalnot  
/emptyset  
/Rfractur  
/Ifractur  
/laticetop  
/perpendicular  
  
% 0x40  
/aleph  
/A  
/B  
/C  
/D  
/E  
/F  
/G  
  
% 0x48  
/H  
/I  
/J
```

```
/K  
/L  
/M  
/N  
/O  
  
% 0x50  
/P  
/Q  
/R  
/S  
/T  
/U  
/V  
/W  
  
% 0x58  
/X  
/Y  
/Z  
/union  
/intersection  
/unionmulti  
/logicaland  
/logicalor  
  
% 0x60  
/turnstileleft  
/turnstileright  
/floorleft  
/floorright  
/ceilingleft  
/ceilingright  
/braceleft  
/braceright  
  
% 0x68  
/angbracketleft  
/angbracketright  
/bar  
/bardbl  
/arrowbothv  
/arrowdblbothv  
/backslash  
/wreathproduct  
  
% 0x70  
/radical
```

```

/coproduct
/nabla
/integral
/unionsq
/intersectionsq
/subsetsqequal
/supersetsqequal

% 0x78
/section
/dagger
/daggerdbl
/paragraph
/club
/diamond
/heart
/spade

% Have to have 128 .notdef's now to fill things out.
%
/.notdef /.notdef /.notdef /.notdef /.notdef /.notdef
] def

```

## B.7 ‘texmital.enc’: T<sub>E</sub>X math italic encoding

```

% TeX math italic encoding.
% No ligatures or kerns.
%
/TeXMathItalicEncoding [ % now 256 chars follow
% 0x0
/Gamma
/Delta

```

/Theta  
/Lambda  
/Xi  
/Pi  
/Sigma  
/Upsilon

% 0x8  
/Phi  
/Psi  
/Omega  
/alpha  
/beta  
/gamma  
/delta  
/epsilon1

% 0x10  
/zeta  
/eta  
/theta  
/iota  
/kappa  
/lambda  
/mu  
/nu

% 0x18  
/xi  
/pi  
/rho  
/sigma  
/tau  
/upsilon  
/phi  
/chi

% 0x20  
/psi  
/omega  
/epsilon  
/theta1  
/pi1  
/rho1  
/sigma1  
/phi1

% 0x28

```
/arrowlefttophalf  
/arrowleftbothalf  
/arrowrighttophalf  
/arrowrightbothalf  
/arrowhookleft  
/arrowhookright  
/triangleright  
/triangleleft  
  
% 0x30  
/zerooldstyle  
/oneoldstyle  
/twooldstyle  
/threeoldstyle  
/fouroldstyle  
/fiveoldstyle  
/sixoldstyle  
/sevenoldstyle  
  
% 0x38  
/eightoldstyle  
/nineoldstyle  
/period  
/comma  
/less  
/slash  
/greater  
/star  
  
% 0x40  
/partialdiff  
/A  
/B  
/C  
/D  
/E  
/F  
/G  
  
% 0x48  
/H  
/I  
/J  
/K  
/L  
/M  
/N  
/O
```

% 0x50

/P  
/Q  
/R  
/S  
/T  
/U  
/V  
/W

% 0x58

/X  
/Y  
/Z  
/flat  
/natural  
/sharp  
/slurbelow  
/slurabove

% 0x60

/lscript  
/a  
/b  
/c  
/d  
/e  
/f  
/g

% 0x68

/h  
/i  
/j  
/k  
/l  
/m  
/n  
/o

% 0x70

/p  
/q  
/r  
/s  
/t  
/u



## Appendix C Font legalities

This section owes a great deal to Charles Bigelow (co-designer with Kris Holmes of the Lucida typeface family, among others), who has generously answered our many queries about fonts and the law around the world with remarkable patience and understanding. (But he is naturally not responsible for any errors here, much less our opinions.)

Fonts have always been treated rather strangely under the law, as befits their rather strange nature: letterforms are indivisibly both *useful* and *artistic*. In most countries—in all countries until recently—utility has taken precedence; i.e., it has been legal to copy fonts without permission or fee.

In any case, to the best of my knowledge, the situation in those countries which have adopted any sort of typeface protection is as follows:

### United States

Typeface designs can be patented, but not copyrighted. Only a few designs have been patented. (Lucida and Stone are the only ones I know of. I don't know what the grounds were for patenting Stone, but Lucida had some novel features in its design which make it reasonable to patent, given the acceptance of the patent system in the first place.)

Particular programs which instantiate a font can be copyrighted just as any other computer program can. This is arguably wrong, since font programs are nothing but a description of the shapes, possibly with some simple hints, and there's only one basic way to describe the shapes in any given language. Thus, the creativity lies in making the shape right, not in making the computer program right, so it would seem that to be consistent, the copyright laws should protect the design, not the program—the opposite of the current situation.

Germany Typeface designs have been copyrightable as original works of art since 1981. As a result, many (perhaps most) designs have been copyrighted there. The law is not retroactive, but German courts have upheld the intellectual property rights of designers of earlier fonts as well: In one case the heirs of Paul Bauer (designer of Futura) won a suit against the Bauer foundry for arbitrarily discontinuing a portion of their royalties.

England A copyright law passed in 1989 covers typeface designs first published in England (or published in Britain within 30 days of its publication elsewhere), and it is retroactive. It's unclear how far back the law extends, but Times Roman, designed in the late 1920's and 1930's by Stanley Morison and cut by Victor Lardent for Monotype is probably covered. This does not mean GNU (for example) cannot have a Times Roman; it just means we cannot start with an English version, as the law does not forbid importing foreign versions of English typefaces.

France The Romain du Roi typeface designed by Philippe Grandjean in 1702 for the French royal family is protected, and perhaps other such “royal” designs. There is no protection for designs in general.

In 1973 the international Vienna treaty on typeface design protection was proposed. France ratified it in 1974 or 1975, and Germany in 1981. The English law might constitute ratification, but this has not been settled. In any case, since at least four countries have to ratify it before it takes effect (and even then it takes effect only in those countries which ratify it), it is still of no consequence for now.

# Index

## 3

35 standard PostScript fonts ..... 21

## 7

7-bit encodings ..... 15

## 8

8-bit encodings ..... 15

8a.enc ..... 82

8r.enc ..... 87

## 9

9s variant ..... 15

## A

Adobe standard encoding ..... 82

adobe.map ..... 22

Afm2tfm encoding ..... 15

apple.map ..... 50

attribution of fonts, missing ..... 3

automatic expansion ..... 18

Avant Garde ..... 3

## B

base encoding, for TeX ..... 87

Bauer, Paul ..... 106

Beebe, Nelson ..... 1

Beeton, Barbara ..... 1

Bernstein, Rocky ..... 1

Bigelow, Charles ..... 106

bitstrea.map ..... 50

bizarre font names ..... 3

Bouche, Thierry ..... 1

bright variant ..... 15

bugs, reporting ..... 1

## C

category codes ..... 20

CD-ROM distribution ..... 3

character scaling, automatic ..... 18

compression ..... 18

contributors ..... 1

copyright on fonts ..... 106

Cork encoding ..... 90

cork.enc ..... 90

Cugley, Damian ..... 1

Cyrillic encodings ..... 15

Cyrillic fonts ..... 15

## D

design size specification ..... 3

distribution ..... 1

DOS filesystems ..... 3

dtc.map ..... 60

Dviljk translator ..... 2

Dvips encoding ..... 92

Dvips translator ..... 2

dvips.enc ..... 92

## E

EC encoding ..... 90

eight-character limitation ..... 3

encoding files ..... 1

encoding vectors ..... 82

encoding, Dvips ..... 92

encodings, Adobe standard ..... 82

encodings, Cork ..... 90

encodings, EC ..... 90

encodings, TeX base ..... 87

encodings, TeX Latin 1 ..... 90

encodings, TeX math italic ..... 101

encodings, TeX math symbol ..... 93, 97

encodings, unspecified ..... 15

England, font design protection law ..... 106

escape for nonstandard names ..... 3

expansion ..... 18

expert encoding ..... 16

expertised encodings ..... 15

expertised font ..... 16

extension, TeX math encoding ..... 93

## F

fax variant ..... 15

filenames, basics ..... 3

font copyrighting ..... 106

font scaling ..... 3

font\_coding\_scheme ..... 20

Fontinst distribution ..... 2

FontName ..... 5

fontname mapping file ..... 19

Fontname version 2 ..... 1

foundries	3
France, font design protection law	106
<code>ftp.cs.umb.edu</code>	1
<code>ftp.tug.org</code>	1
Futura	106
<b>G</b>	
Garamond, versions of	4
Germany, font design protection law	106
Grandjean, Philippe	106
Greek fonts	15
<b>H</b>	
hexadecimal design size	3
history	1
Holmes, Kris	106
Horn, Berthol.	1
<b>I</b>	
individual font designers	3
informal variant	16
introduction	1
ISO 9660	3
italic, TeX math encoding	101
<b>J</b>	
Jeffrey, Alan	1
<b>K</b>	
Knuth, Donald E.	19
<b>L</b>	
Lang, Russell	1
Lardent, Victor	106
LaserJet 4 fonts	15
legalisms	106
letterspacing	14
ligatures and encodings	15
limitations	3
<code>linotype.map</code>	61
long names	19
long naming scheme	19
<code>lslash</code>	15
<code>Lslash</code>	15
Lubalin, Herb	3
Lucida Bright	87
Lucida, protection of	106

**M**

MacKay, Pierre	1
mapping file	19
mapping files	1
math extension, TeX encoding	93
math italic, TeX encoding	101
math symbol, TeX encoding	97
math variants	16
Mittelbach, Frank	1, 3, 16
<code>modes.mf</code>	2
Monotype	106
<code>monotype.map</code>	62
Morison, Stanley	106
multiple variants	14

**N**

nonstandard names, escape for	3
-------------------------------	---

**P**

patenting of fonts	106
phonetic encodings	15
pi fonts	5
PostScript encoding vectors	82
PostScript fonts, standard	21
PSfonts distribution	2

**R**

Rahtz, Sebastian	1
raw fonts	3
references	1
related files	1
reporting bugs	1
Rivlin, Jean	1
Rokicki, Tom	1
romain du roi	106

**S**

sans variant	16
Schoepf, Rainer	1
schoolbook variant	16
scripts	15
semisans variant	15
semiserif variant	15
small caps fonts	14
small foundries	3
standard PostScript fonts	21
Stone Informal	16
Stone, protection of	106
<code>SuperFont</code>	15
<code>supplier.map</code>	4

suppliers.....	3	typewriter variant .....	16
symbol, TeX math encoding.....	97		
<b>T</b>			
T1.etc.....	15		
TDS standard.....	1	unattributed fonts .....	3
terminology .....	2	United States, font design protection law.....	106
tex-fonts@mail.tug.org.....	1	urw.map.....	80
TeX base encoding.....	87	utilities.....	1
TeX Directory Structure standard.....	1		
TeX Latin 1 encoding.....	90		
TeX math extension encoding.....	93		
TeX math italic encoding.....	101		
TeX math symbol encoding.....	97		
texfonts.map.....	19		
texmext.enc.....	93		
texmital.enc.....	101		
texmsym.enc.....	97		
Times Roman, protection of.....	106	weight.....	14
type foundries .....	3	weight.map.....	14
typeface design protection .....	106	width.map.....	18
typeface.map.....	5	widths.....	18
typefaces .....	4	Windows ANSI.....	87
<b>V</b>			
variant.map .....	16		
variants .....	14		
Vienna treaty .....	106		
<b>W</b>			
weight .....	14		
weight.map .....	14		
width.map .....	18		
widths .....	18		
X Window System font names .....	19		
<b>X</b>			

# Table of Contents

<b>1</b>	<b>Introduction . . . . .</b>	<b>1</b>
1.1	History . . . . .	1
1.2	References . . . . .	2
<b>2</b>	<b>Filenames for fonts . . . . .</b>	<b>3</b>
2.1	Suppliers . . . . .	3
2.2	Typefaces . . . . .	4
2.3	Weights . . . . .	14
2.4	Variants . . . . .	14
2.5	Widths . . . . .	18
<b>3</b>	<b>Long names . . . . .</b>	<b>20</b>
3.1	A fontname mapping file . . . . .	20
3.2	A naming scheme for long names . . . . .	20
<b>Appendix A</b>	<b>Font name lists . . . . .</b>	<b>22</b>
A.1	Standard PostScript fonts . . . . .	22
A.2	Adobe fonts . . . . .	23
A.3	Apple fonts . . . . .	51
A.4	Bitstream fonts . . . . .	51
A.5	DTC fonts . . . . .	61
A.6	Linotype fonts . . . . .	62
A.7	Monotype fonts . . . . .	63
A.8	URW fonts . . . . .	81
<b>Appendix B</b>	<b>Encodings . . . . .</b>	<b>83</b>
B.1	'8a.enc': Adobe standard encoding . . . . .	83
B.2	'8r.enc': T <sub>E</sub> X base encoding . . . . .	88
B.3	'cork.enc': Cork encoding . . . . .	91
B.4	'dvips.enc': Dvips encoding . . . . .	93
B.5	'texmext.enc': T <sub>E</sub> X math symbol encoding . . . . .	95
B.6	'texmsym.enc': T <sub>E</sub> X math symbol encoding . . . . .	98
B.7	'texmital.enc': T <sub>E</sub> X math italic encoding . . . . .	102
<b>Appendix C</b>	<b>Font legalities . . . . .</b>	<b>107</b>
<b>Index . . . . .</b>	<b>109</b>	