

NAME

`cfftot1` – convert PostScript font from CFF to Type 1

SYNOPSIS

`cfftot1` [**`-a`**] [*input* [*output*]]

DESCRIPTION

`Cfftot1` converts PostScript font programs in the Compact Font Format (CFF) into Type 1 font programs in PFB or PFA format, preserving all hints that can be represented in Type 1. The input file should be a raw CFF file or a PostScript-flavored OpenType font. If the file *output* is not specified output goes to the standard output. If the file *input* is not specified input comes from the standard input.

OPTIONS

`-a, --pfa`

Output font in ASCII PFA format.

`-b, --pfb`

Output font in binary PFB format. This is the default.

`-n name, --name name`

Output the CFF's component font named *name*. CFF files can contain more than one font, although few do. Use this option to select a particular font from a multi-font collection. By default `cfftot1` chooses the collection's first font.

`-o file, --output file`

Write output font to *file* instead of the standard output.

`-q, --quiet`

Do not generate any error messages.

`-h, --help`

Print usage information and exit.

`-v, --version`

Print the version number and some short non-warranty information and exit.

SEE ALSO

`t1binary(1)`, **`t1ascii(1)`**

Adobe Type 1 Font Format

Adobe Technical Notes #5176, *The Compact Font Format Specification*, and #5177, *The Type 2 Charstring Format*

OpenType Specification, Version 1.4

AUTHOR

Eddie Kohler (ekohler@gmail.com)