

# The `centernot` package

Heiko Oberdiek\*

2016/05/16 v1.4

## Abstract

This package provides `\centernot` that prints the symbol `\not` on the following argument. Unlike `\not` the symbol is horizontally centered.

## Contents

<b>1</b>	<b>User interface</b>	<b>1</b>
<b>2</b>	<b>Implementation</b>	<b>2</b>
<b>3</b>	<b>Installation</b>	<b>2</b>
3.1	Download . . . . .	2
3.2	Bundle installation . . . . .	3
3.3	Package installation . . . . .	3
3.4	Refresh file name databases . . . . .	3
3.5	Some details for the interested . . . . .	3
<b>4</b>	<b>History</b>	<b>4</b>
[2006/12/02 v1.0]	. . . . .	4
[2007/05/31 v1.1]	. . . . .	4
[2010/03/29 v1.2]	. . . . .	4
[2011/07/11 v1.3]	. . . . .	4
[2016/05/16 v1.4]	. . . . .	4
<b>5</b>	<b>Index</b>	<b>4</b>

## 1 User interface

If a negated relational symbol is not available, `\not` can be used to create the negated variant of the relational symbol. The disadvantage of `\not` is that it is put at a fixed location regardless of the width of the relational symbol. Therefore `\centernot` takes an argument and measures its width to achieve a better placement of the symbol `\not`. Examples:

symbol	<code>\not</code>	<code>\centernot</code>	
<code>=</code>	$\neq$	$\neq$	<i>(definition)</i>
<code>\parallel</code>	$\nparallel$	$\nparallel$	
<code>\longrightarrow</code>	$\nrightarrow$	$\nrightarrow$	

But do not forget that most negated symbols are already available, e.g.:

---

\*Please report any issues at <https://github.com/ho-tex/oberdiek/issues>

case	package	code	result
$\backslash\parallel$ :	centernot	$\$A \backslash\centernot\parallel B\$$	$A \nparallel B$
	amssymb	$\$A \backslash\nparallel B\$$	$A \nparallel B$
$\backslash\mid$ :	centernot	$\$A \backslash\centernot\mid B\$$	$A \nmid B$
	amssymb	$\$A \backslash\nmid B\$$	$A \nmid B$
	mathabx	$\$A \backslash\notdivides B\$$	$A \nmid B$
$\backslash\rightarrow$ :	centernot	$\$A \backslash\centernot\rightarrow B\$$	$A \nrightarrow B$
	amssymb	$\$A \backslash\nrightarrow B\$$	$A \nrightarrow B$
	mathabx	$\$A \backslash\nrightarrow B\$$	$A \nrightarrow B$

## 2 Implementation

```


1 \*package
2 \NeedsTeXFormat{LaTeX2e}
3 \ProvidesPackage{centernot}
4 [2016/05/16 v1.4 Centers the not symbol horizontally (H0)]%

```

$\backslash\text{not}$  is a  $\backslash\text{mathrel}$  atom with zero width. It prints itself outside its character box, similar to  $\backslash\text{rlap}$ . The next  $\backslash\text{mathrel}$  symbol is then print on top of it.  $\text{T}_{\text{E}}\text{X}$  does not add space between two  $\backslash\text{mathrel}$  atoms. The following implementation assumes that the math font is designed in such a way that the position of  $\backslash\text{not}$  fits well on the equal symbol.

The blue boxes marks the character bounding boxes seen by  $\text{T}_{\text{E}}\text{X}$ :

$\backslash\text{not}$       =       $\backslash\text{not}=\mathrel$



$\backslash\text{centernot}$   $\backslash\text{centernot}$  is not a symbol but a macro that takes one argument. It measures the width of the argument and places  $\backslash\text{not}$  horizontally centered on that argument. The result is a  $\backslash\text{mathrel}$  atom.

```

5 \newcommand*{\centernot}{%
6   \mathpalette\@centernot
7 }
8 \def\@centernot#1#2{%
9   \mathrel{%
10    \rlap{%
11      \settowidth\dimen@{\$m@th#1{\#2}$}%
12      \kern.5\dimen@
13      \settowidth\dimen@{\$m@th#1=$}%
14      \kern-.5\dimen@
15      \$m@th#1\not$%
16    }%
17    {\#2}%
18  }%
19 }
20 \</package>

```

## 3 Installation

### 3.1 Download

**Package.** This package is available on CTAN<sup>1</sup>:

[CTAN:macros/latex/contrib/oberdiek/centernot.dtx](https://ctan.org/ctan/packages/macros/latex/contrib/oberdiek/centernot.dtx) The source file.

[CTAN:macros/latex/contrib/oberdiek/centernot.pdf](https://ctan.org/ctan/packages/macros/latex/contrib/oberdiek/centernot.pdf) Documentation.

<sup>1</sup>[CTAN:pkg/centernot](https://ctan.org/ctan/packages/macros/latex/contrib/oberdiek/centernot)

**Bundle.** All the packages of the bundle ‘oberdiek’ are also available in a TDS compliant ZIP archive. There the packages are already unpacked and the documentation files are generated. The files and directories obey the TDS standard.

[CTAN:install/macros/latex/contrib/oberdiek.tds.zip](#)

*TDS* refers to the standard “A Directory Structure for T<sub>E</sub>X Files” ([CTAN:pkg/tds](#)). Directories with `texmf` in their name are usually organized this way.

## 3.2 Bundle installation

**Unpacking.** Unpack the `oberdiek.tds.zip` in the TDS tree (also known as `texmf` tree) of your choice. Example (linux):

```
unzip oberdiek.tds.zip -d ~/texmf
```

## 3.3 Package installation

**Unpacking.** The `.dtx` file is a self-extracting `docstrip` archive. The files are extracted by running the `.dtx` through plain T<sub>E</sub>X:

```
tex centernot.dtx
```

**TDS.** Now the different files must be moved into the different directories in your installation TDS tree (also known as `texmf` tree):

```
centernot.sty → tex/latex/oberdiek/centernot.sty
centernot.pdf → doc/latex/oberdiek/centernot.pdf
centernot.dtx → source/latex/oberdiek/centernot.dtx
```

If you have a `docstrip.cfg` that configures and enables `docstrip`’s TDS installing feature, then some files can already be in the right place, see the documentation of `docstrip`.

## 3.4 Refresh file name databases

If your T<sub>E</sub>X distribution (T<sub>E</sub>X Live, MiK<sub>T</sub><sub>E</sub>X, ...) relies on file name databases, you must refresh these. For example, T<sub>E</sub>X Live users run `texhash` or `mktextlsr`.

## 3.5 Some details for the interested

**Unpacking with L<sup>A</sup>T<sub>E</sub>X.** The `.dtx` chooses its action depending on the format:

**plain T<sub>E</sub>X:** Run `docstrip` and extract the files.

**L<sup>A</sup>T<sub>E</sub>X:** Generate the documentation.

If you insist on using L<sup>A</sup>T<sub>E</sub>X for `docstrip` (really, `docstrip` does not need L<sup>A</sup>T<sub>E</sub>X), then inform the autodetect routine about your intention:

```
latex \let\install=y\input{centernot.dtx}
```

Do not forget to quote the argument according to the demands of your shell.

**Generating the documentation.** You can use both the `.dtx` or the `.drv` to generate the documentation. The process can be configured by the configuration file `ltxdoc.cfg`. For instance, put this line into this file, if you want to have A4 as paper format:

```
\PassOptionsToClass{a4paper}{article}
```

An example follows how to generate the documentation with pdfL<sup>A</sup>T<sub>E</sub>X:

```
pdflatex centernot.dtx
makeindex -s gind.ist centernot.idx
pdflatex centernot.dtx
makeindex -s gind.ist centernot.idx
pdflatex centernot.dtx
```

## 4 History

[2006/12/02 v1.0]

- First version.

[2007/05/31 v1.1]

- Real symbols added in documentation part.

[2010/03/29 v1.2]

- Documentation fix: ‘negotiated’ to ‘negated’ (Hartmut Henkel).

[2011/07/11 v1.3]

- Superfluous `\makeatother` removed (Martin Münch).

[2016/05/16 v1.4]

- Documentation updates.

## 5 Index

Numbers written in *italic* refer to the page where the corresponding entry is described; numbers underlined refer to the code line of the definition; plain numbers refer to the code lines where the entry is used.

	<b>Symbols</b>		<code>\mathrel</code> . . . . .	<b>9</b>
<code>\@centernot</code> . . . . .	<b>6, 8</b>		<b>N</b>	
	<b>C</b>		<code>\NeedsTeXFormat</code> . . . . .	<b>2</b>
<code>\centernot</code> . . . . .	<b><u>5</u></b>		<code>\newcommand</code> . . . . .	<b>5</b>
	<b>D</b>		<code>\not</code> . . . . .	<b>15</b>
<code>\dimen@</code> . . . . .	<b>11, 12, 13, 14</b>		<b>P</b>	
	<b>K</b>		<code>\ProvidesPackage</code> . . . . .	<b>3</b>
<code>\kern</code> . . . . .	<b>12, 14</b>		<b>R</b>	
	<b>M</b>		<code>\rlap</code> . . . . .	<b>10</b>
<code>\m@th</code> . . . . .	<b>11, 13, 15</b>		<b>S</b>	
<code>\mathpalette</code> . . . . .	<b>6</b>		<code>\settowidth</code> . . . . .	<b>11, 13</b>