

The `uantwerpendocs` classes^{*†}

Walter Daems (`walter.daems@uantwerpen.be`)

2018/10/23

1 Introduction

This package implements the house style of Universiteit Antwerpen for letters, course texts and master/PhD theses. It also implements a class to format exams (which is for efficiency reasons and ease of copying not fully UAntwerpen house style compliant). Using these class files will make it easy for you to make and keep your course texts and theses compliant to this version and future versions of the UAntwerpen house style.

If you think (1) there's an error in compliancy w.r.t. the house style, (2) there's a feature missing in this class file, or (3) there's a bug in this class file, please, contact me through e-mail (`walter.daems@uantwerpen.be`) about the issue. I'll provide you with an answer and if (and as soon as) possible with a solution to the problem you spotted.

Do you like these class files? You're welcome to send us beer, wine, or just kind words.

2 Synopsis

The `coursetext`, `masterthesis` and `phdthesis` classes¹ are an extension of the standard L^AT_EX `book` class. They are intended to be used for writing course texts and master's or PhD theses. They provide a title page that is compliant to the UAntwerpen house style, and they also typeset the rest of your document appropriately.

The `letter` class is derived from the standard L^AT_EX `letter` class. It is intended to be used for writing business letters. It is compliant to the house style and allows

^{*}This document corresponds to `uantwerpendocs` 2.2, dated 2018/10/23.

[†]Thanks to Paul Levrie for testing and proofreading.

¹For readability the class names have been abbreviated by omitting the `uantwerpen` prefix

for using windowed envelopes of the DL format, with right-aligned window.

The `exam` class is derived from the standard \LaTeX `article` class and is for efficiency reasons not fully UAntwerpen house style compliant.

They require (and use) the following packages:

- the `atbegshi` package
- the `auto-pst-pdf` package
- the `background` package
- the `color` package
- the `eso-pic` package
- the `etooblox` package
- the `fancyhdr` package
- the `geometry` package
- the `graphicx` package
- the `hyperref` package
- the `ifthen` package
- the `pst-barcode` package
- the `tikz` package
- the `ulem` package

and optionally

- the `varioref` package.

So make sure these packages are available to your \LaTeX compiler.

3 Portability

This class file should be ready to use with all common \LaTeX compilers (\PDFLaTeX , \LaTeX , \XeLaTeX , \LuaLaTeX , ...) from the major \TeX -distributions (TeTeX, TexLive, MikTeX). If you experience problems, please inform the author.

4 Usage

4.1 Basic Usage

Use the templates provided below. Remember to \LaTeX your source file twice in order to have the title and final page correctly aligned.

4.1.1 `uantwerpencoursetext` class

Use the following harness for your \LaTeX course text:

```
\documentclass[a4paper]{uantwerpencoursetext}

\usepackage{<include any packages you require here>}

\facultyacronym{<put your faculty's acronym here>}

\title{<put your title here>}
\subtitle{<put your subtitle here>}
\author{<put your name here>}

\courseversion{<put a version identifier here>}
\versionyear{<the publication date of the course here>}

\lecturer{<person teaching the course>}
\programme{<descriptor of first programme>}
\course{<course code>}{<name of the course>}%

\academicyear{<XXXX-YYYY>}

\begin{document}

    \maketitle

    % put your LaTeX code here

    \finalpage

\end{document}
```

The available faculty acronyms are listed in a table on page 8.

4.1.2 uantwerpenmasterthesis class

Use the following harness for your L^AT_EX master's thesis:

```
\documentclass[a4paper]{uantwerpenmasterthesis}

\usepackage{<include any packages you require here>}

\facultyacronym{<put your faculty's acronym here>}

\title{<put your title here>}
\author{<put your name here>}
\supervisor{i}{<put supervisor's name(s) here>}{<affiliation goes here>}
\supervisor{ii}{<put supervisor's name(s) here>}{<affiliation goes here>}
\supervisor{iii}{<put supervisor's name(s) here>}{<affiliation goes here>}
\supervisor{iv}{<put supervisor's name(s) here>}{<affiliation goes here>}

% classmarker
\academicyear{<XXXX-YYYY>}

\begin{document}

    \maketitle

    % put your LaTeX code here

    \finalpage

\end{document}
```

The available faculty acronyms are listed in a table on page 8.

4.1.3 uantwerpenletter class

Use the following harness for your L^AT_EX letter:

```
\documentclass[a4paper]{uantwerpenletter}

% setup fonts according to your specific TeX compiler setup

\usepackage{<include any packages you require here>}

% \logo{} only specify if you want to use your unit's logo

\sender{<put your name here>}{<put your title/role here>}
\facultyacronym{<put your faculty's acronym here>}
\unit{<put your unit here>}
```

```

\address{<put your multi-line address here>}
\email{<user name>}{<domain name>}
\phone{<put your phone number here, start with +32>}
\fax{<put your fax number here, start with +32>}
\mobile{<put your mobile number here, start with +32>}
\returnaddress{<put your single-line return address here>}

\to{<name of the addressee goes here>}
\toorganization{<name of the organization goes here>}
\toaddress{<multi-line address of the addressee goes here>}

\date{<specify date - otherwise today>}
\subject{<specify subject>}

\begin{document}

    \maketitle % generates top of the letter

    \opening{Dear <name>}

    <write your letter here>

    \closing{Kind regards,}

    \carboncopy{<put CC people here>}
    \enclosed{<put reference to enclosed documents here>}

\end{document}

```

The available faculty acronyms are listed in a table on page 8. You may use lists in the `\carboncopy` and `\enclosed` commands. The spacing will be compact.

4.1.4 uantwerpenphdthesis class

```

\documentclass[b5paper,10pt,twoside,openright,filled]{uantwerpenphdthesis}

You may want to use common fonts
\usepackage{<include any additional packages you require here>}

\title{<put your title here>}
\author{<put your name here>}
\facultyacronym{<put your faculty's acronym here>}
\programme{PHD}
    {<put your programme's acronym here>}
    {<put your specialization's acronym here>}
\affiliation{<put your affiliation here>}
\address{<put your contact details here>}

```

```

\supervisor{i}{<put supervisor's name here>}{<affiliation goes here>}
\supervisor{ii}{<put supervisor's name here>}{<affiliation goes here>}

\jurychairman{<put chairman's name here>}{<affiliation goes here>}

\jurymember{i}{<put member's name here>}{<affiliation goes here>}
\jurymember{ii}{<put member's name here>}{<affiliation goes here>}
\jurymember{iii}{<put member's name here>}{<affiliation goes here>}

\phddegree{<put official degree name here>}
\defenselocation{<put location of defense here>}
\defensedate{<put defense year here>}
\titlepageimage{<set file name of title page image here>}

\isbn{<put ISBN13 number here>}
\depot{<put Depot number here>}

\begin{document}

\maketitle
\frontmatter
\tableofcontents
\mainmatter

% write your PhD text here

\appendix

% write appendix material here

\makefinalpage

\end{document}

```

4.2 The class options explained

The classes have several options. They are listed below. After every option, it has been indicated to which class the option applies (between square brackets, without prefix uantwerpen).

copyright	[coursetext] This option forces printing a watermark on every page. For the paper version of your document, this is inappropriate, but for any e-copy you make available, this may be appropriate;
examiner	[exam] This option allows to set the exam class in examiner mode, mentioning the exam-

iner mode on every page (as regular text in the header and also in a watermark) to make sure you never hand out that copy to students and suppressing the fillout pages.

filled [letter / coursetext / masterthesis / phdthesis]
 This option causes the text to be filled (simultaneous left and right alignment). Though this setting is not recommended, it is provided because the default `\raggedright` cannot be undone. The **filled** option prevents the `\raggedright` from being issued. However, if you care about the typographic readability of your text, you shouldn't use this option.

titlepagenoartwork [coursetext / masterthesis / phdthesis]
 This option forces the title pages to be typeset without circle graphics and logo. This allows for printing on a pre-printed color sheet that already contains circle graphics and logo;

titlepagetableonly [coursetext / masterthesis / phdthesis]
 This option forces the title-page data to be printed in table form as first page. Some publishers require the manuscript to be delivered in this form. They perform the entire typesetting of the title page.

qr [coursetext]
 This option allows you to generate a QR code containing the details of the course on the title page or the table-only title page. For this option to work, the package `pstricks` is loaded. It will not work with `pdfLATEX` unless you enable shell escape. Read your `pdfLATEX`-package documentation on how to do that.

Common sets of options depend on the purpose:

- to make a text ready for electronic distribution: **a4paper**, **copyright**.
- to make a camera-ready text (for printing) in case the cover is printed on a pre-printed color artwork cover sheet is: **a4paper**, **qr**, **titlepagenoartwork**.
- to make a camera-ready text (for printing) in case the cover is typeset based on table data: **a4paper**, **qr**, **titlepagetableonly**.
- to make a letter: no options (filling a letter is discouraged)
- to make an exam: no options (filling an exam is discouraged)
- to make a PhD text: **b5paper**, **twoside**, **openright** and **filled**

4.3 The macros explained

4.3.1 Common macros

After every macro, it has been indicated to which class the macro applies (between square brackets), and whether it is mandatory or not.

`\facultyacronym` [coursetext / masterthesis / phdthesis / exam] (mandatory)
 This macro sets the acronym of the faculty. This macro also sets the faculty name according to the specified acronym. If you're missing a faculty or institute, please ask the author to complete the list.

The available acronyms are:

Acronym	Faculty name
ASoE	Antwerp School of Education
CPG	Centrum Pieter Gillis
FBD	Faculteit Farmaceutische, Biomedische en Diergeneeskundige Wetenschappen
GGW	Faculteit Geneeskunde en Gezondheidswetenschappen
IOB	Instituut voor Ontwikkelingsbeleid- en beheer
IOIW	Instituut voor Onderwijs- en Informatiewetenschappen
LW	Faculteit Letteren en Wijsbegeerte
OW	Faculteit Ontwerpwetenschappen
SW	Faculteit Sociale Wetenschappen
REC	Faculteit Rechten
TEW	Faculteit Toegepaste Economische Wetenschappen
TI	Faculteit Toegepaste Ingenieurswetenschappen
WET	Faculteit Wetenschappen

4.3.2 Macros for the coursetext, masterthesis, phdthesis classes

`\academicyear` [coursetext / masterthesis] (mandatory)
 Use this macro to specify the academic year in full, i.e. in the form XXXX-YYYY.

`\author` [coursetext / masterthesis / phdthesis] (mandatory)
 This macro sets the author of the document. It also sets the `pdfauthor` tag of the `hyperref` package, so that the PDF-document meta-information is correct.

`\copyrightnotices` [coursetext] (optional)
 Use this macro to specify additional copyright notice messages to appear in the copyright notice on the bottom of page 2 of your course text.

`\course` [coursetext] (mandatory)
 Code (first argument) and name (second argument) of the curriculum course this coursematerial or exam belongs to. The code should be of the form: TNNNFFFAAA, with:

Code	Explanation
T	a number indicating the type of programme (1 for Bachelor courses, 2 for Master courses , 5 for specific courses of preparatory programmes)
NNN	a number assigned by the Faculty's administration
FFF	the acronym of your Faculty, e.g., FTI
AAA	an alphanumeric code assigned by the Faculty's administration

An example of such a code: 1001FTIWIS, for the first-semester mathematics course of the Faculty of Applied Engineering.

For courses of the Faculty of Applied Engineering, the name should be of the form **x-YYYYYYYY** with **x** the number of the semester and **YYYYYYYY** the official name of the course.

In case the course's name contains accented characters, one should also provide a qr version, containing utf8-characters only. The macro for this purpose takes only one argument, i.e. the course's name! This is to avoid inconsistencies in the course codes.

<code>\courseversion</code>	[coursetext] (optional) This macro indicates which version of the course this is.
<code>\defensedate</code>	[masterthesis / phdthesis] (mandatory) Date of the masterthesis defense in Dutch, in the form 'month year', e.g. "juni 2012". In case of a PhD thesis, only the year should be mentioned.
<code>\defenselocation</code>	[masterthesis / phdthesis] (optional) Location of the defense. Defaults to "Antwerpen".
<code>\diploma</code>	[masterthesis] (mandatory) This must be the official title, in Dutch. To avoid errors, we chose to use specific codes, that will expand to the correct description. These codes are specific for the Faculty of Applied Engineering. If you want the author of the package to add codes for your faculty, just ask!

Code	Description (in Dutch!)
Faculteit Toegepaste Ingenieurswetenschappen	
MA-IW-BK	Master of Science in de industriële wetenschappen: bouwkunde
MA-IW-BCH	Master of Science in de industriële wetenschappen: biochemie
MA-IW-CH	Master of Science in de industriële wetenschappen: chemie
MA-IW-EI	Master of Science in de industriële wetenschappen: elektronica-ICT
MA-IW-EI-AE	Master of Science in de industriële wetenschappen: elektronica-ICT, afstudeerrichting, Automotive Engineering
MA-IW-EI-ICT	Master of Science in de industriële wetenschappen: elektronica-ICT, afstudeerrichting ICT
MA-IW-EM-AE	Master of Science in de industriële wetenschappen: Elektromechanica, afstudeerrichting Automotive Engineering
MA-IW-EM-AU	Master of Science in de industriële wetenschappen: Elektromechanica, afstudeerrichting Automatisering
MA-IW-EM-EM	Master of Science in de industriële wetenschappen: Elektromechanica, afstudeerrichting Elektromechanica
MA-IW-EM-EN	Master of Science in de industriële wetenschappen: Elektromechanica, afstudeerrichting Energie
PHD-TI-BK	Doctor in de Toegepaste Ingenieurwetenschappen: Bouwkunde
PHD-TI-BCH	Doctor in de Toegepaste Ingenieurwetenschappen: Biochemie
PHD-TI-CH	Doctor in de Toegepaste Ingenieurwetenschappen: Chemie
PHD-TI-EI	Doctor in de Toegepaste Ingenieurwetenschappen: Elektronica-ICT
PHD-TI-EM	Doctor in de Toegepaste Ingenieurwetenschappen: Elektromechanica
Faculteit Toegepaste Economische Wetenschappen	
MA-TEW-HI	Master of Science in de toegepaste economische wetenschappen: handelsingenieur
MA-TEW-HIBI	Master of Science in de toegepaste economische wetenschappen: handelsingenieur in de beleidsinformatica
MA-TEW-EB	Master of Science in de toegepaste economische wetenschappen: economische beleid
MA-TEW-BK	Master of Science in de toegepaste economische wetenschappen: bedrijfskunde

- `\lecturer` [coursetext] (mandatory)
This is the name of the person that actually teaches the course (in Dutch: titularis). If there are multiple persons, please, use the macros `\lectureri`, `\lecturerii`, `\lectureriii`, `\lectureriv`.
- `\phddegree` [phdthesis] (mandatory)
This is the official degree name (in the appropriate language, possibly mixed “dutch (english)”).

<code>\programme</code>	[coursetext] (mandatory) This macro takes three arguments (for the time being, only applicable to the faculty of applied engineering): <ul style="list-style-type: none"> • the type of the programme: BA, SP, VP or MA • the domain of the programme: IW • the qualifier of the programme: BK, CH, BCH, EM, EI <p>If you need more programme classes or qualifiers, ask the author to complete the available codes. Correct usage of the macro will result in error-free descriptions on your title page. You can overrule the standard descriptions, by specifying 'FREE' as first argument and a free text description as second, leaving the third one empty. However, we strongly advise against taking this route. Instead, ask the author to complete the available codes.</p>
<code>\publisher</code>	[coursetext] (mandatory) This macro sets the publisher information of the document. It is printed on the front page. It defaults to the repographic service of campus Groenenborger, one of the standard printing services of Universiteit Antwerpen.
<code>\publishercode</code>	[coursetext] (mandatory) This macro sets the publisher code of the document. It is printed on the front page. This is code that the publisher uses for its internal administration. It may be a proprietary code, or an ISBN number.
<code>\subtitle</code>	[coursetext / phdthesis] (optional) This macro sets the title of the document. You may use this <ul style="list-style-type: none"> • to further clarify the title • to indicate the nature of this document <p>The latter is to be considered when you want to provide multiple documents as parts of the full course text (e.g., Course Notes, Formula Collection, Exercise Book, Solution Book). This macro also sets the subject tag of the hyperref package, so that the PDF-document meta-information is correct.</p>
<code>\supervisor</code>	[masterthesis / phdthesis] (mandatory) This is the name of the person that promotes/supervises the thesis. Please, use the macros <code>\supervisor<i>i</i></code> , <code>\supervisor<i>ii</i></code> , <code>\supervisor<i>iii</i></code> , <code>\supervisor<i>iv</i></code> .
<code>\title</code>	[coursetext / masterthesis / phdthesis] (mandatory) This macro sets the title of the document. It also sets the <code>pdftitle</code> tag of the hyperref package, so that the PDF-document meta-information is correct.
<code>\titlepageimage</code>	[phdthesis] (optional) This sets the central image on the title page to appear clipped within the curves.

`\versionyear` [coursetext] (mandatory)
This is to be the year in which you published the current version of the course in the form YYYY.

4.3.3 Macros for the letter class

`\address` [letter] (mandatory)
Address of the sending unit (or faculty). This can be different from the return address. Newlines are allowed and encouraged.

`\carboncopy` [letter] (optional)
List of persons receiving a copy of this letter. Format at will.

`\closing` [letter] (mandatory)
Closing clause of the letter. E.g. 'Best regards,'.

`\date` [letter] (optional)
Date of the letter. If not specified today's date (at the time of running \LaTeX) will be used.

`\email` [letter] (optional)
E-mail address of the sending person, or the administrative person tracking the letter. This must definitely be someone that can answer questions related to this letter.

- first argument: user name
- second argument: domain name

`\enclosed` [letter] (optional)
List of enclosed documents. Format at will.

`\fax` [letter] (optional)
Probably facsimile is not used anymore, but anyway: fax number of the sending person. See also `\email`.

`\logo` [letter] (optional)
file name of an alternative logo to use. The file name must be the name of a file in the search path of type PDF. If this macro is not used, The default logo of the university will be used.

`\mobile` [letter] (optional)
Mobile phone number of the sending person. See also `\email`.

`\opening` [letter] (mandatory)
Opening address of the letter. E.g. 'Dear X,'.

`\phone` [letter] (optional)
Phone number of the sending person. See also `\email`.

<code>\returnaddress</code>	[letter] (mandatory) This is a short return address (listed in small font on top of the destination address (such that it is visible in a windowed envelope (European format))). It should fit on a single line. Typically we list an acronym for the unit, a room number, a campus name and address. The goal is to get the undelivered letter back to the person that can take action accordingly.
<code>\sender</code>	[letter] (mandatory) Description of the person writing the letter. <ul style="list-style-type: none"> • first argument: name of the person writing the letter • second argument: title / role of the person <p>Newlines are not allowed in the arguments.</p>
<code>\signature</code>	[letter] (optional) Add a signature (in between the closing statement of the letter and the sender's name. This might be a text message or a picture of your signature.
<code>\subject</code>	[letter] (mandatory) Short descriptive subject that describes the contents of the letter.
<code>\to</code>	[letter] (mandatory) Name of the addressee. Newlines are allowed. Preferably name and role are split over two lines.
<code>\toaddress</code>	[letter] (mandatory) Address of the addressee. Newlines are allowed. The address should fit on max. 3 lines.
<code>\toorganization</code>	[letter] (optional) Name of the organization that employs the addressee.
<code>\unit</code>	[letter] (optional) Name of the unit to which the person belongs. This can be a research group, a laboratory, an administrative division, etc. Newlines are allowed.

4.3.4 Macros for the exam class

<code>\author</code>	[exam] (mandatory) The author of the exam (may be multiple authors, separated by commas). On the title page, these will be labeled as 'Professor(s) - Titularis(sen)'.
<code>\academicyear</code>	[exam] (mandatory) Use this macro to specify the academic year in full, i.e. in the form XXXX-YYYY.
<code>\course</code>	[exam] (mandatory) see description of <code>\course</code> macro on page 8.

<code>\examdate</code>	specifies the date of the exam. We recommend the YYYY-MM-DD format, but you are free to chose your own coding scheme for dates. We advise against using UNIX epoch time, to avoid problems in the first semester exams in 2038.
<code>\examgroupnumber</code>	[exam] mentions the group number (may be empty)
<code>\examlength</code>	specifies the length of the exam in a unit of time, e.g. '4h'
<code>\exampart</code>	[exam] (mandatory) Description of the part of the course the exam covers. Often the evaluation of a course consists of multiple evaluation elements (e.g. a written exam, a portfolio defense and lab reports). Using this macro you can indicate the part this exam covers. E.g. it could be 'Written Exam' (to distinguish from the other parts 'portfolio defense' and 'lab reports').
<code>\extrainfo</code>	specifies the extra information that appears on the back of the title page, regarding the materials that can be used during the examination and cautioning the students not to commit fraude.
<code>\programme</code>	[exam] (mandatory) see description of <code>\programme</code> macro on page 11.
<code>\rooms</code>	specifies the rooms in which the exam will take place. This is useless info for the student, but may be of convenience for you as author or supervisor of the exam. Use UAntwerpen standard room designators, e.g. 'G.U.025' for room number 025, on the Groenenborgercampus in the U-building.
<code>\studentnr</code>	specifies the exam copy number. This will appear on every page of the exam, easing the reassembly of pages that do not contain any name. Moreover, it allows for blind correction as the student only writes his name ot he front page.
<code>\tend</code>	specifies the end time of the exam in a format identical to the one chosen for <code>\tstart</code> .
<code>\tstart</code>	specifies the start time of the exam, preferable in the format 'HHhMM', e.g. '08h30'.

4.4 Examples

4.4.1 uantwerpencoursetext

This example uses the `qr` option (that invokes the `auto-pst-pdf` package) so enable 'write18' or 'shell-escape' for your L^AT_EX compiler.

```
<*ct-example>
\documentclass[a4paper,11pt,oneside,openright,english,qr,copyright]{uantwerpencoursetext}

\usepackage[english,dutch]{babel}
```

```

\usepackage{lipsum} % this is just for some dummy text, please remove

\title{Z\'agen, zoeken en zuchten}
\qrttitle{Zágen, zoeken en zuchten}
\subtitle{Cursusnota's}
\author{Walter Daems en Paul Levrie}

\courseversion{1.3}
\versionyear{2016}

\lectureri{Zoltan Zo"ekers}
\qrlectureri{Zoltan Zoëkers}
\lecturerii{Siana Sigh}
\lectureriii{Zeger de Z\'ager}
\qrlectureriii{Zeger de Záger}

\facultyacronym{TI}
\programme{MA}{IW}{EI}
\coursei{2023FTIZZZ}{5-Zoekmachines in een zaagperspectief}
\courseii{2045FTIIII}{6-Zaagmachines in \'e\'en zuchtperspectief}
\qrcourseii{6-Zaagmachines in één zuchtperspectief}

\academicyear{2015-2016}

\publisher{Universiteit Antwerpen\\
  Cursusdienst en reprografie\\
  Campus Groenenborger, G.U.027\\
  Groenenborgerlaan 171\\
  2020 Antwerpen\\
  T +32 3 265 32 15\\
  F + 32 3 233 32 27\\
  E cursusdienst.cgb@uantwerpen.be}

\publishercode{C11111102}

\copyrightnotices{
  The graphics in this document have been typeset using \texttt{TikZ}.\
  This document has been \TeX-ed on a GNU/Linux workstation.
}

\begin{document}
\selectlanguage{dutch} % or english if your text is in English

\maketitle

\frontmatter

\tableofcontents

```

```

\mainmatter
\chapter*{Inleiding}
\lipsum[1]
\chapter{Onzin voor dummies}

\section{Het gebeuren}
\lipsum[2]
\begin{equation}
e^{-j\pi} + 1 = 0
\end{equation}

\lipsum[3]
\section{En waartoe het geleid heeft}

\lipsum[4]

\subsection{Herhaling}

\lipsum[5]

\subsection{Begint vervelend te worden}

\lipsum[6]
\newpage

\subsection{Begint echt vervelend te worden}

\lipsum[7-10]

\chapter{Besluit}

\appendix

\chapter{Symbolen}
\chapter{Romeinse sprekers}
\chapter{Referentielijst}

\makefinalpage

\end{document}
</ct-example>

```

4.4.2 uantwerpenmasterthesis

```

<*mt-example>
\documentclass[a4paper,11pt,twoside,openright,english]{uantwerpenmasterthesis}

\usepackage[english]{babel} % or dutch if your text is in Dutch

```



```

\usepackage{lipsum} % this is just for some dummy text, please remove

\title{Minimax optimisatie voor performantieruimtemodellering}
\author{Bert Bibber}

\supervisor{i}{Prof. dr. ir. Kumulus}{Universiteit Antwerpen}
\supervisor{ii}{Prof. dr. Hilarius Warwinkel}{TNT-Bang, N.V.}
\supervisor{iii}{ing. Piet Pienter}{POM}

\facultyacronym{TI}
\academicyear{2015-2016}
\diploma{MA-IW-EI-ICT}
\defenselocation{Antwerpen}
\defensedate{juni 2016}

\begin{document}

\maketitle

\frontmatter

\tableofcontents

\mainmatter
\chapter*[Inleiding]

\lipsum[1]

\chapter{Onderzoeksvraag}

\section{Het gebeuren}

\lipsum[2]

\begin{equation}
e^{-j\pi} + 1 = 0
\end{equation}

\lipsum[3]

\chapter{Literatuurstudie}

\chapter{Theoretische achtergrond}

\chapter{Eigen realisatie}

\chapter{Besluit}

\appendix

```

```

\chapter{Symbolen}
\chapter{Referentielijst}

\makefinalpage

\end{document}
</mt-example>

```

4.4.3 uantwerpenphdthesis

Dutch

```

<*pt-example1>
\documentclass[b5paper,10pt,twoside,openright,filled]{uantwerpenphdthesis}

  You may want to use common fonts
\usepackage{mathptmx}
\usepackage{fontspec}
\setsansfont{Calibri}

\usepackage[dutch]{babel} % or dutch if your text is in Dutch
\usepackage{lipsum} % this is just for some dummy text, please remove

\title{Harmonische Signaalanalyse\met behulp van Lineaire
  Operatoren}
\subtitle{Waarom moeten titels van doctoraatsthesisen toch altijd
  lang en onverstaanbaar zijn?}
\author{Ing. Theofiel Hoekaff}
\facultyacronym{TI}
\programme{PHD}{IW}{EI}
\affiliation{Universiteit Antwerpen\\
  Faculteit Toegepaste Ingenieurswetenschappen\\
  Constrained Systems Lab (CoSys-Lab)}
\address{Groenenborgerlaan 171, 2020 Antwerpen, Belgi\`e\\
  M: theofiel.hoekaff@uantwerpen.be\\
  T: +32 265 00 00
}

\supervisorI{Prof. dr. W. Vlaams}{Universiteit Antwerpen, Belgi\`e}
\supervisorII{Prof. dr. J. Stekker}{Universiteit Antwerpen, Belgi\`e}

\jurychairman{Prof. dr. P. Dalinckx}{Universiteit Antwerpen, Belgi\`e}

\jurymemberI{Prof. dr. J. Dezerooder}{Universiteit Antwerpen, Belgi\`e}
\jurymemberII{Prof. dr. P. De Tollenaere}{Flanders Make, Belgi\`e}
\jurymemberIII{Prof. dr. M. Byr}{IMEC, Nederland}

\phddegree{doctor in de toegepaste ingenieurswetenschappen}

```

```

\defenselocation{Antwerpen}
\defensedate{2018}
\titlepageimage{keyboard.jpg}

\isbn{987-90-57285-34-7}
\depot{D/2018/12.293/03}

\begin{document}

\maketitle

\frontmatter

\tableofcontents

\mainmatter
\chapter*{Inleiding}

\lipsum[1]

\chapter{Onderzoeksvraag}

\section{Het gegeven}

\lipsum[2]

\begin{equation}
e^{-j\pi} + 1 = 0
\end{equation}

\lipsum[3-17]

\chapter{Literatuurstudie}

\lipsum[18-19]

\chapter{Theoretische achtergrond}

\lipsum[20-21]

\chapter{Eigen realisatie}

\lipsum[22-24]

\chapter{Besluit}

\lipsum[25]

\appendix
\chapter{Symbolen}

```

```

\chapter{Publicaties}
  Put your bibliography here using BibTeX

\makefinalpage

\end{document}
</pt-example1>

```

English

```

<*pt-example2>
\documentclass[b5paper,10pt,twoside,openright,filled]{uantwerpenphdthesis}

  use some fancy font
\usepackage{newpxtext}
\usepackage{newpxmath}

\usepackage[english]{babel} % or dutch if your text is in Dutch
\usepackage{lipsum} % this is just for some dummy text, please remove

\title{Harmonic Signal analysis\\based on Linear Operators}
\subtitle{How did Mindy linearly kill Mork's IC signal analyzer?}
\author{Ing. Theodore Edgeoff}
\facultyacronym{TI}
\affiliation{University of Antwerp\\
  Faculty of Applied Engineering\\
  CoSys-Lab}
\address{Groenenborgerlaan 171, 2020 Antwerpen, Belgi\\"e\\
  M: theofiel.hoekaff@uantwerpen.be\\
  T: +32 265 00 00
}

\supervisorI{Prof. dr. W. Vlaams}{University of Antwerp, Belgium}
\supervisorII{Prof. dr. J. Stekker}{University of Antwerp, Belgium}

\jurychairman{Prof. dr. P. Dalinckx}{University of Antwerp, Belgium}

\jurymemberI{Prof. dr. J. Dezerooder}{University of Antwerp, Belgium}
\jurymemberII{Prof. dr. P. De Tollenaere}{Flanders Make, Belgium}
\jurymemberIII{Prof. dr. M. Byr}{IMEC, The Netherlands}

\facultyacronym{TI}
\phddegree{doctor in applied engineering}
\defenselocation{Antwerpen}
\defensedate{2018}
\titlepageimage{keyboard.jpg}

```

```

\isbn{987-90-57285-34-7}
\depot{D/2018/12.293/03}

\begin{document}

\maketitle

\frontmatter

\tableofcontents

\mainmatter
\chapter*{Introduction}

\lipsum[1]

\chapter{Research question}

\section{The datum}

\lipsum[2]

\begin{equation}
e^{-j\pi} + 1 = 0
\end{equation}

\lipsum[3-17]

\chapter{Literature review}

\lipsum[18-19]

\chapter{Theoretical background}

\lipsum[20-21]

\chapter{Technical results}

\lipsum[22-24]

\chapter{Conclusion}

\lipsum[25]

\appendix

\chapter{Symbols}

Put your bibliography here using BibTeX

```

```

\makefinalpage

\end{document}
</pt-example2>

```

4.4.4 uantwerpenletter

Plain example

```

<*le-example>
\documentclass[a4paper]{uantwerpenletter}

% As a good UAntwerpen citizen, you would use the calibri font.
% As this only works for XeLaTeX or LuaLaTeX, we chose to include
% cmbright instead. So for ease of use, we include:
\usepackage{cmbright}
% But if you have XeLaTeX or LuaLaTeX, use the following instead:
%\usepackage{fontspec}
%\setmainfont{Calibri}

\usepackage[english]{babel}
\usepackage{lipsum} % this is just for some dummy text, please remove

\sender{Prof. Walter Daems}{Senior Lecturer}
\facultyacronym{TI}
\unit{CoSys-Lab}
\address{
  Campus Groenenborger\\
  Groenenborgerlaan 171\\
  B-2020 Antwerpen\\
  BELGIUM}
\email{walter.daems}{uantwerpen.be}
\phone{+32 3 265 98 43}
\mobile{+32 499 355 115}
\returnaddress{FTI - U.301 -- Groenenborgerlaan 171, 2020 Antwerpen, BELGIUM}

\to{Prof. B. Bonette}
\toorganization{Mumford University}
\toaddress{
  450 Morning Mall\\
  Mumford, DX 94305-2004\\
  USA}

\date{January 3, 2016}
\subject{Congratulations for online video lectures}

\begin{document}
\maketitle

```

```

\opening{Dear Prof. Bonette,}

I'd like to congratulate you and the other professors of your
university on the very instructive video lectures
provided by your University. They are valued very
highly.

You inspired many a professor at our university to provide more
technical content beyond classical paper courses.
Based on your inspiring lectures, some students desire to candidate
themselves for taking an internship at your university. You can find
their details enclosed.

Below, you can find a few more paragraphs to illustrate that this
class can generate multipage letters.

\lipsum[1-3]

\closing{Kind regards,}
% you might want to insert a signature picture or text:
% \signature{\includegraphics{signature.jpg}}
\carboncopy{Prof. S. Mariotte, Mumford University}
\enclosed{
  \begin{enumerate}
    \item list of course numbers that are most frequently viewed at
      our university (1pp)
    \item a list of students desiring to take an internship at
      Mumford University (2pp)
  \end{enumerate}
}
\end{document}
</le-example>

```

Example with configuration file

Probably, one has to write many letters. The sender details will be most certainly valid for many an occasion. Therefore, you might want to consider putting this default setup in a configuration file, e.g. `uantwerpenletter.cfg`:

```

<*le-cfg>
% configuration file for uantwerpenletter class
\usepackage{fontspec} % XeLaTeX/LuaTeX specific, replace by e.g.
\setmainfont{Calibri} % \usepackage{cmbright}
\sender{Prof. Walter Daems}{Senior Lecturer}
\facultyacronym{TI}
\unit{CoSys-Lab}
\address{

```

```

Campus Groenenborger\\
Groenenborgerlaan 171\\
B-2020 Antwerpen\\
BELGIUM}
\email{walter.daems}@uantwerpen.be}
\phone{+32 3 265 98 43}
\mobile{+32 499 355 115}
\returnaddress{FTI - U.301 -- Groenenborgerlaan 171, 2020 Antwerpen, BELGIUM}
</le-cfg>

```

The file can then be loaded in the preamble of your letter:

```
\input{uantwerpenletter.cfg}
```

After loading this configuration file, you may override some elements if this is appropriate.

You may also consider using multiple configuration files in case you have multiple roles in the university. Just make sure they are on your L^AT_EX search path.

4.4.5 uantwerpenexam

Below you can find two examples:

- A single column layout (single language) exam
- A double column layout (English-Dutch) exam

If you require more language combinations, ask the author to implement this.

Single column

```

<*ex-example1>
\documentclass[a4paper,10pt]{uantwerpenexam}
\usepackage{newpxtext} % demonstration of some fine font packages
\usepackage{newpxmath}
\usepackage{enumitem}
\usepackage[dutch]{babel} % last language loaded will
                           % determine logo version (change to
                           % [dutch] for a monolingual version)
\course{19876FTIDUM}{5-Bistrologie}
\author{Walter Daems}
\facultyacronym{TI}
\programme{BA}{IW}{EI}

```



```

\academicyear{2017-2018}
\exampart{Schriftelijk Examen}
\examgroupnumber{1 (eerste examenkans-inhaal)}
\examdate{2018-01-29}
\examlength{4h}
\tstart{08h30}
\tend{12h30}
\rooms{G.U.025}
\extrainfo{
  Belangrijke informatie:\\par
  Het volledige Onderwijs- en Examenreglement (OER) is van toepassing
  op dit examen.
  Toch wil ik vooraf nog een aantal regels duidelijk stellen:
  \begin{enumerate}
    \item Mogen op je tafeltje aanwezig zijn:
      (1) schrijfgerief, los d.w.z. \emph{niet} in een pennenzak (geen
      papier; er zit examenpapier bij de opgaven),
      (2) je rekenmachine (zonder alfanumerieke data en zonder
      geheugenkaarten),
      (3) het formularium.
    \item Volledig \emph{verboden te gebruiken}: alle apparatuur met
      geheugen- of communicatiefunctie zoals GSM, smartphone,
      smartwatch, muziekspeler, \ldots
      Je tas staat vooraan in het lokaal. Hang je jas aan de kapstok of
      leg hem bij je tas.
    \item Schrijf je naam op het titelblad van de opgave in het daartoe
      voorziene vak. Op de andere bladen schrijf je je naam
      \emph{niet}. Je examenopgave heeft een uniek nummer dat toelaat het
      te identificeren.
    \item Neem je tijd om \emph{alle vragen schriftelijk te}
      beantwoorden}. Het puntengewicht van een vraag is bovenaan de vraag
      op de opgavebladen vermeld. Wees volledig in je antwoord, maar ter
      zake. Houd rekening met de beschikbare tijd.
    \item Op het einde van het examen geef je \emph{alle} bladen weer af
      aan de aanwezige docent.
  \end{enumerate}
  Succes!
}
\studentnr{127}
\setmcsymbol{\bigcirc}

\begin{document}
\maketitle
\question{[VLATOP-BISTRO]}
\questionweight{3}

Geef de eerste vijf laureaten van de VLATOP-bistro
competitie.

\question{[BECHAMEL]}

```

```

\questionweight{7}

Welk van de onderstaande ingrediënten hoort niet thuis in
een b\'echamel saus:
\mc{Melk}
\mc{Boter}
\mc{Bloem}
\mc{Eieren}
\mc{Suiker}

\insertsolutionspagepartial{2}

\insertsolutionspage{}
\clearpage

\question{[BISTROCULTURE-1]}
\questionweight{10}

\begin{enumerate}[label=\alph*]
\item Bespreek de evolutie van de Noord-Europese bistrocultuur
gedurende de laatste vijftig jaar.
\item Breng dit in relatie tot de
opkomst van de georganiseerde recensies zoals die van Michelin en
Gault-Millau.
\end{enumerate}

\insertsolutionspagepartial{23}
\foreach \i in {1,2,3} {
\insertsolutionspage{}
}
\foreach \i in {1,2} {
\insertsolutionspage{Kladpapier}
}
\end{document}
</ex-example1>

```

Two columns

```

<*ex-example2>
\documentclass[a4paper,10pt]{uantwerpenexam}
\usepackage{newpxtext} % demonstration of some fine font packages
\usepackage{newpxmath}
\usepackage{enumitem}
\usepackage[dutch,english]{babel} % last language loaded will
% determine logo version (change to
% [dutch] for a monolingual version)
\course{19876FTIDUM}{5-Bistrology}
\author{Walter Daems}

```

```

\facultyacronym{TI}
\programme{BA}{IW}{EI}
\academicyear{2017-2018}
\exampart{Written Exam}
\examgroupnumber{1 (eerste examenkans-inhaal)}
\examdate{2018-01-29}
\examlength{4h}
\tstart{08h30}
\tend{12h30}
\rooms{G.U.025}
\extrainfo{
  \engdut{
    Important information:\\\par
    The Education and Examination Regulations (EER) hold for this
    examination in full.
    However, before starting, I'd like to set some rules straight:
    \begin{enumerate}
      \item \emph{Can be used:} (1) writing gear (\emph{not} in a pencil
        case); you don't need paper; there's plenty of paper in your exam
        copy;
        (2) your calculator (without alphanumerical data and without memory
        cards); (3) the formula collection.
      \item \emph{May not be used:} all equipment with memory or
        communications facilities, like cell phones, smart phones, smart
        watches, music players, \ldots
        Your bag must be put in the front of the room. Put your coat on the
        hallstand or next to your bag.
      \item Write your name on the title page. Don't write your name on
        the subsequent pages. Your copy has a unique number to identify it
        as yours.
      \item Take your time to \emph{answer all questions in writing}. The
        point weights are listed above every question. Be complete in your
        answer, but stick to the point. Take into account the available time.
      \item Hand in \emph{all} papers to the staff member on duty, at the
        end of the examination.
    \end{enumerate}
    Success!
  }
}
{
  Belangrijke informatie:\\\par
  Het volledige Onderwijs- en Examenreglement (OER) is van toepassing
  op dit examen.
  Toch wil ik vooraf nog een aantal regels duidelijk stellen:
  \begin{enumerate}
    \item Mogen op je tafeltje aanwezig zijn:
      (1) schrijfgierief, los d.w.z. \emph{niet} in een pennenzak (geen
        papier; er zit examenpapier bij de opgaven),
      (2) je rekenmachine (zonder alfanumerieke data en zonder
        geheugenkaarten),
      (3) het formularium.
    \end{enumerate}
}

```

```

\item Volledig \emph{verboden te gebruiken}: alle apparatuur met
geheugen- of communicatiefunctie zoals GSM, smartphone,
smartwatch, muziekspeler, \ldots
Je tas staat vooraan in het lokaal. Hang je jas aan de kapstok of
leg hem bij je tas.
\item Schrijf je naam op het titelblad van de opgave in het daartoe
voorzien vak. Op de andere bladen schrijf je je naam
\emph{niet}. Je examenopgave heeft een uniek nummer dat toelaat het
te identificeren.
\item Neem je tijd om \emph{alle vragen schriftelijk te
beantwoorden}. Het puntengewicht van een vraag is bovenaan de vraag
op de opgavebladen vermeld. Wees volledig in je antwoord, maar ter
zake. Houd rekening met de beschikbare tijd.
\item Op het einde van het examen geef je \emph{alle} bladen weer af
aan de aanwezige docent.
\end{enumerate}
Succes!
}
}

\studentnr{29}
\begin{document}
\maketitle
\question{[VLATOP-BISTRO]}
\questionweight{3}

\engdut{
Write down the first five laureates of the VALTOP-bistro competition.
}
{
Geef de eerste vijf laureaten van de VLATOP-bistro
competitie.
}

\question{[BECHAMEL]}
\questionweight{7}

\engdut{
Which of the ingredients below does not belong in a b\'echamel
sauce:
}
{
Welk van de onderstaande ingrediënten hoort niet thuis in
een b\'echamel saus:
}
\engdutmc{Milk}{Melk}
\engdutmc{Butter}{Boter}
\engdutmc{Flower}{Bloem}
\engdutmc{Eggs}{Eieren}
\engdutmc{Sugar}{Suiker}

```

```

\insertsolutionspagepartial{20}

\insertsolutionspage{}
\clearpage

\question{[BISTROCULTURE-1]}
\questionweight{10}

\engdut{
  \begin{enumerate}[label=\alph*]
    \item Discuss the evolution of the Northern European bistro culture during
      the latest fifty years.
    \item Relate this to the rise of organized reviews
      like the ones of Michelin and Gault-Millau.
  \end{enumerate}
}
{
  \begin{enumerate}[label=\alph*]
    \item Bespreek de evolutie van de Noord-Europese bistrocultuur
      gedurende de laatste vijftig jaar.
    \item Breng dit in relatie tot de
      opkomst van de georganiseerde recensies zoals die van Michelin en
      Gault-Millau.
  \end{enumerate}
}

\insertsolutionspagepartial{22.5}
\foreach \i in {1,2,3} {
  \insertsolutionspage{}
}
\foreach \i in {1,2} {
  \insertsolutionspage{Scrap/Klad}
}
\end{document}
</ex-example2>

```

5 Implementation

5.1 Class inheritance

For convenience, we'll derive from the standard L^AT_EX book, `letter` and `article` class.

Before loading the class, we provide the extra options.

```
1 <*ct>
```

```

2 \newif\if@copyright
3 \DeclareOption{copyright}{\@copyrighttrue}
4 \newif\if@qr
5 \DeclareOption{qr}{\@qrtrue}
6 \ct

7 <*ct | mt | pt>
8 \newif\if@titlepagenoartwork
9 \DeclareOption{titlepagenoartwork}{\@titlepagenoartworktrue}
10 \newif\if@titlepagetableonly
11 \DeclareOption{titlepagetableonly}{\@titlepagetableonlytrue}
12 </ct | mt | pt>
13 <*ct | mt | pt | le>
14 \newif\if@filled
15 \DeclareOption{filled}{\@filledtrue}
16 </ct | mt | pt | le>
17 <*ex>
18 \newif\if@examiner
19 \DeclareOption{examiner}{\@examinertrue}
20 </ex>

```

We execute some standard options: We load the book class for course texts and master theses.

```

21 <*ct | mt | pt>
22 \ExecuteOptions{a4paper,11pt,final,oneside,openright}
23 \ProcessOptions
24 \LoadClassWithOptions{book}
25 </ct | mt | pt>
26 % We load the |letter| class for letters
27 <*le>
28 \ExecuteOptions{a4paper,10pt,final,oneside,openright}
29 \ProcessOptions
30 \LoadClassWithOptions{letter}
31 \newcommand\tat{\makeatletter @\makeatother}
32 </le>
33 % We load the |article| class for exams
34 <*ex>
35 \ExecuteOptions{a4paper,twoside,10pt}
36 \ProcessOptions
37 \LoadClassWithOptions{article}
38 </ex>

```

5.2 Modern typesetting

Let's force some modern typesetting without paragraph indentation and with a decent paragraph spacing.

```

39 <*ct | mt | pt | le | ex>
40 \setlength{\parindent}{0pt}
41 \addtolength{\parskip}{0.75\baselineskip}
42 \setcounter{secnumdepth}{3}
43 </ct | mt | pt | le | ex>

```

5.3 Auxiliary packages

Reinventing the wheel is a waste of time, let's preload some appropriate auxiliary packages that have proven their value.

5.3.1 Geometry

Let's reduce the margins to 1 inch each.

```

44 <*ct | mt | pt | ex>
45 \RequirePackage[top=1in, bottom=1in, left=1in, right=1in]{geometry}
46 </ct | mt | pt | ex>
47 <*le>
48 \RequirePackage[top=1in, bottom=1in, left=1.34in, right=1in]{geometry}
49 \RequirePackage[normalem]{ulem}
50 \RequirePackage{atbegshi}
51 </le>

```

5.3.2 Font packages

Note that the use of `cmbright` is no longer imposed (as of v1.3). Using a good font is now up to the user. The packages `'newpxtext/newpxmath'` and `'cmbright'` are highly recommended. For writing letters, `'Calibri'` is the official font of the University of Antwerp.

```

52 <*ct | mt | pt | le>
53 % no more font code
54 </ct | mt | pt | le>

```

5.3.3 Boilerplate packages

Some boilerplate packages and an empty macro to test against (using `\ifx`)

```

55 <*ct | mt | pt | le | ex>
56 \RequirePackage{etoolbox}
57 \RequirePackage{ifthen}
58 \IfFileExists{shellesc.sty}{\RequirePackage{shellesc}}{}
59 \newcommand{\@emptymacro}{}
60 </ct | mt | pt | le | ex>

```

5.3.4 Graphics packages

Graphics packages that are required for the title page, but may come in handy for regular use as well.

Some packages for coursetext and masterthesis:

```
61 <*ct | mt | pt | le | ex>
62 \RequirePackage{graphicx}
63 \RequirePackage{color}
64 \RequirePackage{tikz}
65 \usetikzlibrary{positioning}
66 \RequirePackage{eso-pic}
67 </ct | mt | pt | le | ex>
68 <*ct>
69 \if@copyright
70 \RequirePackage[firstpage=false,contents={Copyright University of Antwerp, All Rights Reserved}]
71 \fi
72 </ct>
73 <*pt>
74 \usepackage{ean13isbn}
75 </pt>
```

In uantwerpencoursetext we also want to generate a qr code. Therefore we load the `pst-barcode` and `auto-pst-pdf` package. In this case you must enable 'write18' or 'shell-escape' for your L^AT_EX compiler. Check your documentation on how to do so!

```
76 <*ct>
77 \if@qr
78 \RequirePackage{auto-pst-pdf}
79 \RequirePackage{pst-barcode}
80 \fi
81 </ct>
```

5.3.5 Header/Footer

The de-facto standard for headers and footers:

```
82 <*ct | mt | pt | le | ex>
83 \RequirePackage{fancyhdr}
84 </ct | mt | pt | le | ex>
```

5.4 Colors

```
85 <*ct | mt | pt | le | ex>
86 \definecolor{uacorpbord}{cmyk}{0.00,1.00,0.60,0.37}
87 \definecolor{uacorpblue}{cmyk}{1.00,0.25,0.00,0.50}
```



```

88 \definecolor{uacorporlightblue}{cmyk}{1.00,0.00,0.08,0.13}
89 \definecolor{uacorpororange}{cmyk}{0.00,0.32,1.00,0.09}
90 \definecolor{uافتifresh}{cmyk}{0.34,1.00,0.00,0.00}
91 \definecolor{uافتisober}{cmyk}{0.10,1.00,0.00,0.49}
92 \definecolor{lightgray}{cmyk}{0.00,0.00,0.00,0.05}
93 \definecolor{darkgray}{cmyk}{0.00,0.00,0.00,0.80}
94 \definecolor{watermark}{cmyk}{0.00,0.00,0.00,0.05}
95 </ct | mt | pt | le | ex>

```

5.5 Babel provisions

```

96 <*ct | mt | pt | le | ex>
97 \newcommand{\uaname}{University of Antwerp}
98 \newcommand{\logoname}{UA_HOR_ENG_CMYK}
99 \newcommand{\footername}{4E_PMS302_BR_ENG_RGB}
100 \newcommand{\arrname}{All rights reserved}
101 \newcommand{\orname}{of}
102 \newcommand{\domainname}{uantwerp.be}
103 \newcommand{\datename}{Date}
104 \newcommand{\subjectname}{Subject}
105 \newcommand{\academicyearname}{Academic year}
106 \newcommand{\masterthesisname}{Master's thesis}
107 \newcommand{\supervisorsname}{Supervisors}
108 \newcommand{\juryname}{Jury}
109 \newcommand{\jurymembersname}{Members}
110 \newcommand{\jurychairmanname}{Chairman}
111 \newcommand{\mthesisname}{Thesis to obtain the degree of}
112 \newcommand{\pthesisnamei}{Thesis submitted in fulfilment of the}
113 requirements for the degree of}
114 \newcommand{\pthesisnameii}{at University of Antwerp}
115 \newcommand{\@faculty}{< Specify faculty using \textbackslash{}facultyacronym\{ABC\} >}
116 \newcommand{\faccpg}{
117   \renewcommand\@faculty{Centre Pieter Gillis}}
118 \newcommand{\facfbd}{
119   \renewcommand\@faculty{
120     Faculty of Pharmaceutical, Biomedical and Veterinary Sciences}}
121 \newcommand{\facggw}{
122   \renewcommand\@faculty{Faculty of Medicine and Health Sciences}}
123 \newcommand{\insiob}{
124   \renewcommand\@faculty{Insitute of Development Policy}}
125 \newcommand{\insoiw}{
126   \renewcommand\@faculty{Institute of Educations and Information Sciences}}
127 \newcommand{\asoe}{
128   \renewcommand\@faculty{Antwerp School of Education}}
129 \newcommand{\faclw}{
130   \renewcommand\@faculty{Faculty of Arts}}
131 \newcommand{\facow}{
132   \renewcommand\@faculty{Faculty of Design Sciences}}
133 \newcommand{\facsw}{

```

```

134 \renewcommand\@faculty{Faculty of Social Sciences}}
135 \newcommand{\facrec}{
136 \renewcommand\@faculty{Faculty of Law}}
137 \newcommand{\factew}{
138 \renewcommand\@faculty{Faculty of Applied Economics}}
139 \newcommand{\facti}{
140 \renewcommand\@faculty{Faculty of Applied Engineering}}
141 \newcommand{\facwet}{
142 \renewcommand\@faculty{Faculty of Science}}
143 \newcommand{\weightname}{Weight}
144 \AtBeginDocument{
145 \ifpackageloaded{babel}{
146 \addto\captionsdutch{%
147 \renewcommand\uaname{Universiteit Antwerpen}
148 \renewcommand\logoname{UA_HOR_NED_CMYK}
149 \renewcommand\footername{4E_PMS302_BR_NED_RGB}
150 \renewcommand\arrname{Alle rechten voorbehouden}
151 \renewcommand\orname{van}
152 \renewcommand\domainname{uantwerpen.be}
153 \renewcommand\subjectname{Onderwerp}%
154 \renewcommand\dataname{Datum}%
155 \renewcommand\academicyearname{Academiejaar}
156 \renewcommand\masterthesisname{Masterproef}
157 \renewcommand\supervisorsname{Promotoren}
158 \renewcommand\jurynname{Jury}
159 \renewcommand\jurymembersname{Leden}
160 \renewcommand\jurychairmannname{Voorzitter}
161 \renewcommand\mthesisname{Proefschrift tot het behalen van de
162 graad van}
163 \renewcommand\pthesisnamei{Proefschrift voorgelegd tot het
164 behalen van de graad van}
165 \renewcommand\pthesisnameii{aan de \uaname{} te
166 verdedigen door}
167 \renewcommand\faccp{
168 \renewcommand\@faculty{Centrum Pieter Gillis}}
169 \renewcommand\facfbd{
170 \renewcommand\@faculty{
171 Faculteit Farmaceutische, Biomedische en Diergeneeskundige
172 Wetenschappen}}
173 \renewcommand\facggw{
174 \renewcommand\@faculty{Faculteit Geneeskunde en
175 Gezondheidswetenschappen}}
176 \renewcommand\insiob{
177 \renewcommand\@faculty{Instituut voor Ontwikkelingsbeleid- en
178 beheer}}
179 \renewcommand{\insoiw}{
180 \renewcommand\@faculty{Instituut voor Onderwijs- en
181 Informatiewetenschappen}}
182 \renewcommand{\asoe}{
183 \renewcommand\@faculty{Antwerp School of Education}}

```

```

184 \renewcommand{\faciw}{\renewcommand\@faculty{Faculteit
185 Letteren en Wijsbegeerte}}
186 \renewcommand{\facow}{
187 \renewcommand\@faculty{Faculteit Ontwerpwetenschappen}}
188 \renewcommand{\facsw}{
189 \renewcommand\@faculty{Faculteit Sociale Wetenschappen}}
190 \renewcommand{\facrec}{
191 \renewcommand\@faculty{Faculteit Rechten}}
192 \renewcommand{\factew}{
193 \renewcommand\@faculty{Faculteit Toegepaste Economische
194 Wetenschappen}}
195 \renewcommand{\facti}{
196 \renewcommand\@faculty{Faculteit Toegepaste
197 Ingenieurswetenschappen}}
198 \renewcommand{\facwet}{
199 \renewcommand\@faculty{Faculteit Wetenschappen}}
200 \renewcommand{\weightname}{Gewicht}
201 }
202 \addto\captionsgerman{%
203 \renewcommand{\uaname}{Universit\ "at Antwerpen}
204 \renewcommand{\logoname}{UA_HOR_DUI_CMYK}
205 \renewcommand{\footername}{4E_PMS302_BR_NED_RGB}
206 \renewcommand{\arrname}{Alle Rechte vorbehalten}
207 \renewcommand{\orname}{von}
208 \renewcommand{\domainname}{uantwerpen.be}
209 \renewcommand{\subjectname}{Betreff}%
210 \renewcommand{\datename}{Datum}%
211 \renewcommand{\academicyearname}{Akademisches Jahr}
212 \renewcommand{\masterthesisname}{Masterdissertation}
213 \renewcommand{\supervisorsname}{Veranstalter}
214 \renewcommand{\juryname}{Jury}
215 \renewcommand{\jurymembersname}{Mitglieder}
216 \renewcommand{\jurychairmanname}{Vorsitzender}
217 \renewcommand{\mthesisname}{Dissertation zur Erreichung des
218 Grades der}
219 \renewcommand{\pthesisnamei}{Dissertation zur Erreichung des
220 Grades der}
221 \renewcommand{\pthesisnameii}{an die \uaname}
222 \renewcommand{\faccpj}{
223 \renewcommand\@faculty{Centrum Pieter Gillis}}
224 \renewcommand{\facfbd}{
225 \renewcommand\@faculty{
226 Faculteit Farmaceutische, Biomedische en Diergeneeskundige
227 Wetenschappen}}
228 \renewcommand{\facggw}{
229 \renewcommand\@faculty{Faculteit Geneeskunde en
230 Gezondheidswetenschappen}}
231 \renewcommand{\insiob}{
232 \renewcommand\@faculty{Instituut voor Ontwikkelingsbeleid- en
233 beheer}}

```

```

234 \renewcommand{\insoiw}{
235 \renewcommand\@faculty{Instituut voor Onderwijs- en
236 Informatiewetenschappen}}
237 \renewcommand{\asoe}{
238 \renewcommand\@faculty{Antwerp School of Education}}
239 \renewcommand{\faciw}{\renewcommand\@faculty{Faculteit
240 Letteren en Wijsbegeerte}}
241 \renewcommand{\facow}{
242 \renewcommand\@faculty{Faculteit Ontwerpwetenschappen}}
243 \renewcommand{\facsw}{
244 \renewcommand\@faculty{Faculteit Sociale Wetenschappen}}
245 \renewcommand{\facrec}{
246 \renewcommand\@faculty{Faculteit Rechten}}
247 \renewcommand{\factew}{
248 \renewcommand\@faculty{Faculteit Toegepaste Economische
249 Wetenschappen}}
250 \renewcommand{\facti}{
251 \renewcommand\@faculty{Faculteit Toegepaste
252 Ingenieurswetenschappen}}
253 \renewcommand{\facwet}{
254 \renewcommand\@faculty{Faculteit Wetenschappen}}
255 \renewcommand{\weightname}{Gewicht}
256 }
257 \addto\captionsfrench{%
258 \renewcommand{\uaname}{Universit\'e d'Anvers}
259 \renewcommand{\logoname}{UA_HOR_FRA_CMYK}
260 \renewcommand{\footername}{4E_PMS302_BR_ENG_RGB}
261 \renewcommand{\arrname}{Tous les droits sont r\'eserv\'es}
262 \renewcommand{\orname}{de}
263 \renewcommand{\domainname}{uanvers.be}
264 \renewcommand{\subjectname}{Objet}%
265 \renewcommand{\datename}{Date}%
266 \renewcommand{\academicyearname}{Ann\'ee acad\'emique}
267 \renewcommand{\masterthesisname}{Th\'ese de master}
268 \renewcommand{\supervisorsname}{Promoteurs}
269 \renewcommand{\juryname}{Jury}
270 \renewcommand{\jurymembersname}{Membres}
271 \renewcommand{\jurychairmanname}{Pr\'esident}
272 \renewcommand{\mthesisname}{Th\'ese \'a l'atteinte du degr\'e de}
273 \renewcommand{\pthesisnamei}{Th\'ese Doctorale \'a l'atteinte du
274 degr\'e de}
275 \renewcommand{\pthesisnameii}{\'a l'\uaname}
276 \renewcommand{\faccpg}{
277 \renewcommand\@faculty{Centrum Pieter Gillis}}
278 \renewcommand{\facfbd}{
279 \renewcommand\@faculty{
280 Faculteit Farmaceutische, Biomedische en Diergeneeskundige
281 Wetenschappen}}
282 \renewcommand{\facggw}{
283 \renewcommand\@faculty{Faculteit Geneeskunde en

```

```

284         Gezondheidswetenschappen}}
285 \renewcommand{\insioib}{
286     \renewcommand\@faculty{Instituut voor Ontwikkelingsbeleid- en
287         beheer}}
288 \renewcommand{\insoiw}{
289     \renewcommand\@faculty{Instituut voor Onderwijs- en
290         Informatiewetenschappen}}
291 \renewcommand{\asoe}{
292     \renewcommand\@faculty{Antwerp School of Education}}
293 \renewcommand{\faciw}{\renewcommand\@faculty{Faculteit
294     Letteren en Wijsbegeerte}}
295 \renewcommand{\facow}{
296     \renewcommand\@faculty{Faculteit Ontwerpwetenschappen}}
297 \renewcommand{\facsw}{
298     \renewcommand\@faculty{Faculteit Sociale Wetenschappen}}
299 \renewcommand{\facrec}{
300     \renewcommand\@faculty{Faculteit Rechten}}
301 \renewcommand{\factew}{
302     \renewcommand\@faculty{Faculteit Toegepaste Economische
303         Wetenschappen}}
304 \renewcommand{\facti}{
305     \renewcommand\@faculty{Faculteit Toegepaste
306         Ingenieurswetenschappen}}
307 \renewcommand{\facwet}{
308     \renewcommand\@faculty{Faculteit Wetenschappen}}
309 \renewcommand{\weightname}{Poids}
310 }
311 \addto\captionsspanish{%
312     \renewcommand{\uaname}{Universidad de Amberes}
313     \renewcommand{\logoname}{UA_HOR_SPA_CMYK}
314     \renewcommand{\footername}{4E_PMS302_BR_ENG_RGB}
315     \renewcommand{\arrname}{Todos los derechos reservados}
316     \renewcommand{\orname}{de}
317     \renewcommand{\domainname}{uantwerp.be}
318     \renewcommand{\subjectname}{Asunto}%
319     \renewcommand{\datename}{Fecha}%
320     \renewcommand{\academicyearname}{A\~no acad\'emico}
321     \renewcommand{\masterthesisname}{Tesis de maestr\'ia}
322     \renewcommand{\supervisorsname}{Promotores}
323     \renewcommand{\juryname}{Jurado}
324     \renewcommand{\jurymembersname}{Miembros}
325     \renewcommand{\jurychairmanname}{Presidente}
326     \renewcommand{\mthesisname}{Disertaci\'on a la consecuci\'on del
327         grado de}
328     \renewcommand{\pthesisnamei}{Disertaici\'on a la consecuci\'on del
329         grado de}
330     \renewcommand{\pthesisnameii}{a l'\uaname}
331     \renewcommand{\faccpg}{
332         \renewcommand\@faculty{Centrum Pieter Gillis}}
333     \renewcommand{\facfbd}{

```

```

334     \renewcommand\@faculty{
335         Faculteit Farmaceutische, Biomedische en Diergeneeskundige
336         Wetenschappen}}
337 \renewcommand{\facggw}{
338     \renewcommand\@faculty{Faculteit Geneeskunde en
339     Gezondheidswetenschappen}}
340 \renewcommand{\insiob}{
341     \renewcommand\@faculty{Instituut voor Ontwikkelingsbeleid- en
342     beheer}}
343 \renewcommand{\insoiw}{
344     \renewcommand\@faculty{Instituut voor Onderwijs- en
345     Informatiewetenschappen}}
346 \renewcommand{\asoe}{
347     \renewcommand\@faculty{Antwerp School of Education}}
348 \renewcommand{\faclw}{\renewcommand\@faculty{Faculteit
349     Letteren en Wijsbegeerte}}
350 \renewcommand{\facow}{
351     \renewcommand\@faculty{Faculteit Ontwerpwetenschappen}}
352 \renewcommand{\facsw}{
353     \renewcommand\@faculty{Faculteit Sociale Wetenschappen}}
354 \renewcommand{\facrec}{
355     \renewcommand\@faculty{Faculteit Rechten}}
356 \renewcommand{\factew}{
357     \renewcommand\@faculty{Faculteit Toegepaste Economische
358     Wetenschappen}}
359 \renewcommand{\facti}{
360     \renewcommand\@faculty{Faculteit Toegepaste
361     Ingenieurswetenschappen}}
362 \renewcommand{\facwet}{
363     \renewcommand\@faculty{Faculteit Wetenschappen}}
364 \renewcommand{\weightname}{Peso}
365 }
366 }
367 {}
368 }
369 </ct | mt | pt | le | ex>

```

5.6 Tags

`\facultyacronym` The `facultyacronym` sets the faculty acronym tag `\@facultyacronym` that is used in the header/footer information. The correct acronym also sets the faculty's name correctly.

```

370 <*ct | mt | pt | le | ex>
371 \newcommand{\@facultyacronym}{}
372 \newcommand{\facultyacronym}[1]{
373     \renewcommand{\@facultyacronym}{#1}
374     \AtBeginDocument{
375         \ifthenelse{\equal{#1}{CPG}}{\faccpg}{

```

```

376 \ifthenelse{\equal{#1}{FBD}}{\facfbd}{
377 \ifthenelse{\equal{#1}{GGW}}{\facggw}{
378 \ifthenelse{\equal{#1}{IOB}}{\insioib}{
379 \ifthenelse{\equal{#1}{IOIW}}{\insoiw}{
380 \ifthenelse{\equal{#1}{ASoE}}{\asoe}{
381 \ifthenelse{\equal{#1}{LW}}{\faclw}{
382 \ifthenelse{\equal{#1}{OW}}{\facow}{
383 \ifthenelse{\equal{#1}{SW}}{\facsw}{
384 \ifthenelse{\equal{#1}{REC}}{\facrec}{
385 \ifthenelse{\equal{#1}{TEW}}{\factew}{
386 \ifthenelse{\equal{#1}{TI}}{\facti}{
387 \ifthenelse{\equal{#1}{WET}}{\facwet}{
388 \errmessage{Error: wrong faculty acronym; choose one of CPG, FBD, GGW,
389 IOB, IOIW, ASoE, LW, OW, SW, REC, TEW, TI, WET}}}}}}}}}}}}}}
390 }
391 </ct | mt | pt | le | ex>

```

`\title` The `title` tag is native to \LaTeX . It sets the `\@title` tag that will be used on the title page. However, in view of the qr trouble, we fiddle a little with it. In case the title contains accented characters, you also need to provide a qr version in full unicode (so without the traditional \LaTeX accented characters.)

```

392 <*ct>
393 \newcommand{\@qrtitle}{}
394 \renewcommand{\title}[1]{%
395 \renewcommand{\@title{#1}
396 \ifx\@qrtitle\@emptymacro
397 \renewcommand{\@qrtitle{#1}
398 \fi
399 }
400 \newcommand{\qrtitle}[1]{%
401 \renewcommand{\@qrtitle{#1}
402 }
403 </ct>

```

`\subtitle` This macro sets the `\@subtitle` tag that later will be used on the title page, in the header/footer and to set the appropriate `hyperref` tag.

```

404 <*mt>
405 \newcommand{\@subtitle}{Master's thesis}
406 </mt>
407 <*ct | pt>
408 \newcommand{\@subtitle}{~}
409 \newcommand{\@qrsubtitle}{}
410 \newcommand{\subtitle}[1]{%
411 \renewcommand{\@subtitle{#1}
412 \ifx\@qrsubtitle\@emptymacro
413 \renewcommand{\@qrsubtitle{#1}
414 \fi

```

```

415 }
416 \newcommand{\qrs subtitle}[1]{%
417   \renewcommand\@qrs subtitle{#1}
418 }
419 </ct | pt>

```

\shorttitle This macro sets the `\@shorttitle` tag that later will be used in the `uantwerpenexam` class.

```

420 <*ex>
421 \newcommand{\@shorttitle}{}
422 \newcommand{\shorttitle}[1]{%
423   \renewcommand\@shorttitle{#1}
424 }
425 </ex>

```

\author The `author` tag is native to \LaTeX . It sets the `\@author` tag that will be used on the title page. However, in view of the qr trouble, we fiddle a little with it for the `uantwerpenpencoursetext` class. In case the title contains accented characters, you also need to provide a qr version in full unicode (so without the traditional \LaTeX accented characters.)

```

426 <*ct>
427 \newcommand{\@qrauthor}{}
428 \renewcommand{\author}[1]{%
429   \renewcommand\@author{#1}
430   \ifx\@qrauthor\@emptymacro
431     \renewcommand\@qrauthor{#1}
432   \fi
433 }
434 \newcommand{\qrauthor}[1]{%
435   \renewcommand\@qrauthor{#1}
436 }
437 </ct>

```

\courseversion This macro sets the `\@courseversion` tag that later will be used on the title page and in the header/footer.

```

438 <*ct>
439 \newcommand{\@courseversion}{}
440 \newcommand{\courseversion}[1]{\renewcommand{\@courseversion}{#1}}
441 </ct>

```

\versionyear This macro sets the `\@versionyear` tag that later will be used on the title page and in the copyright message.

```

442 <*ct>
443 \newcommand{\@versionyear}{}

```



```

444 \newcommand{\versionyear}[1]{\renewcommand{\@versionyear}{#1}}
445 \</ct>

```

\publisher This macro sets the \@publisher tag that later will be used on the title page.

```

446 \<ct>
447 \newcommand{\@publisher}{\uaname\\
448 Cursusdienst en reprografie\\
449 Campus Groenenborger, G.U.027\\
450 Groenenborgerlaan 171\\
451 2020 Antwerpen\\
452 T +32 3 265 32 15\\
453 F + 32 3 233 32 27\\
454 E cursusdienst.cgb@uantwerpen.be}
455 \newcommand{\publisher}[1]{\renewcommand{\@publisher}{#1}}
456 \</ct>

```

\publishercode This macro sets the \@publishercode tag that later will be used on the title page.

```

457 \<ct>
458 \newcommand{\@publishercode}{}
459 \newcommand{\publishercode}[1]{\renewcommand{\@publishercode}{#1}}
460 \</ct>

```

\lecturer This macro sets many \@lecturer tags (max. 4) that later will be used on the title page. If there is only one teaching lecturer one can use the convenient shorthand without counter. In case the lecturer's name contains accented characters, you also need to provide a qr version in full unicode (so without the traditional L^AT_EX accented characters.)

```

461 \<ct>
462 \newcommand{\@lectureri}{}
463 \newcommand{\@lecturerii}{}
464 \newcommand{\@lectureriii}{}
465 \newcommand{\@lectureriv}{}
466 \newcommand{\@qrlectureri}{}
467 \newcommand{\@qrlecturerii}{}
468 \newcommand{\@qrlectureriii}{}
469 \newcommand{\@qrlectureriv}{}
470 \newcommand{\lecturer}[1]{
471   \renewcommand{\@lectureri}{#1}
472   \ifx\@qrlectureri\emptymacro
473     \renewcommand{\@qrlectureri}{#1}
474   \fi
475 }
476 \newcommand{\qrlecturer}[1]{
477   \renewcommand{\@qrlectureri}{#1}
478 }
479 \newcommand{\lectureri}[1]{

```

```

480 \renewcommand{\@lectureri}{#1}
481 \ifx\@qrlectureri\@emptymacro
482 \renewcommand\@qrlectureri{#1}
483 \fi
484 }
485 \newcommand{\qrlectureri}[1]{
486 \renewcommand\@qrlectureri{#1}
487 }
488 \newcommand{\lecturerii}[1]{
489 \renewcommand{\@lecturerii}{#1}
490 \ifx\@qrlecturerii\@emptymacro
491 \renewcommand\@qrlecturerii{#1}
492 \fi
493 }
494 \newcommand{\qrlecturerii}[1]{
495 \renewcommand\@qrlecturerii{#1}
496 }
497 \newcommand{\lectureriii}[1]{
498 \renewcommand{\@lectureriii}{#1}
499 \ifx\@qrlectureriii\@emptymacro
500 \renewcommand\@qrlectureriii{#1}
501 \fi
502 }
503 \newcommand{\qrlectureriii}[1]{
504 \renewcommand\@qrlectureriii{#1}
505 }
506 \newcommand{\lectureriv}[1]{
507 \renewcommand{\@lectureriv}{#1}
508 \ifx\@qrlectureriv\@emptymacro
509 \renewcommand\@qrlectureriv{#1}
510 \fi
511 }
512 \newcommand{\qrlectureriv}[1]{
513 \renewcommand\@qrlectureriv{#1}
514 }
515 \</ct>

```

\affiliation The affiliation tag allows to specify the affiliation of the author.

```

516 \<pt>
517 \newcommand\@affiliation{\errmessage{Please, define the affiliation of
518 the author using the \textbackslash{}affiliation command in the
519 preamble of your document.}}
520 \newcommand\affiliation[1]{\renewcommand\@affiliation{#1}}
521 \</pt>

```

\supervisor This macro sets many \@supervisor tags (max. 4) that later will be used on the title page.

```

522 <*mt | pt>
523 \newcommand\@supervisor{\errmessage{Please define a supervisor of
524     your thesiswork using the \textbackslash{}supervisor to iv
525     commands} in the preamble of your document.}
526 \newcommand\@supervisoriaff{}
527 \newcommand\@supervisorii{}
528 \newcommand\@supervisoriiiaff{}
529 \newcommand\@supervisoriii{}
530 \newcommand\@supervisoriiiaff{}
531 \newcommand\@supervisoriv{}
532 \newcommand\@supervisorivaff{}
533 \newcommand{\supervisor}[2]{\renewcommand\@supervisor{#1}\renewcommand\@supervisoriaff{#2}}
534 \newcommand{\supervisorii}[2]{\renewcommand\@supervisorii{#1}\renewcommand\@supervisoriiiaff{#2}}
535 \newcommand{\supervisoriii}[2]{\renewcommand\@supervisoriii{#1}\renewcommand\@supervisoriiiaff{#2}}
536 \newcommand{\supervisoriv}[2]{\renewcommand\@supervisoriv{#1}\renewcommand\@supervisorivaff{#2}}
537 </mt | pt>

```

\jurychairman This macro sets the \@jurychairman tag that later will be used on the data page.

```

538 <*pt>
539 \newcommand{\@jurychairman}{\errmessage{Please define a chairman of the jurya
540     using the \textbackslash{}jurychairman command in the preamble of your document.}}
541 \newcommand{\@jurychairmanaff}{}
542 \newcommand{\jurychairman}[2]{\renewcommand{\@jurychairman}{#1}\renewcommand{\@jurychairmanaff}{#2}}
543 </pt>

```

\jurymember This macro sets many \@jurymember tags (max. 6) that later will be used on the data page.

```

544 <*pt>
545 \newcommand{\@jurymemberi}{\errmessage{Please define jury members
546     using the \textbackslash{}jurymemberi to vi commands in the preamble of your document.}}
547 \newcommand\@jurymemberiaff{}
548 \newcommand\@jurymemberii{}
549 \newcommand\@jurymemberiiiaff{}
550 \newcommand\@jurymemberiii{}
551 \newcommand\@jurymemberiiiaff{}
552 \newcommand\@jurymemberiv{}
553 \newcommand\@jurymemberivaff{}
554 \newcommand\@jurymemberv{}
555 \newcommand\@jurymembervaff{}
556 \newcommand\@jurymembervi{}
557 \newcommand\@jurymemberviaff{}
558 \newcommand{\jurymemberi}[2]{\renewcommand\@jurymemberi{#1}\renewcommand\@jurymemberiaff{#2}}
559 \newcommand{\jurymemberii}[2]{\renewcommand\@jurymemberii{#1}\renewcommand\@jurymemberiiiaff{#2}}
560 \newcommand{\jurymemberiii}[2]{\renewcommand\@jurymemberiii{#1}\renewcommand\@jurymemberiiiaff{#2}}
561 \newcommand{\jurymemberiv}[2]{\renewcommand\@jurymemberiv{#1}\renewcommand\@jurymemberivaff{#2}}
562 \newcommand{\jurymemberv}[2]{\renewcommand\@jurymemberv{#1}\renewcommand\@jurymembervaff{#2}}
563 \newcommand{\jurymembervi}[2]{\renewcommand\@jurymembervi{#1}\renewcommand\@jurymemberviaff{#2}}
564 </pt>

```

`\phddegree` This macro sets the `\@phddegree` tag that later will be used on the title pages.

```

565 <*pt>
566 \newcommand\@phddegree{\errmessage{Please, specify the official PhD
567     degree description using the \textbackslash{}phddegree macro in
568     the preamble of your document.}}
569 \newcommand\phddegree[1]{\renewcommand\@phddegree{#1}}
570 </pt>

```

`\programme` This macro sets the `\@programme` tags that later will be used on the title page. The involved way of repeatedly calling the `renewcommand` to set the tags is required for inclusion of the data as QR data.

```

571 <*ct | pt | ex>
572 \newcommand{\@programmet}{} % type
573 \newcommand{\@programmec}{} % class
574 \newcommand{\@programmecqr}{} % class for qr code
575 \newcommand{\@programmes}{} % class
576 \newcommand{\@programmeq}{} % qualifier
577 \newcommand{\programme}[3]{%
578     \ifthenelse{\equal{#1}{BA}}{%
579         {\renewcommand{\@programmet}{Bachelor of Science in de }}{%
580         \ifthenelse{\equal{#1}{MA}}{%
581             {\renewcommand{\@programmet}{Master of Science in de }}{%
582             \ifthenelse{\equal{#1}{PHD}}{%
583                 {\renewcommand{\@programmet}{Doctor in de }}{%
584                 \ifthenelse{\equal{#1}{VP}}{%
585                     {\renewcommand{\@programmet}{Vorbereidingsprogramma voor Master of Science in de }}{%
586                     \ifthenelse{\equal{#1}{SP}}{%
587                         {\renewcommand{\@programmet}{Schakelprogramma voor Master of Science in de }}{%
588                         \ifthenelse{\equal{#1}{FREE}}{%
589                             {}{
590                                 \errmessage{Error in 1st arg of macro programme[3]: invalid
591                                     programme type!}}}}}}}%
592                     %
593                     \ifthenelse{\equal{#2}{IW}}{%
594                         {\renewcommand{\@programmec}{industri\ "ele wetenschappen}
595                         \renewcommand{\@programmecqr}{industriële wetenschappen}}{
596                         \ifthenelse{\equal{#2}{}}{%
597                             {}{
598                                 \errmessage{{Error in 2nd arg of macro programme[3]: invalid
599                                     programme class! }}}}%
600                             %
601                             \ifthenelse{\equal{#3}{BK}}{%
602                                 {\renewcommand{\@programmeq}{Bouwkunde}}{%
603                                 \ifthenelse{\equal{#3}{CH}}{%
604                                     {\renewcommand{\@programmeq}{Chemie}}{%
605                                     \ifthenelse{\equal{#3}{BCH}}{%
606                                         {\renewcommand{\@programmeq}{Biochemie}}{%

```

```

607 \ifthenelse{\equal{#3}{EM}}{%
608 {\renewcommand{\@programmeq}{Elektromechanica}}{%
609 \ifthenelse{\equal{#3}{EI}}{%
610 {\renewcommand{\@programmeq}{Elektronica-ICT}}{%
611 \ifthenelse{\equal{#3}{}}{%
612 {}{%
613 \ifthenelse{\equal{#1}{FREE}}
614 {\renewcommand{\@programmeq}{#3}}{
615 \errmessage{Error in 3rd arg to macro programme[3]: invalid
616 programme qualifier}}}}}}}%
617 %
618 \ifthenelse{\equal{#2}{IW}\and\not\equal{#3}{}}
619 {\renewcommand{\@programmes}{: }}{}
620 }
621 </ct | pt | ex>

```

`\course` Four the `coursetext` class, this macro sets many `\@coursecode` and `\@course` tags (max. 4) that later will be used on the title page. If there is only one course code one can use the convenient shorthand without counter.

```

622 <*ct>
623 \newcommand{\@coursecodei}{}
624 \newcommand{\@coursecodeii}{}
625 \newcommand{\@coursecodeiii}{}
626 \newcommand{\@coursecodeiv}{}
627 \newcommand{\@coursei}{}
628 \newcommand{\@courseii}{}
629 \newcommand{\@courseiii}{}
630 \newcommand{\@courseiv}{}
631 \newcommand{\@qrcoursei}{}
632 \newcommand{\@qrcourseii}{}
633 \newcommand{\@qrcourseiii}{}
634 \newcommand{\@qrcourseiv}{}
635 \newcommand{\course}[2]{
636 \renewcommand{\@coursecodei}{#1}
637 \renewcommand{\@coursei}{#2}
638 \ifx\@qrcoursei\@emptymacro
639 \renewcommand{\@qrcoursei}{#2}
640 \fi
641 }
642 \newcommand{\qrcourse}[1]{
643 \renewcommand{\@qrcoursei}{#1}
644 }
645 \newcommand{\course}[2]{
646 \renewcommand{\@coursecodei}{#1}
647 \renewcommand{\@coursei}{#2}
648 \ifx\@qrcoursei\@emptymacro
649 \renewcommand{\@qrcoursei}{#2}
650 \fi
651 }

```

```

652 \newcommand{\qrcoursei}[1]{
653   \renewcommand{\@qrcoursei}{#1}
654 }
655 \newcommand{\courseii}[2]{
656   \renewcommand{\@coursecodeii}{#1}
657   \renewcommand{\@courseii}{#2}
658   \ifx\@qrcourseii\emptymacro
659     \renewcommand{\@qrcourseii}{#2}
660   \fi
661 }
662 \newcommand{\qrcourseii}[1]{
663   \renewcommand{\@qrcourseii}{#1}
664 }
665 \newcommand{\courseiii}[2]{
666   \renewcommand{\@coursecodeiii}{#1}
667   \renewcommand{\@courseiii}{#2}
668   \ifx\@qrcourseiii\emptymacro
669     \renewcommand{\@qrcourseiii}{#2}
670   \fi
671 }
672 \newcommand{\qrcourseiii}[1]{
673   \renewcommand{\@qrcourseiii}{#1}
674 }
675 \newcommand{\courseiv}[2]{
676   \renewcommand{\@coursecodeiv}{#1}
677   \renewcommand{\@courseiv}{#2}
678   \ifx\@qrcourseiv\emptymacro
679     \renewcommand{\@qrcourseiv}{#2}
680   \fi
681 }
682 \newcommand{\qrcourseiv}[1]{
683   \renewcommand{\@qrcourseiv}{#1}
684 }
685 </ct>
686 %   \end{macrocode}
687 %   For the |exam| class (assuming that an exam only holds for a
688 %   single course), the situation is simple and we assume only a
689 %   single coursecode and course name. We also don't need any of the
690 %   QR stamp stuff.
691 %   \begin{macrocode}
692 <*ex>
693 \newcommand{\@coursecodei}{}
694 \newcommand{\@coursei}{}
695 \newcommand{\course}[2]{
696   \renewcommand{\@coursecodei}{#1}
697   \renewcommand{\@coursei}{#2}
698 }
699 </ex>

```

`\diploma` This macro sets the `\@diploma` tags that later will be used on the title page.

```

700 <*mt | pt>
701 \newcommand{\@diploma}{ERROR}
702 \newcommand{\diploma}[1]{
703   \newcommand{\MoSIW}{Master of Science in de industri\''ele wetenschappen}
704   \newcommand{\MoSTEW}{Master of Science in de toegepaste economische wetenschappen}
705   \renewcommand{\@diploma}{
706     \ifthenelse{\equal{#1}{MA-IW-BK}}{
707       {\MoSIW: bouwkunde}{
708       \ifthenelse{\equal{#1}{MA-IW-BCH}}{
709         {\MoSIW: biochemie}{
710       \ifthenelse{\equal{#1}{MA-IW-CH}}{
711         {\MoSIW: chemie}{
712       \ifthenelse{\equal{#1}{MA-IW-EI}}{
713         {\MoSIW: elektronica-ICT}{
714       \ifthenelse{\equal{#1}{MA-IW-EI-AE}}{
715         {\MoSIW:\\elektronica-ICT, afstudeerrichting automotive engineering}{
716       \ifthenelse{\equal{#1}{MA-IW-EI-ICT}}{
717         {\MoSIW:\\elektronica-ICT, afstudeerrichting ICT}{
718       \ifthenelse{\equal{#1}{MA-IW-EM-AE}}{
719         {\MoSIW:\\elektromechanica, afstudeerrichting automotive engineering}{
720       \ifthenelse{\equal{#1}{MA-IW-EM-AU}}{
721         {\MoSIW:\\elektromechanica, afstudeerrichting automatisering}{
722       \ifthenelse{\equal{#1}{MA-IW-EM-EM}}{
723         {\MoSIW:\\elektromechanica, afstudeerrichting elektromechanica}{
724       \ifthenelse{\equal{#1}{MA-IW-EM-EN}}{
725         {\MoSIW:\\elektromechanica, afstudeerrichting energie}{
726       \ifthenelse{\equal{#1}{MA-TEW-HI}}{
727         {\MoSTEW: handelsingenieur}{
728       \ifthenelse{\equal{#1}{MA-TEW-HIBI}}{
729         {\MoSTEW:\\handelsingenieur in de beleidsinformatica}{
730       \ifthenelse{\equal{#1}{MA-TEW-EB}}{
731         {\MoSTEW: economisch beleid}{
732       \ifthenelse{\equal{#1}{MA-TEW-BK}}{
733         {\MoSTEW: bedrijfskunde}
734       {\errmessage{Error in argument to macro diploma: must be one of
735         MA-IW-XXX with XXX one of BCH, CH, EI, EI-AE, EI-ICT, EM-AE,
736         EM-AU, EM-EM, EM-EN, MA-TEW-YYY with YYY one of HI, HIBI, EB, BK! <<}}}}}}}}}}}}}}}}
737 }
738 }
739 </mt | pt>

```

`\defensedate` This macro sets the `\@defensedate` tags that later will be used on the title page.

```

740 <*mt | pt>
741 \newcommand{\@defensedate}{ERROR}
742 \newcommand{\defensedate}[1]{\renewcommand{\@defensedate}{#1}}
743 </mt | pt>

```

`\defenselocation` This macro sets the `\@defenselocation` tags that later will be used on the title page.

```
744 <*mt | pt>
745 \newcommand\@defenselocation{Antwerpen}
746 \newcommand{\defenselocation}[1]{\renewcommand\@defenselocation{#1}}
747 </mt | pt>
```

`\titeplageimage` This macro sets the `\@titlepageimage` tags that later will be used on the title page, to include the graphics.

```
748 <*pt>
749 \newcommand\@titlepageimage{}
750 \newcommand\titepageimage[1]{\renewcommand\@titlepageimage{#1}}
751 </pt>
```

`\isbn` This macro sets the `\@isbn` tags that later will be used on the data page.

```
752 <*pt>
753 \newcommand{\@isbn}{\errmessage{Please, specify an ISBN number using
754     the \textbackslash{}isbn command in your preamble.}}
755 \newcommand{\isbn}[1]{\renewcommand{\@isbn}{#1}}
756 </pt>
```

`\depot` This macro sets the `\@depot` tags that later will be used on the data page.

```
757 <*pt>
758 \newcommand{\@depot}{\errmessage{Please, specify a depot number using
759     the \textbackslash{}depot command in your preamble.}}
760 \newcommand{\depot}[1]{\renewcommand{\@depot}{#1}}
761 </pt>
```

`\academicyear` This macro sets the `\@academicyear` tag that later will be used on the title page.

```
762 <*ct | mt | ex>
763 \newcommand{\@academicyear}{XXX-YYYY}
764 \newcommand{\academicyear}[1]{\renewcommand{\@academicyear}{#1}}
765 </ct | mt | ex>
```

`\copyrightnotices` This macro sets the `\@copyrightnotices` tag that later will be used on the back of the title page.

```
766 <*ct>
767 \newcommand{\@copyrightnotices}{}
768 \newcommand{\copyrightnotices}[1]{\renewcommand{\@copyrightnotices}{#1}}
769 </ct>
```


`\sender` This macro sets the `\@sender` and `\@senderrole` tags that will be used in the letter's heading text.

```
770 < *le>
771 \newcommand{\@sender}{< Specify sender using
772   \textbackslash{}sender\{name\}\{role\} >}
773 \newcommand{\@senderrole}{~}
774 \newcommand{\sender}[2]{\renewcommand{\@sender}{#1}\renewcommand{\@senderrole}{#2}}
775 < /le>
```

`\logo` This macro sets the `\@logo` tag that will be used to load a graphics file with that name.

```
776 < *le | ex>
777 \newcommand{\@logo}{\logoname}
778 \newcommand{\logo}[1]{\renewcommand{\@unit}{#1}}
779 < /le | ex>
```

`\unit` This macro sets the `\@unit` tag that will be used in the letter's heading text.

```
780 < *le>
781 \newcommand{\@unit}{}
782 \newcommand{\unit}[1]{\renewcommand{\@unit}{#1}}
783 < /le>
```

`\email` This macro sets the `\@emailuser` and `\@emaildomain` tags that will be used in the letter's heading text. This split construction was used to overcome problems with the @ sign.

```
784 < *le>
785 \newcommand{\@emailuser}{}
786 \newcommand{\@emaildomain}{}
787 \newcommand{\email}[2]{\renewcommand{\@emailuser}{#1}\renewcommand{\@emaildomain}{#2}}
788 < /le>
```

`\phone` This macro sets the `\@phone` tag that will be used in the letter's heading text.

```
789 < *le>
790 \newcommand{\@phone}{}
791 \newcommand{\phone}[1]{\renewcommand{\@phone}{#1}}
792 < /le>
```

`\fax` This macro sets the `\@fax` tag that will be used in the letter's heading text.

```
793 < *le>
794 \newcommand{\@fax}{}
795 \newcommand{\fax}[1]{\renewcommand{\@fax}{#1}}
796 < /le>
```

`\mobile` This macro sets the `\@mobile` tag that will be used in the letter's heading text.

```
797 <*le>
798 \newcommand{\@mobile}{}
799 \newcommand{\mobile}[1]{\renewcommand{\@mobile}{#1}}
800 </le>
```

`\returnaddress` This macro sets the `\@returnaddress` tag that will be used in the letter's heading text (in the area of the envelope's window).

```
801 <*le>
802 \newcommand{\@returnaddress}{<specify return-address using \textbackslash{single-
    line-return-address}>}
803 \renewcommand{\returnaddress}[1]{\renewcommand{\@returnaddress}{#1}}
804 </le>
```

`\to` This macro sets the `\@to` tag that will be used in the letter's heading text (in the area of the envelope's window).

```
805 <*le>
806 \newcommand{\@to}{<Specify addressee using \textbackslash{}to\{name\}>}
807 \renewcommand{\to}[1]{\renewcommand{\@to}{#1}}
808 </le>
```

`\toorganization` This macro sets the `\@toorganization` tag that will be used in the letter's heading text (in the area of the envelope's window).

```
809 <*le>
810 \newcommand{\@toorganization}{<Specify organization using
811   \textbackslash{}toorganization\{\}>}
812 \newcommand{\toorganization}[1]{\renewcommand{\@toorganization}{#1}}
813 </le>
```

`\toaddress` This macro sets the `\@toaddress` tag that will be used in the letter's heading text (in the area of the envelope's window).

```
814 <*le>
815 \newcommand{\@toaddress}{<Specify (multiline) destination address\\using \textbackslash{}toaddr
816 \newcommand{\toaddress}[1]{\renewcommand{\@toaddress}{#1}}
817 </le>
```

`\subject` This macro sets the `\@subject` tag that will be used in the letter's heading text.

```
818 <*le>
819 \newcommand{\@subject}{-}
820 \newcommand*{\subject}[1]{\renewcommand{\@subject}{#1}}
821 </le>
```

`\opening` This macro is much a do about nothing, but I prefer to do it this way for historic reasons.

```
822 <*\e>
823 \renewcommand*\opening}[1]{#1}
824 </le>
```

`\closing` This macro sets the `\@closing` tag that will be used to finish the letter.

```
825 <*\e>
826 \newcommand{\@closing}{<specify a closing formula using \textbackslash{}closing\{\}>}
827 \renewcommand*\closing[1]{\renewcommand{\@closing}{#1}}
828 </le>
```

`\signature` This macro sets the `\@signature` tag that will be used to finish the letter. By default this corresponds to a decent amount of vertical white space

```
829 <*\e>
830 \newcommand{\@signature}{\vspace*{8ex}}
831 \renewcommand*\signature[1]{\renewcommand{\@signature}{#1}}
832 </le>
```

`\carboncopy` This macro will set the `\@carboncopy` tag that will be used in the trailer of the letter.

```
833 <*\e>
834 \newcommand{\@carboncopy}{}
835 \newcommand{\carboncopy}[1]{\renewcommand{\@carboncopy}{#1}}
836 </le>
```

`\enclosed` This macro will set the `\@enclosed` tag that will be used in the trailer of the letter.

```
837 <*\e>
838 \newcommand{\@enclosed}{}
839 \newcommand{\enclosed}[1]{\renewcommand{\@enclosed}{#1}}
840 </le>
```

`\address` This macro will set the `\@address` tag that will be used in the letter's heading text (in the area of the envelope's window).

```
841 <*\pt | le>
842 \newcommand{\@address}{\errmessage{Please, set your multi-line address
843   and contact details using the \textbackslash{}address\{\} command
844   in the preamble of your document}}
845 </pt | le>
846 <le>\renewcommand{\address}[1]{\renewcommand{\@address}{#1}}
847 <pt>\newcommand{\address}[1]{\renewcommand{\@address}{#1}}
```

```

848 % \end{\macrocode}
849 % \end{macro}
850 %
851 % \begin{macro}{\exampart}
852 % This macro will set the |\@examgropunumber| tag that will be used on
853 % the exam title page.
854 % \begin{macrocode}
855 <*ex>
856 \newcommand{\@exampart}{}
857 \newcommand{\exampart}[1]{\renewcommand{\@exampart}{#1}}
858 </ex>

\examgroupnumber This macro will set the \@examgroupnumber tag that will be used on the exam
title page.

859 <*ex>
860 \newcommand{\@examgroupnumber}{}
861 \newcommand{\examgroupnumber}[1]{\renewcommand{\@examgroupnumber}{#1}}
862 </ex>

\examdate This macro will set the \@examdate tag that will be used on the exam title page.

863 <*ex>
864 \newcommand{\@examdate}{TBD}
865 \newcommand{\examdate}[1]{\renewcommand{\@examdate}{#1}}
866 </ex>

\examlength This macro will set the \@examlength tag that will be used on the exam title
page.

867 <*ex>
868 \newcommand{\@examlength}{TBD}
869 \newcommand{\examlength}[1]{\renewcommand{\@examlength}{#1}}
870 </ex>

\tstart This macro will set the \@tstart tag that will be used on the exam title page.

871 <*ex>
872 \newcommand{\@tstart}{TBD}
873 \newcommand{\tstart}[1]{\renewcommand{\@tstart}{#1}}
874 </ex>

\tend This macro will set the \@tend tag that will be used on the exam title page.

875 <*ex>
876 \newcommand{\@tend}{TBD}
877 \newcommand{\tend}[1]{\renewcommand{\@tend}{#1}}
878 </ex>

```

`\rooms` This macro will set the `\@rooms` tag that will be used on the exam title page.

```
879 <*ex>
880 \newcommand{\@rooms}{TBD}
881 \newcommand{\rooms}[1]{\renewcommand{\@rooms}{#1}}
882 </ex>
```

`\extrainfo` This macro will set the `\@extrainfo` tag that will be used on the back of the exam title page.

```
883 <*ex>
884 \newcommand{\@extrainfo}{}
885 \newcommand{\extrainfo}[1]{\renewcommand{\@extrainfo}{#1}}
886 </ex>
```

`\studentnr` This macro will set the `\@studentnr` tag that will be used in the header of the pages.

```
887 <*ex>
888 \newcommand{\@studentnr}{0}
889 \newcommand{\studentnr}[1]{\renewcommand{\@studentnr}{#1}}
890 </ex>
```

5.7 Header and Footer

The `fancyhdr` package is used to make a decent header and footer. The header and footer of the `uantwerpencoursetext` class are defined to be:

```
891 <*ct>
892 \if@twoside
893 \lhead[\thepage]{\slshape\rightmark}
894 \chead[]{}
895 \rhead[\slshape\leftmark]{\thepage}
896 \lfoot[\uaname{} -- \@facultyacronym]{\@courseversion}
897 \cfoot[]{}
898 \rfoot[]{\@title{}\ifdefinedvoid{\@subtitle}{}{ --- \@subtitle}}
899 \else
900 \lhead[]{\leftmark}
901 \chead[]{}
902 \rhead[]{\thepage}
903 \lfoot[]{\@courseversion}
904 \cfoot[]{\UAntwerpen--\@facultyacronym}
905 \rfoot[]{\@title{}}
906 \fi
907 </ct>
```

The header and footer of the `uantwerpenmasterthesis` class are defined to be:

```

908 <*mt | pt>
909 \if@twoside
910   \lhead[\thepage]{\slshape\rightmark}
911   \chead[]{}
912   \rhead[\slshape\leftmark]{\thepage}
913   \lfoot[]{}
914   \cfoot[]{}
915   \rfoot[]{}
916 \else
917   \lhead[]{\leftmark}
918   \chead[]{}
919   \rhead[]{\thepage}
920   \lfoot[]{}
921   \cfoot[]{}
922   \rfoot[]{}
923 \fi
924 </mt | pt>

```

The header and footer of the `uantwerpenletter` class are defined to be:

```

925 <*le>
926 \lhead[]{}
927 \chead[]{}
928 \rhead[]{}
929 \lfoot[\small\textcolor{gray}{\@date}]{\textcolor{gray}{\@date}}
930 \cfoot[]{}
931 \rfoot[\small\textcolor{gray}{\pagename~\thepage~\orname~\pageref{lastpage}}]{\small\textcolor{gray}{\@date}}
932 </le>

```

The header and footer of the `uantwerpenexam` class are defined to be:

```

933 <*ex>
934 \lhead[]{}
935 \chead[]{}
936 \if@examiner
937 \rhead[\small EXAMINER VERSION]{\small EXAMINER VERSION}
938 \AddToShipoutPicture{
939   \put(60,40){\rotatebox{60}{\textcolor{watermark}{
940     \fontfamily{phv}\fontsize{105}{130}\fontseries{m}\fontshape{n}\selectfont Examiner Vers
941   \else
942     \rhead[\small Student nr. \@studentnr]{\small Student nr. \@studentnr}
943   \fi
944   \lfoot[\small \@shorttitle]{\small \@shorttitle}
945   \cfoot[\small \thepage/\pageref{lastpage}]{\small \thepage/\pageref{lastpage}}
946   \rfoot[\small Groep \@examgroupnumber{} ---
947     \@academicyear]{\small Groep \@examgroupnumber{} --- \@academicyear}
948 </ex>

```

Some common code remains:

```

949 <*ct>

```

```

950 \setlength{\headheight}{13.7pt}
951 \renewcommand{\headrulewidth}{1pt}
952 \renewcommand{\footrulewidth}{1pt}
953 \pagenumbering{arabic}
954 </ct>
955 <*mt | pt | le>
956 \renewcommand{\headrulewidth}{0pt}
957 \renewcommand{\footrulewidth}{0pt}
958 </mt | pt | le>
959 <*ex>
960 \renewcommand{\headrulewidth}{0pt}
961 \renewcommand{\footrulewidth}{1pt}
962 </ex>

```

Remains to take care of filling

```

963 <*ct | mt | pt | le>
964 \if@filled\else
965   \raggedright
966 \fi
967 \raggedbottom
968 \onecolumn
969 </ct | mt | pt | le>

```

5.8 Copyright notice

`\@crnotice` This is the standard text that will be used for the `\@crnotice` tag.

```

970 <*ct>
971 \newcommand{\@crnotice}{
972   This document has been typeset using \LaTeX{} and the
973   \texttt{uantwerpencoursetext} class.\@
974   \@copyrightnotices
975
976   \@courseversion
977
978   CONFIDENTIAL AND PROPRIETARY.
979
980   \copyright{} \@versionyear{} University of Antwerp, \arrname.
981 }
982 </ct>

```

5.9 Fancy chapter headers for the phdthesis class

```

983 <*pt>
984 \def\@makechapterhead#1{%
985   \vspace*{1ex}%
986   \begin{flushright}

```

```

987 \makebox[0pt][l]{\rule[-0.4em]{10cm}{1.8em}}\textcolor{white}{\bf\LARGE~\chaptername~}
988 \raisebox{-24pt}{
989 \begin{tikzpicture}
990 \foreach \theta in {0,5,...,355} {
991 \node[color=white] at (\theta:0.025)
992 {\bf\fontsize{72}{12}\selectfont\thechapter};
993 }
994 \node[color=uacorpblue] at (0,0) {\bf\fontsize{72}{12}\selectfont\thechapter};
995 \end{tikzpicture}
996 }\hspace*{-8pt}
997 \par\nobreak
998 \interlinepenalty\@M
999 \bf\huge\textcolor{darkgray}{\rule[-0.5ex]{0em}{2.6ex}~\#1}
1000 \par\nobreak
1001 \end{flushright}
1002 \rule{\textwidth}{1pt}
1003 \vspace{5\p@}\par\nobreak
1004 }
1005 \def\@schapter#1{%
1006 \@makeschapterhead{#1}%
1007 \@afterheading
1008 }
1009 \def\@makeschapterhead#1{%
1010 \vspace*{1ex}%
1011 \begin{flushright}
1012 \bf\LARGE\textcolor{darkgray}{\rule[-0.5ex]{0em}{2.6ex}~\#1}
1013 \end{flushright}
1014 \rule{\textwidth}{1pt}
1015 \vspace{5\p@}\par
1016 }
1017 % overwrite appendix
1018 \def\appendix{
1019 \setcounter{chapter}{0}
1020 \renewcommand*{\thechapter}{\Alph{chapter}}
1021 \renewcommand\chaptername\appendixname
1022 }
1023 \</pt>

```

5.10 Title page for the masterthesis and coursetext clases

The title page is generated using the `\maketitle` command. As the book class from which we inherit already defines this command, we need to renew it.

The UAntwerpen house style works with large-radius circles. We need some math in order to calculate center points and radiuses

Header circle: the blue header-circle on top of the page. We calculate the center point and the radius based on:

- the fact that the center point is above the page's left edge;
- the distance of the intersection points at the left and right edge of the page with respect to the top of the page, X and Y respectively;
- the width of the page W .

Some simple trigonometry leads to the elevation of the center point above the top of the page Q and the radius R :

$$R = \frac{W^2 + (X - Y)^2}{2(X - Y)} \quad (1)$$

$$Q = R - X \quad (2)$$

We labeled the variables in the code below with a prefix `ua@` and a suffix `h` (from 'header'). We also took the `paperheight` into account (the page's coordinate system origins at the left bottom. Therefore:

```

1024 <*ct | mt>
1025 \pgfmathsetmacro{\ua@Wh}{\paperwidth}
1026 \pgfmathsetmacro{\ua@Xh}{0.2\paperheight}
1027 \pgfmathsetmacro{\ua@Yh}{0.125\paperheight}
1028 \pgfmathsetmacro{\ua@XMyh}{\ua@Xh-\ua@Yh}
1029 \pgfmathsetmacro{\ua@Rh}{0.5*\ua@Wh/\ua@XMyh*\ua@Wh+0.5*\ua@XMyh}
1030 \pgfmathsetmacro{\ua@Qh}{\ua@Rh-\ua@Xh+\paperheight}
1031 </ct | mt>

```

Bottom circle A: the bottom circle with the largest radius. We calculate the center point and the radius based on:

- the fact that the center point is at a distance of $3/5$ page width from the right page edge. We denote that distance by W ;
- the fact that the horizontal bottom tangent line of the circle is at a specific height above the bottom page edge, labeled S ;
- the distance of the intersection points at the right edge of the page with respect to the horizontal bottom tangent line of the circle, denoted as $X - Y$.

Given these definitions, almost the same equations as for the header circle hold:

$$R = \frac{W^2 + (X - Y)^2}{2(X - Y)} \quad (3)$$

$$Q = R + S \quad (4)$$

with R the circle's radius, and Q the elevation of the center point above the page's bottom.

We labeled the variables in the code below with a prefix `ua@` and a suffix `ba` (from 'bottom a'). Therefore:

```

1032 <*ct | mt>
1033 \pgfmathsetmacro{\ua@Wba}{0.4*\paperwidth}
1034 \pgfmathsetmacro{\ua@Sba}{0.125*\paperheight}
1035 \pgfmathsetmacro{\ua@XMYba}{0.02*\paperheight}
1036 \pgfmathsetmacro{\ua@Rba}{0.5*\ua@Wba/\ua@XMYba*\ua@Wba+0.5*\ua@XMYba}
1037 \pgfmathsetmacro{\ua@Qba}{\ua@Rba+\ua@Sba}
1038 </ct | mt>

```

Bottom circle B: the bottom circle with the smallest radius. The same reasoning leads to:

```

1039 <*ct | mt>
1040 \pgfmathsetmacro{\ua@Wbb}{0.65*\paperwidth}
1041 \pgfmathsetmacro{\ua@Sbb}{0.14*\paperheight}
1042 \pgfmathsetmacro{\ua@XMYbb}{0.06*\paperheight}
1043 \pgfmathsetmacro{\ua@Rbb}{0.5*\ua@Wbb/\ua@XMYbb*\ua@Wbb+0.5*\ua@XMYbb}
1044 \pgfmathsetmacro{\ua@Qbb}{\ua@Rbb+\ua@Sbb}
1045 </ct | mt>

```

Text alignment: The text is aligned around an imaginary vertical line around $2/5$ page width distance from the left edge.

```

1046 <*ct | mt>
1047 \pgfmathsetmacro{\ua@ll}{0.15*\paperwidth}
1048 \pgfmathsetmacro{\ua@l}{0.4*\paperwidth}
1049 \pgfmathsetmacro{\ua@d}{0.1in}
1050 \pgfmathsetmacro{\ua@rr}{0.85*\paperwidth}
1051 </ct | mt>

```

Below, one can find the code for the title page of the `uantwerpen coursetext` class. We start with setting up some things for the (optional) QR mark.

```

1052 <*ct>
1053 \newcommand\sprtr{ / }
1054 \newcommand\myqrdata{
1055 I: Universiteit Antwerpen\string\n
1056 F: \@faculty\string\n
1057 P: \@programmet\ \@programmecqr\ \@programmeq\string\n
1058 C: \@coursecodei\ \@qrcoursei
1059 \sprtr
1060 \@coursecodeii\ \@qrcourseii
1061 \sprtr
1062 \@coursecodeiii\ \@qrcourseiii
1063 \sprtr
1064 \@coursecodeiv\ \@qrcourseiv

```

```

1065 \string\n
1066 Y: \@academicyear\string\n
1067 T: \@qrtitle\string\n
1068 S: \@qrsubtitle\string\n
1069 A: \@qrauthor\string\n
1070 L: \@qrlectureri
1071 \sprtr
1072 \@qrlecturerii
1073 \sprtr
1074 \@qrlectureriii
1075 \sprtr
1076 \@qrlectureriv}
1077 \newsavebox{\myqrcode}
1078 \end{ct}

```

\maketitle And finally, here is the \maketitle macro:

```

1079 \begin{ct}
1080 \renewcommand\maketitle{%
1081   \pagestyle{empty}
1082   \if@qr
1083     \savebox{\myqrcode}[2.7in][t]{
1084       \begin{pspicture}(2.7in,2.7in)
1085         \psbarcode{\myqrdata}{width=1.0 height=1.0 encoding=byte eclevel=M}{qrcode}
1086       \end{pspicture}
1087     }
1088   \fi
1089   \begin{titlepage}
1090     \if@titlepagetableonly
1091       Dit is een cursustekst van Universiteit Antwerpen.\
1092       Het titelblad dient opgemaakt te worden met de volgende gegevens:
1093       \begin{center}
1094         \begin{tabular}{|l|l|l|}
1095           \hline
1096           \bfseries I & Universiteit Antwerpen & \\\hline
1097           \bfseries F & \@faculty & \\\hline
1098           \bfseries P & \parbox[t]{14cm}{\@programmet} & \\\hline
1099           \bfseries C & \parbox[t]{14cm}{\@programmec\@programmes \@programmeq} & \\\hline
1100           \bfseries Y & \@academicyear & \\\hline
1101           \bfseries T & \parbox[t]{14cm}{\@title} & \\\hline
1102           \bfseries S & \parbox[t]{14cm}{\@subtitle} & \\\hline
1103           \bfseries A & \parbox[t]{14cm}{\@author} & \\\hline
1104           \bfseries L & \parbox[t]{14cm}{\@lectureri} & \\\hline
1105           & & \@lecturerii\\
1106           & & \@lectureriii\\
1107         \end{tabular}
1108       \end{center}
1109     \fi
1110   \end{titlepage}
1111 }

```

```

1112                                     \@lectureriv} \\ \hline
1113     \end{tabular}
1114 \end{center}
1115 ~\\
1116 Waarbij: I = instelleng, F = faculteit, P = programma, C =
1117 cursusmodule, T = titel, S = subtitel, A = auteur(s), L =
1118 lesgever(s)\\~\\
1119 \if@qr
1120 Deze informatie is ook gecodeerd in de onderstaande QR-code.\\
1121 \vspace*{1cm}
1122 \usebox{\myqrcode}
1123 \fi
1124 \else
1125 \begin{tikzpicture}[remember picture,overlay]
1126   \node at (current page.center) {
1127     \begin{tikzpicture}[inner sep=0pt]
1128       \clip (0,0) rectangle(\paperwidth,\paperheight);
1129       \if@titlepagenoartwork\else
1130       \filldraw [uacorpbord] (0.55\paperwidth,\ua@Qba pt) circle (\ua@Rba pt);
1131       \filldraw [white] (0.35\paperwidth,\ua@Qbb pt) circle (\ua@Rbb pt);
1132       \filldraw [uacorpblue] (0,\ua@Qh pt) circle (\ua@Rh pt);
1133       \path
1134         (0.95\paperwidth,0.1\paperheight)
1135         node [anchor=north east] {
1136           \includegraphics[width=0.25\paperwidth]{\logoname}};
1137       \fi
1138       \path
1139         (\ua@l pt -\ua@d pt,0.77\paperheight)
1140         node [anchor=north east, text width=0.35\paperwidth] {
1141           \begin{flushright}
1142             \uppercase\expandafter{\uaname}\\~\\
1143             \academicyearname{} \@academicyear
1144           \end{flushright}}
1145         (\ua@l pt +\ua@d pt,0.65\paperheight)
1146         node [anchor = north west, text width = 0.55\paperwidth] {
1147           {\large \@faculty{}}\\[0.05\paperheight]
1148           {\huge \bf \@title{}}\\[2ex]
1149           {\Large \bf \@subtitle{}}\\[3ex]
1150           {\Large \bf \@author{}}}
1151         (\ua@l pt +\ua@d pt,0.45\paperheight)
1152         node [anchor = north west, text width = 0.55\paperwidth] {
1153           \@lectureri-\\
1154           \@lecturerii-\\
1155           \@lectureriii-\\
1156           \@lectureriv}
1157         (\ua@l pt +\ua@d pt,0.35\paperheight)
1158         node [anchor = north west, text width = 0.55\paperwidth] {
1159           {\bf \@programmet} \\ \@programmec\@programmes \@programmeq}}
1160         (\ua@l pt +\ua@d pt,0.30\paperheight)
1161         node [anchor = north west, text width = 0.55\paperwidth] {

```

```

1162         \texttt{\@publishercode}~\\~\\
1163         \texttt{\@coursecodei{}} \@coursei~\\
1164         \texttt{\@coursecodeii{}} \@courseii~\\
1165         \texttt{\@coursecodeiii{}} \@courseiii~\\
1166         \texttt{\@coursecodeiv{}} \@courseiv}
1167         (\ua@l pt - 2\ua@d pt, 0.368\paperheight)
1168         node [anchor = north east, text width = 0.35\paperwidth] {
1169             {\normalsize\begin{flushright}
1170                 \@publisher{
1171                     \end{flushright}}};
1172         \end{tikzpicture}
1173     };
1174     \end{tikzpicture}
1175     \fi
1176 \end{titlepage}%
1177 \clearpage
1178 \vspace*{\stretch{1}}
1179 \@crnotice
1180 \clearpage
1181 \setcounter{footnote}{0}%
1182 \global\let\thanks\relax
1183 \global\let\maketitle\relax
1184 \global\let\@thanks\@empty
1185 \global\let\title\relax
1186 \global\let\author\relax
1187 \global\let\date\relax
1188 \global\let\and\relax
1189 \pagestyle{fancy}
1190 \thispagestyle{empty}
1191 }
1192 </ct>

```

\makefinalpage Below, one can find the code for the final page of the uantwerpencoursetext class:

```

1193 <*ct>
1194 \newcommand\makefinalpage{
1195     \if@titlepagetableonly
1196     \else
1197     \cleardoublepage
1198     \thispagestyle{empty}
1199     ~% intentionally blank page
1200     \clearpage
1201     \thispagestyle{empty}
1202     \begin{tikzpicture}[remember picture,overlay]
1203         \node at (current page.center) {
1204             \begin{tikzpicture}[inner sep=0pt]
1205                 \clip (0,0) rectangle(\paperwidth,\paperheight);
1206                 \if@titlepagenoartwork\else
1207                 \filldraw [uacorpblue] (\paperwidth,\ua@Qh pt) circle (\ua@Rh pt);

```

```

1208     \fi
1209     \path
1210     (0.1\paperwidth,0.1\paperheight)
1211     node [anchor = south west, text width = 0.6\paperwidth] {
1212         CONFIDENTIAL AND PROPRIETARY\\~\\
1213
1214         \copyright{} \@versionyear{} \uaname,
1215         \arrname.}
1216     (0.9\paperwidth,0.1\paperwidth)
1217     node [anchor = south east] {
1218         \usebox{\myqrcode}
1219     };
1220 \end{tikzpicture}
1221 };
1222 \end{tikzpicture}
1223 \fi
1224 }
1225 </ct>

```

`\maketitle` And next, the code for the title page of the `uantwerpenmasterthesis` class:

```

1226 <*mt>
1227 \renewcommand\maketitle{%
1228     \pagestyle{empty}
1229     \begin{titlepage}
1230         \begin{tikzpicture}[remember picture,overlay]
1231             \node at (current page.center) {
1232                 \begin{tikzpicture}[inner sep=0pt]
1233                     \clip (0,0) rectangle(\paperwidth,\paperheight);
1234                     \if@titlepagenoartwork\else
1235                     \filldraw [lightgray] (0.55\paperwidth,\ua@Qba pt) circle (\ua@Rba pt);
1236                     \filldraw [white] (0.35\paperwidth,\ua@Qbb pt) circle (\ua@Rbb pt);
1237                     \filldraw [lightgray] (0,\ua@Qh pt) circle (\ua@Rh pt);
1238                     \path
1239                     (0.95\paperwidth,0.1\paperheight)
1240                     node [anchor=north east] {
1241                         \includegraphics[width=0.25\paperwidth]{\logoname}};
1242                     \fi
1243                     \path
1244                     (\ua@ll pt,0.77\paperheight)
1245                     node [anchor=north west, text width=0.7\paperwidth] {
1246                         \uppercase\expandafter{\uaname}\\~\\
1247                         \academicyearname{} \@academicyear\\~\\
1248                         {\large \@faculty{}}\\~\\
1249                         \masterthesisname{}}\[0.05\paperheight]
1250                         {\Large \bf \@title{}}
1251                     (\ua@ll pt,0.55\paperheight)
1252                     node [anchor = north west, text width = 0.7\paperwidth] {
1253                         {\large \bf \@author{}}\\~\\~\\
1254                         \begin{tabular}{@{}p{2.7cm}p{10.8cm}}

```

```

1255         \textbf{\supervisorsname{}}:}
1256         & \@supervisor i \\\
1257         & \@supervisor ii \\\
1258         & \@supervisor iii \\\
1259         & \@supervisor iv
1260     \end{tabular}
1261 }
1262 (\ua@ll pt,0.3\paperheight) node [anchor=north west, text width = 0.7\paperwidth]{%
1263     \mthesisname\\
1264     \@diploma\\
1265     \@defenselocation, \@defensedate
1266 };
1267 \end{tikzpicture}
1268 };
1269 \end{tikzpicture}
1270 \end{titlepage}%
1271 \clearpage
1272 \setcounter{footnote}{0}%
1273 \global\let\thanks\relax
1274 \global\let\maketitle\relax
1275 \global\let\@thanks\empty
1276 \global\let\title\relax
1277 \global\let\author\relax
1278 \global\let\date\relax
1279 \global\let\and\relax
1280 \pagestyle{fancy}
1281 \thispagestyle{empty}
1282 }
1283 </mt>

```

\makefinalpage Below, one can find the code for the final page of the uantwerpenmasterthesis class:

```

1284 <*mt>
1285 \newcommand\makefinalpage{
1286     \cleardoublepage
1287     \thispagestyle{empty}
1288     \begin{tikzpicture}[remember picture,overlay]
1289         \node at (current page.center) {
1290             \begin{tikzpicture}[inner sep=0pt]
1291                 \clip (0,0) rectangle(\paperwidth,\paperheight);
1292                 \if@titlepagenoartwork\else
1293                     \filldraw [lightgray] (\paperwidth,\ua@Qh pt) circle (\ua@Rh pt);
1294                 \fi
1295             \end{tikzpicture}
1296         };
1297     \end{tikzpicture}
1298 }
1299 </mt>

```

5.11 Title page for the phdthesis clases

The title page is generated using the `\maketitle` command. As the book class from which we inherit already defines this command, we need to renew it.

The UAntwerpen house style works with large-radius circles. We need some math in order to calculate center points and radii.

The width and height of the page are labeled X and Y in the house style. The radius of the circles equals 6 times X. Therefore:

```

1300 <*pt>
1301 \pgfmathsetmacro{\ua@X}{\paperwidth}
1302 \pgfmathsetmacro{\ua@Y}{\paperheight}
1303 \pgfmathsetmacro{\ua@R}{6*\paperwidth}
1304 \pgfmathsetmacro{\ua@B}{(\ua@X+\ua@Y)/15}
1305 \pgfmathsetmacro{\ua@L}{0.25*\ua@X}
1306 \pgfmathsetmacro{\ua@Z}{0.1*\ua@L}
1307 \pgfmathsetmacro{\ua@H}{0.3*\ua@L}
1308 \pgfmathsetmacro{\ua@h}{0.5*(\ua@B-\ua@H)}
1309 </pt>

```

`\maketitle` Below, one can find the code for the title page of the `uantwerpenphdthesis` class:

```

1310 <*pt>
1311 \renewcommand\maketitle{%
1312   \pagestyle{empty}
1313   \begin{titlepage}
1314     \if@titlepagetableonly
1315       Dit is een doctoraatsthesis van Universiteit Antwerpen.
1316     \else
1317       \begin{tikzpicture}[remember picture,overlay]
1318         \node at (current page.center) {
1319           \begin{tikzpicture}[inner sep=0pt]
1320             \clip (0,0) rectangle(\paperwidth,\paperheight);
1321
1322             \filldraw[uacorpblue]
1323               (0.5*\ua@X pt,\ua@B+\ua@R pt) circle (\ua@R pt)
1324               (\ua@X pt, 0.25*\ua@Y+\ua@R pt) circle (\ua@R pt);
1325
1326             \node[anchor=south east] at (\ua@X-3*\ua@Z pt,\ua@h pt)
1327               {\includegraphics[width=\ua@L pt]{\logoname}};
1328
1329             \begin{scope}
1330               \clip
1331                 (\ua@X pt, 0.25*\ua@Y+\ua@R pt) circle (\ua@R pt)
1332                 (0.375*\ua@X pt,\ua@R+0.666*\ua@Y pt) circle (\ua@R pt);
1333
1334               \node[anchor=south] at (0.5*\ua@X pt, 2.1*\ua@B pt)

```



```

1335         {\includegraphics[width=\ua@X pt]{\@titlepageimage}};
1336     \end{scope}
1337
1338     \filldraw[uacorpbord]
1339     (0.375*\ua@X pt,\ua@R+0.666*\ua@Y pt) circle (\ua@R pt);
1340
1341     \filldraw[white]
1342     (0.1*\ua@X pt,\ua@R+0.666*\ua@Y pt) circle (\ua@R pt);
1343
1344     \node[anchor=north west,align=left,font=\large]
1345     at (3*\ua@Z pt, \ua@B - \ua@h pt)
1346     { \textcolor{uacorpblue}{\textsf{\@defenselocation,
1347         \@defensedate}}} };
1348
1349     \node[anchor=south west,text width=\textwidth,align=left,font=\large]
1350     at (3*\ua@Z pt, 1.4*\ua@B pt)
1351     { \textcolor{white}{\textsf{\@affiliation}}} };
1352
1353     \node[anchor=south east,text width=\textwidth,align=right,font=\large]
1354     at (\ua@X - 3*\ua@Z pt, 1.4*\ua@B pt)
1355     { \textcolor{white}{\textsf{
1356         \supervisorsname\\
1357         \@supervisor%
1358         \ifdefvoid{\@supervisorii}{\{\@\@supervisorii}%
1359         \ifdefvoid{\@supervisoriii}{\{\@\@supervisoriii}%
1360         \ifdefvoid{\@supervisoriv}{\{\@\@supervisoriv}}}}
1361     } };
1362
1363     \node[anchor=north west,text
1364     width=\ua@X-6*\ua@Z,align=left,font=\Huge]
1365     (title)
1366     at (3*\ua@Z pt,\ua@Y-4*\ua@Z pt)
1367     { \textsf{\textbf{\@title}}} };
1368
1369     \node[anchor=north west,below=2.5ex of title,text width=\ua@X-6*\ua@Z,align=left,font=
1370     { \textsf{\textbf{\@subtitle}}} };
1371
1372     \node[anchor=north west,text width=\ua@X-6*\ua@Z,align=left]
1373     at (3*\ua@Z pt,\ua@Y - 12.5*\ua@Z pt)
1374     { \textsf{\pthesisnamei{} \@phddegree{} \pthesisnameii{}}} };
1375
1376     \node[anchor=north west, text width=\textwidth,align=left,font=\LARGE]
1377     at (3*\ua@Z pt, \ua@Y-15.5*\ua@Z pt)
1378     { \textsf{\textbf{\@author}}} };
1379     \end{tikzpicture}
1380 };
1381 \end{tikzpicture}
1382 \fi
1383 \end{titlepage}%
1384 \cleardoublepage

```

```

1385 \begin{center}
1386 \includegraphics[width=\ua@L pt]{\logoname}
1387 \vfill
1388 \@faculty\\
1389 \@programmeq\par
1390 \vfill
1391 \Huge\textsf{\@title}\par
1392 \large\textsf{\@subtitle}\par
1393 \vfill
1394 \normalsize\pthesisnamei\\
1395 \@phddegree\\
1396 \pthesisnameii\\
1397 \medskip
1398 \textbf{\@author}
1399 \vfill
1400 \begin{minipage}[b]{0.4\textwidth}
1401 \@defenselocation, \@defensedate
1402 \end{minipage}
1403 \hfill
1404 \begin{minipage}[b]{0.4\textwidth}
1405 \flushright
1406 \supervisorsname\\
1407 \@supervisor%
1408 \ifdefvoid{\@supervisorii}{\@supervisorii}%
1409 \ifdefvoid{\@supervisoriii}{\@supervisoriii}%
1410 \ifdefvoid{\@supervisoriv}{\@supervisoriv}
1411 \end{minipage}
1412 \end{center}
1413 \clearpage
1414 \textbf{\juryname}\hfill\par
1415 \textbf{\jurychairmanname}\hfill\break
1416 \@jurychairman{\ifdefvoid{\@jurychairmanaff}{\@jurychairmanaff}}\\
1417 \hfill\break
1418 \textbf{\supervisorsname}\hfill\break
1419 \ifdefvoid{\@supervisor}{\@supervisor}
1420 \ifdefvoid{\@supervisoriaff}{\@supervisoriaff}\\
1421 \ifdefvoid{\@supervisorii}{\@supervisorii}
1422 \ifdefvoid{\@supervisoriiiaff}{\@supervisoriiiaff}\\
1423 \ifdefvoid{\@supervisoriii}{\@supervisoriii}
1424 \ifdefvoid{\@supervisoriiiaff}{\@supervisoriiiaff}\\
1425 \ifdefvoid{\@supervisoriv}{\@supervisoriv}
1426 \ifdefvoid{\@supervisorivaff}{\@supervisorivaff}\\
1427 \hfill\break
1428 \textbf{\jurymembersname}\hfill\break
1429 \ifdefvoid{\@jurymember}{\@jurymember}
1430 \ifdefvoid{\@jurymemberiaff}{\@jurymemberiaff}\\
1431 \ifdefvoid{\@jurymemberii}{\@jurymemberii}
1432 \ifdefvoid{\@jurymemberiiiaff}{\@jurymemberiiiaff}\\
1433 \ifdefvoid{\@jurymemberiii}{\@jurymemberiii}
1434 \ifdefvoid{\@jurymemberiiiaff}{\@jurymemberiiiaff}\\

```

```

1435 \ifdefvoid{\@jurymemberiv}{\@jurymemberiv
1436 \ifdefvoid{\@jurymemberivaff}{\@jurymemberivaff\\}}
1437 \ifdefvoid{\@jurymemberv}{\@jurymemberv
1438 \ifdefvoid{\@jurymembervaff}{\@jurymembervaff\\}}
1439 \ifdefvoid{\@jurymembervi}{\@jurymembervi
1440 \ifdefvoid{\@jurymemberviaff}{\@jurymemberviaff\\}}
1441 \hfill\break
1442 \vfill
1443 \textbf{Contact}\\
1444 \smallskip
1445 \@author\\
1446 \@affiliation\\
1447 \@address\\
1448 \vfill
1449 \copyright{} \@defensedate{} \@author\\
1450 \arrname.
1451 \vfill
1452 \begin{minipage}[b]{.5\linewidth}
1453 ISBN \@isbn\\
1454 Wettelijk depot \@depot
1455 \end{minipage}
1456 \hfill
1457 \begin{minipage}[b]{.5\linewidth}
1458 \expandafter\EAN \@isbn
1459 \end{minipage}
1460 \setcounter{footnote}{0}%
1461 \global\let\thanks\relax
1462 \global\let\maketitle\relax
1463 \global\let\@thanks\@empty
1464 \global\let\title\relax
1465 \global\let\author\relax
1466 \global\let\date\relax
1467 \global\let\and\relax
1468 \pagestyle{fancy}
1469 \thispagestyle{empty}
1470 \
1471 }
1472 </pt>

```

`\makefinalpage` Below, one can find the code for the final page of the `uantwerpenphdthesis` class:

```

1473 <*pt>
1474 \newcommand\makefinalpage{
1475 \if@titlepagetableonly
1476 \else
1477 \cleardoublepage
1478 \thispagestyle{empty}
1479 ~% intentionally blank page
1480 \clearpage

```

```

1481 \thispagestyle{empty}
1482 \begin{tikzpicture}[remember picture,overlay]
1483   \node at (current page.center) {
1484     \begin{tikzpicture}[inner sep=0pt]
1485       \clip (0,0) rectangle(\paperwidth,\paperheight);
1486       \fill[uacorpblue] (0,0) rectangle(\ua@X pt,\ua@Y pt);
1487       \filldraw [white] (1.2*\ua@X pt,\ua@R+0.125*\ua@Y pt) circle (\ua@R pt);
1488       \filldraw [uacorpbord] (1.375*\ua@X pt,\ua@R+0.666*\ua@Y pt) circle (\ua@R pt);
1489     \end{tikzpicture}
1490   };
1491 \end{tikzpicture}
1492 \fi
1493 }
1494 \</pt>

```

5.12 Title page for the letter class

5.12.1 Bottom cords

The graphical footer of the page is provided through PDF/PS includes in a Dutch and a non-dutch version.

5.12.2 Title Page

`\maketitle` The top of the letter is generated using the `\maketitle` command.

```

1495 \<*\e>
1496 \newcommand\maketitle{%
1497   \pagestyle{fancy}
1498   \thispagestyle{empty}
1499   \begin{tikzpicture}[overlay,remember picture]
1500     \path (current page.north west) +(1.8cm,-1.2cm)
1501     node[anchor=north west] {
1502       \includegraphics[height=1.1cm]{\@logo}
1503     };
1504     \draw (current page.north west)
1505     +(1cm,-98mm) -- +(1.5cm,-98mm);
1506     % 90 x 45
1507     % pos: 20mm van kant, 15mm van onderkant
1508     \path (current page.north east) +(-100mm,-65mm)
1509     node[anchor=west,text width=80mm,align=left] {
1510       \scriptsize\textcolor{gray}{\uuline{\@returnaddress}}\\*
1511       \normalsize\@to\\*
1512       \@toorganization\\*
1513       \@toaddress
1514     };
1515   \end{tikzpicture}

```

```

1516 \begin{tikzpicture}[overlay,remember picture]
1517   \path (current page.south west) +(0,-0.7cm)
1518   node[anchor=south west,inner sep=0pt, outer sep=0pt]
1519   {\includegraphics{\footername}};
1520 \end{tikzpicture}
1521 ~\!\! [3ex]
1522 \textcolor{uacorpblue}{\bf \@sender}
1523 \ifx\@senderrole\@emptymacro\!\! [1.75ex]\else \!\!\@senderrole\!\! [1.75ex]\fi
1524 \@faculty
1525 \ifx\@unit\@emptymacro\else\!\!\@unit\fi~\!\! [1.75ex]
1526 \@address\!\! [1.75ex]
1527 \ifx\@email\@emptymacro\else E \@emailuser\tat{}\@emaildomain\!\!\fi
1528 \ifx\@phone\@emptymacro\else T \@phone\!\!\fi
1529 \ifx\@fax\@emptymacro\else F \@fax\!\!\fi
1530 \ifx\@mobile\@emptymacro\else M \@mobile\!\!\fi
1531 ~\!\! [4ex]
1532 \begin{tikzpicture}[anchor=north west,align=left,outer sep=0,inner sep=0]
1533   \path
1534   (0,0) node { \scriptsize \strut
1535     \textcolor{gray}{\uppercase\expandafter{\datename} } }
1536   (4cm,0) node { \scriptsize \strut
1537     \textcolor{gray}{\uppercase\expandafter{\subjectname} } }
1538   (0,-2.5ex) node { \strut \@date }
1539   (4cm,-2.5ex) node[align=left] { \strut \@subject };
1540 \end{tikzpicture}~\!\! [4ex]
1541 }
1542 \!e\!

```

The trailer of the page is automatically generated at the end of the document:

```

1543 \!e\!
1544 \AtEndDocument{
1545   \@closing\!\! [3ex]\@signature~\!\! [3ex]
1546   \@sender
1547   \ifx\@senderrole\@emptymacro\!\! [8ex]\else\!\!\@senderrole\!\! [8ex]\fi
1548   \setlength{\parskip}{0em}
1549   \ifx\@carboncopy\@emptymacro\else CC: \@carboncopy\!\! [4ex]\fi
1550   \ifx\@enclosed\@emptymacro\else ENCL: \@enclosed\fi
1551   \label{lastpage}
1552 }
1553 \!e\!

```

5.13 Title page for the exam class

`\maketitle` The title page of the exam class is generated using the `\maketitle` command.

```

1554 \!ex\!
1555 \renewcommand\maketitle{%

```

```

1556 \pagestyle{fancy}
1557 \AddToShipoutPicture*{%
1558   \put(0,0){%
1559     \begin{tikzpicture}[remember picture,overlay]
1560       \node at (current page.center) {
1561         \begin{tikzpicture}
1562           \clip (0,0) rectangle (21,29.7);
1563           \draw
1564             ( 3,9.7) -- ( 3,23.7)
1565             ( 0,23.7) -- (21,23.7)
1566             ( 3,19.7) -- (21,19.7)
1567             ( 3,17.7) -- (21,17.7)
1568             ( 3,15.7) -- (21,15.7)
1569             (14,11.7) -- (14,15.7)
1570             ( 3,13.7) -- (21,13.7)
1571             ( 3,11.7) -- (21,11.7)
1572             ( 0,9.7) -- (21,9.7);
1573
1574           \draw[ultra thick]
1575             ( 3,15.7) +(0,-0.5) -- +(0,0) -- +(0.5,0)
1576             ( 3,13.7) +(0,+0.5) -- +(0,0) -- +(0.5,0)
1577             (14,15.7) +(-0.5,0) -- +(0,0) +(0,-0.5) -- +(0,0) -- +(0.5,0)
1578             (14,13.7) +(-0.5,0) -- +(0,0) +(0,+0.5) -- +(0,0) -- +(0.5,0)
1579             (21,15.7) +(0,-0.5) -- +(0,0) -- +(-0.5,0)
1580             (21,13.7) +(0,+0.5) -- +(0,0) -- +(-0.5,0);
1581
1582           \path
1583             (3,25.2) node[anchor=north west] {
1584               \parbox{14cm}{
1585                 \fontfamily{phv}\fontsize{12}{15}\fontseries{b}\selectfont
1586                 \@faculty\
1587                 \fontfamily{phv}\fontsize{11}{14}\fontseries{m}\selectfont
1588                 \@programmet \@programmec\
1589                 \ifx\@programmeq\emptymacro\else--- \@programmeq\fi
1590               }
1591             }
1592             (3.3,23.0) node[anchor=north west] {
1593               \parbox{14cm}{
1594                 \fontfamily{phv}\fontsize{12}{15}\selectfont
1595               }
1596             }
1597             (3.3,21.9) node[anchor=north west] {
1598               \parbox{16cm}{
1599                 \fontfamily{phv}\fontsize{18}{22}\fontseries{b}\fontshape{n}\selectfont
1600                 \raggedright \@coursei{} --- \@exampart
1601                 \fontfamily{phv}\fontsize{12}{18}\fontseries{m}\fontshape{n}\selectfont\
1602                 Groep \@examgroupnumber{} \hfill \@examdate{} }
1603             }
1604             (3.3,19) node[anchor=north west] {
1605               \parbox{14cm}{

```

```

1606         \fontfamily{phv}\fontsize{12}{15}\fontseries{m}\selectfont
1607         \@coursecodei
1608     }
1609 }
1610 (3.3,17.5) node[anchor=north west] {
1611     \parbox{14cm}{
1612         \fontfamily{phv}\fontsize{12}{18}\fontseries{m}\fontshape{n}\selectfont
1613         \raggedright \ifdef{\dateenglish}{Professor(s) --- }{}Titularis(sen):\@
1614         \fontfamily{phv}\fontsize{14}{20}\fontseries{m}\fontshape{n}\selectfont
1615         \raggedright \@author{}
1616     }
1617 }
1618 (3.3,15.5) node[anchor=north west] {
1619     \parbox{10cm}{
1620         \fontfamily{phv}\fontsize{12}{15}\fontseries{m}\fontshape{n}\selectfont
1621         \raggedright \ifdef{\dateenglish}{Last name/First name
1622         --- }{}
1623         Naam/Voornaam:}
1624 }
1625 (14.3,15.5) node[anchor=north west] {
1626     \parbox{5cm}{
1627         \fontfamily{phv}\fontsize{12}{15}\fontseries{m}\fontshape{n}\selectfont
1628         \raggedright \ifdef{\dateenglish}{Registration No. --- }{}Rolnr.:}
1629 }
1630 (3.3,13.5) node[anchor=north west] {
1631     \parbox{14cm}{
1632         \fontfamily{phv}\fontsize{12}{21}\fontseries{m}\fontshape{n}\selectfont
1633         \raggedright \ifdef{\dateenglish}{Exam duration --- }{}Duur van het examen: \@e
1634     }
1635 }
1636 (14.3,13.5) node[anchor=north west] {
1637     \parbox{5cm}{
1638         \fontfamily{phv}\fontsize{12}{15}\fontseries{m}\fontshape{n}\selectfont
1639         \raggedright \ifdef{\dateenglish}{Start --- }{}Begin: \@tstart \\[1ex]
1640         \raggedright \ifdef{\dateenglish}{End --- }{}Einde~: \@tend
1641     }
1642 }
1643 (3.3,11.5) node[anchor=north west] {
1644     \parbox{14cm}{
1645         \fontfamily{phv}\fontsize{12}{21}\fontseries{m}\fontshape{n}\selectfont
1646         \raggedright \ifdef{\dateenglish}{Room --- }{}Lokaal: \@rooms
1647     }
1648 }
1649 }
1650 (2,9.5) node[anchor=north west] {
1651     \parbox{19cm}{
1652         \fontfamily{phv}\fontsize{10}{13}\fontseries{m}\fontshape{n}\selectfont
1653         \ifdef{\dateenglish}{\raggedright Extra information: read the back of this page
1654         \raggedright Extra informatie: zie achterkant
1655     }

```

```

1656         }
1657         (3,27.7) node[anchor=north west] {
1658             \includegraphics[width=7cm]{\@logo}
1659         };
1660     \end{tikzpicture}
1661 };
1662 \end{tikzpicture}
1663 }
1664 }
1665 \vspace*{15cm}
1666 \clearpage
1667 \ifx\@qrtitle\@emptymacro
1668 \else
1669 \@extrainfo
1670 \clearpage
1671 \fi
1672 }
1673 \</ex>

```

5.14 Auxiliary functions to typeset exams

`\question` Add a small box with the weight of the question on the current line (right aligned).

```

1674 \< *ex>
1675 \newcounter{question}
1676 \setcounter{question}{0}
1677 \renewcommand\thequestion{\@arabic\c@question}
1678 \newcommand{\question}[1]{
1679     \stepcounter{question}
1680     \thequestion.~\#1%
1681 }
1682 \</ex>

```

`\questionweight` Add a small box with the weight of the question on the current line (right aligned).

```

1683 \< *ex>
1684 \newcommand{\questionweight}[1]{%
1685     \hspace{\fill}
1686     \begin{tabular}{|c|}
1687         \hline
1688         \small \weightname: \#1\\
1689         \hline
1690     \end{tabular}\\
1691 }
1692 \</ex>

```

`\engdut` typesets the question in two columns, the left column taking the English variant

of the question and the right column taking the Dutch variant.

```

1693 <*ex>
1694 \newcommand{\engdut}[2]{%
1695   \begin{tabular}{ccc}%
1696     \selectlanguage{english}%
1697     \begin{minipage}[t]{0.45\textwidth}%
1698       #1
1699     \end{minipage}%
1700     &~~~&
1701     \selectlanguage{dutch}%
1702     \begin{minipage}[t]{0.45\textwidth}%
1703       #2
1704     \end{minipage}%
1705   \end{tabular}
1706   \selectlanguage{english}%
1707 }
1708 </ex>

```

`\setmcsymbol` sets the symbol to be used as multiple choice mark (by default a square).

```

1709 <*ex>
1710 \newcommand\@mcsymbol{\square}
1711 \newcommand\setmcsymbol[1]{\renewcommand\@mcsymbol{#1}}
1712 </ex>

```

`\mc` typesets a multiple choice answer candidate (monolingual, i.e. in a single column).

```

1713 <*ex>
1714 \newcommand\mc[1]{%
1715   \hfill\break\qquad\begin{tabular}{cc}
1716     $\@mcsymbol$
1717     &
1718     \begin{minipage}[t]{0.9\textwidth}%
1719       #1
1720     \end{minipage}%
1721   \end{tabular}
1722 }
1723 </ex>

```

`\engdutm` typesets a multiple choice answer candidate in two columns, the left column taking the English variant of the question and the right column taking the Dutch variant.

```

1724 <*ex>
1725 \newcommand{\engdutm}[2]{%
1726   \hfill\break\begin{tabular}{cccc}
1727     $\@mcsymbol$

```

```

1728      &
1729      \selectlanguage{english}%
1730      \begin{minipage}[t]{0.42\textwidth}%
1731          #1
1732      \end{minipage}%
1733      &---&
1734      \selectlanguage{dutch}%
1735      \begin{minipage}[t]{0.42\textwidth}%
1736          #2
1737      \end{minipage}%
1738  \end{tabular}
1739  \selectlanguage{english}%
1740 }
1741 </ex>

```

`\insertsolutionspagepartial` fills the remainder of the page with 'fill-out' squares. as observing/controlling the current line position in \LaTeX is not easy, one has to provide the number of centimeters below the bottom of the page, one wants to start the fill-out squares.

```

1742 <*ex>
1743 \newcommand\insertsolutionspagepartial[1]{
1744   \AddToShipoutPicture*{%
1745     \put(0,0){%
1746       \begin{tikzpicture}
1747         \clip (0,0) rectangle (21,#1);
1748         \draw[densely dotted, step=0.5cm,black!20] (0.999,0.990) grid (20,1.5);
1749         \draw[densely dotted, step=0.5cm,black!20] (0.999,1.499) grid (2,2.5);
1750         \draw[densely dotted, step=0.5cm,black!20] (18.999,1.499) grid (20,2.5);
1751
1752         \draw[densely dotted, step=0.5cm,black!20] (0.999,2.499) grid (20,27);
1753         \draw[densely dotted, step=0.5cm,black!20] (0.999,27) grid (16,28);
1754         \draw[densely dotted, step=0.5cm,black!20] (19.499,27) grid (20,28);
1755         \draw[densely dotted, step=0.5cm,black!20] (0.99,27.999) grid
1756           (20,28.5);
1757         \draw[ultra thick] (1,#1) -- (20,#1);
1758       \end{tikzpicture}
1759     }
1760   }%
1761   \clearpage
1762   \relax
1763 }
1764 </ex>

```

`\insertsolutionspage` inserts a full solutions page, i.e. flushes the current page and inserts a full page with 'fill-out' squares. The argument allows for specifying a watermark text (e.g. 'Scrap paper').

```

1765 <*ex>
1766 \newcommand\insertsolutionspage[1]{

```

```

1767 \clearpage
1768 \AddToShipoutPicture*{%
1769   \put(0,0){%
1770     \begin{tikzpicture}
1771       \clip (0,0) rectangle (21,29.5);
1772       \draw[densely dotted, step=0.5cm,black!20] (0.999,1.499) grid (2,2.5);
1773       \draw[densely dotted, step=0.5cm,black!20] (18.999,1.499) grid (20,2.5);
1774
1775       \draw[densely dotted, step=0.5cm,black!20] (0.999,2.499) grid (20,28);
1776       \draw[densely dotted, step=0.5cm,black!20] (0.999,28) grid (16,28.5);
1777       \draw[densely dotted, step=0.5cm,black!20] (19.499,28) grid (20,28.5);
1778     \end{tikzpicture}
1779   }
1780   \put(120,150){\rotatebox{60}{\textcolor{watermark}{
1781     \fontfamily{phv}\fontsize{105}{130}\fontseries{m}\fontshape{n}\selectfont
1782     #1}
1783   }
1784 }%
1785 }%
1786 ~\relax
1787 }
1788 </ex>

```

We add a lastpage label to the final page

```

1789 <*ex>
1790 \AtEndDocument{
1791   \label{lastpage}
1792 }
1793 </ex>
1794 % \end{macrocode
1795 %
1796 % \subsection{References}
1797 % \begin{macrocode}
1798 <*ct | mt | pt>
1799 \IfFileExists{varioref.sty}{\RequirePackage{varioref}}{}
1800 </ct | mt | pt>
1801 %
1802 <*ct>
1803 \IfFileExists{hyperref.sty}{
1804   \RequirePackage{hyperref}
1805   \hypersetup{
1806     backref=true,
1807     breaklinks=true,
1808     colorlinks=true,
1809     citecolor=black,
1810     filecolor=black,
1811     hyperindex=true,
1812     linkcolor=black,
1813     pageanchor=true,

```

```

1814     pagebackref=true,
1815     pagecolor=black,
1816     pdfpagemode=UseOutlines,
1817     urlcolor=black
1818 }
1819 \AtBeginDocument{
1820   \hypersetup{
1821     pdftitle={\@title},
1822     pdfsubject={\@subtitle},
1823     pdfauthor={\@author}
1824   }
1825 }
1826 }{}
1827 </ct>
1828 %
1829 %
1830 <*mt | pt>
1831 \IfFileExists{hyperref.sty}{
1832   \RequirePackage{hyperref}
1833   \hypersetup{
1834     backref=true,
1835     breaklinks=true,
1836     colorlinks=true,
1837     citecolor=black,
1838     filecolor=black,
1839     hyperindex=true,
1840     linkcolor=black,
1841     pageanchor=true,
1842     pagebackref=true,
1843     pagecolor=black,
1844     pdfpagemode=UseOutlines,
1845     urlcolor=black
1846   }
1847   \AtBeginDocument{
1848     \hypersetup{
1849       pdftitle={\@title},
1850       pdfsubject={\@subtitle},
1851       pdfauthor={\@author}
1852     }
1853   }
1854 }{}
1855 </mt | pt>

```

Change History

v1.0	General: Consolidated uacoursetext class and uamasterthesis class 1 Added option qr 29 Added option titlepagenoartwork 29 Added option titlepagetableonly 29	v1.5	<code>\maketitle</code> : Implemented new footer 68 General: Replaced bottom arcs in footer of letter by official PDF versions 1 Removed documentation 68
v1.1	<code>\diploma</code> : Fixed typo on programme's name (e-umlaut) 47 General: Small bugfixes and 'filled' option 1 Added option user documentation 6 Made raggedright conditional on option 'filled', because it can't be undone 54	v1.6	<code>\diploma</code> : Added diploma codes . 47 General: Added diploma codes for Faculty of Applied Economics . 1 Added diploma code documentation 9
v1.2	General: Added lmodern package and increased headheight to 13.7pt to please Fancyhdr 1 Added lmodern package to please MikTeX 31 Increased headheight to please Fancyhdr 54	v1.7	<code>\maketitle</code> : Embedded babel translations of keywords into title page 59, 62 General: Added babel translations of elements of master's thesis title page 1 Added babel tags of elements of master's thesis title page 33
v1.3	<code>\makefinalpage</code> : Changed eso-pic for tikz 61, 63 <code>\maketitle</code> : Changed eso-pic for tikz 62 General: Minor bugfixes, abandonment of a few packages, font freedom 1 Abandoned use of cmbright - no more font dictatorship for theses and courses 31 Added inclusion of background package 32 Changed eso-pic for tikz and background 58	v1.8	<code>\makefinalpage</code> : Inserted blank one but last page 61 <code>\maketitle</code> : Allowed for empty senderrole 68 <code>\signature</code> : Added signature . . . 51 General: Corrected minor typographic mistakes, added signature and solved problems with shell escape 1 Added missing packages ifmtarg and shellest 31 Allowed for empty senderrole . 69
v1.4	General: Implemented uantwerpenletter class 1 Implemented letter class 29	v1.81	General: Bugfixes for release v1.8 . 1 Apparently shellest is still missing from quite a number of installations, therefore, conditional loading 31
		v1.9	General: Added ASoE (Antwerp School of Education) 8 Integrated uantwerpenexam class into package 1

Added etoolbox for convenience		\maketitle: Corrected information	
reasons	31	page (p4) jury spacing	64
Implemented uantwerpenexam		\subtitle: Added subtitle to phd	
class	29	text	39
v2.0		Ensured that subtitle is really	
\makefinalpage: Implemented		optional by adding default	
final page	67	space value	39
\maketitle: Implemented title		General: Bugfix release after	
page	64	promotion event on research	
General: Implemented		day	1
uantwerpenphdthesis class into		Added appropriate \appendix	
package	1	command	55
Implemented		Allow for setting the multiple	
uantwerpenphdthesis class . . .	29	choice mark symbol	73
Removed package ifmtarg		Corrected erroneous line	
because unreliable	31	breaking	73
Updated diploma code		Corrected spacing in title +	
documentation to incorporate		exampart	69
PhD degrees	9	v2.2	
v2.1		General: Improved visibility of	
\engdut: Increased intercolumn		chapter numbers by adding a	
spacing for engdut	73	white outline	1
\extrainfo: Changed default to		Added white chapter number	
empty	53	outline	55
		Corrected spacing	55

Index

Numbers written in *italic* refer to the page where the corresponding entry is described; numbers underlined refer to the code line of the definition; numbers in *roman* refer to the code lines where the entry is used.

Symbols	\@courseii	\@extrainfo
\ " 203, 594, 703	628, 657, 1102, 1164	... 884, 885, 1669
\ ' 258, 261, 266, 271, 272, 274, 320, 321, 326, 328	\@courseiii 629, 667, 1103, 1165	\@faculty . 115, 117, 119, 122, 124, 126, 128, 130, 132, 134, 136, 138, 140, 142, 168, 170, 174, 177, 180, 183,
\@M 998	\@courseiv 630, 677, 1104, 1166	184, 187, 189, 191, 193, 196, 199, 223, 225, 229, 232, 235, 238, 239, 242, 244, 246, 248, 251, 254, 277, 279, 283, 286, 289, 292, 293, 296, 298, 300, 302, 305, 308, 332, 334, 338, 341, 344, 347, 348, 351, 353, 355, 357, 360, 363, 1056, 1097, 1147, 1248, 1388, 1524, 1586
\@academicyear . 763, 764, 947, 1066, 1105, 1143, 1247	\@courseversion 439, 440, 896, 903, 976	\@facultyacronym .. . 371, 373, 896, 904
\@address 842, 846, 847, 1447, 1526	\@crnotice ... <u>970</u> , 1179	\@fax 794, 795, 1529
\@affiliation 517, 520, 1351, 1446	\@date 929, 1538	\@filledtrue 15
\@afterheading ... 1007	\@defensedate 741, 742, 1265, 1347, 1401, 1449	\@ifpackageloaded . 145
\@arabic 1677	\@defenselocation 745, 746, 1265, 1346, 1401	\@isbn 753, 755, 1453, 1458
\@author . 429, 1108, 1150, 1253, 1378, 1398, 1445, 1449, 1615, 1823, 1851	\@depot .. 758, 760, 1454	\@jurychairman 539, 542, 1416
\@carboncopy 834, 835, 1549	\@diploma 701, 705, 1264	\@jurychairmanaff 541, 542, 1416
\@closing 826, 827, 1545	\@email 1527	\@jurymemberi 545, 558, 1429
\@copyrightnotices 767, 768, 974	\@emaildomain 786, 787, 1527	\@jurymemberiaff 547, 558, 1430
\@copyrighttrue 3	\@emailuser 785, 787, 1527	
\@coursecodei 623, 636, 646, 693, 696, 1058, 1101, 1163, 1607	\@empty 1184, 1275, 1463	
\@coursecodeii 624, 656, 1060, 1102, 1164	\@emptymacro ... 59, 396, 412, 430, 472, 481, 490, 499, 508, 638, 648, 658, 668, 678, 1523, 1525, 1527-1530, 1547, 1549, 1550, 1589, 1667	
\@coursecodeiii 625, 666, 1062, 1103, 1165	\@enclosed 838, 839, 1550	
\@coursecodeiv 626, 676, 1064, 1104, 1166	\@examdate 864, 865, 1602	
\@coursei . 627, 637, 647, 694, 697, 1101, 1163, 1600	\@examgropunumber . 852	
	\@examgrouppunumber 860, 861, 946, 947, 1602	
	\@examinertrue 19	
	\@examlength 868, 869, 1633	
	\@exampart 856, 857, 1600	

\@jurymemberii	\@programmet . . 572,	1149, 1370,
... 548, 559, 1431	579, 581, 583,	1392, 1822, 1850
\@jurymemberiiaff .	585, 587, 1057,	\@supervisorii
... 549, 559, 1432	1098, 1159, 1588	523, 533, 1256,
\@jurymemberiii . . .	\@publisher	1357, 1407, 1419
... 550, 560, 1433	... 447, 455, 1170	\@supervisoriaff . .
\@jurymemberiiiaff	\@publishercode 526, 533, 1420
... 551, 560, 1434	... 458, 459, 1162	\@supervisoriii
\@jurymemberiv	\@qrauthor 427,	527, 534, 1257,
... 552, 561, 1435	430, 431, 435, 1069	1358, 1408, 1421
\@jurymemberivaff .	\@qrcoursei . . . 631,	\@supervisoriaff .
... 553, 561, 1436	638, 639, 643,	... 528, 534, 1422
\@jurymemberv	648, 649, 653, 1058	\@supervisoriiii . . .
... 554, 562, 1437	\@qrcourseii . . 632,	529, 535, 1258,
\@jurymembervaff . .	658, 659, 663, 1060	1359, 1409, 1423
... 555, 562, 1438	\@qrcourseiii . . 633,	\@supervisoriiiaff
\@jurymembervi	668, 669, 673, 1062	... 530, 535, 1424
... 556, 563, 1439	\@qrcourseiv . . 634,	\@supervisoriv
\@jurymemberviaff .	678, 679, 683, 1064	531, 536, 1259,
... 557, 563, 1440	\@qrlectureri . . 466,	1360, 1410, 1425
\@lectureri . . . 462,	472, 473, 477,	\@supervisorivaff .
471, 480, 1109, 1153	481, 482, 486, 1070	... 532, 536, 1426
\@lecturerii	\@qrlecturerii . 467,	\@tend . . . 876, 877, 1640
463, 489, 1110, 1154	490, 491, 495, 1072	\@thanks 1184, 1275, 1463
\@lectureriii	\@qrlectureriii 468,	\@title . . . 395, 898,
464, 498, 1111, 1155	499, 500, 504, 1074	905, 1106, 1148,
\@lectureriv	\@qrlectureriv . 469,	1250, 1367,
465, 507, 1112, 1156	508, 509, 513, 1076	1391, 1821, 1849
\@logo . . 777, 1502, 1658	\@qrsuptitle . . 409,	\@titlepageimage . .
\@makechapterhead . 984	412, 413, 417, 1068	... 749, 750, 1335
\@makeschapterhead	\@qrtitle . 393, 396,	\@titlepagenoartworktrue
... 1006, 1009	397, 401, 1067, 1667	... 9
\@mcsymbol . . . 1710,	\@qrtrue 5	\@titlepagetableonlytrue
1711, 1716, 1727	\@returnaddress 11
\@mobile . 798, 799, 1530	... 802, 803, 1510	\@to 806, 807, 1511
\@phddegree	\@rooms . . 880, 881, 1646	\@toaddress
566, 569, 1374, 1395	\@schapter 1005	... 815, 816, 1513
\@phone . . 790, 791, 1528	\@sender	\@toorganization . .
\@programmec 573, 594,	771, 774, 1522, 1546	... 810, 812, 1512
1099, 1159, 1588	\@senderrole	\@tstart . 872, 873, 1639
\@programmecqr	773, 774, 1523, 1547	\@unit 778, 781, 782, 1525
... 574, 595, 1057	\@shorttitle	\@versionyear
\@programmeq 421, 423, 944	443, 444, 980, 1214
. 576, 602, 604,	\@signature	\ \ 447–453, 715,
606, 608, 610,	... 830, 831, 1545	717, 719, 721,
614, 1057, 1099,	\@studentnr 888, 889, 942	723, 725, 729,
1159, 1389, 1589	\@subject 819, 820, 1539	815, 973, 1091,
\@programmes	\@subtitle 405, 408,	1096, 1097,
575, 619, 1099, 1159	411, 898, 1107,	1099, 1101–
		1112, 1115,

1118,	1120,	\AddToShipoutPicture	\bfseries	1096–1098,	
1142,	1147– 938,	1100,	1105–1109	
1149,	1153–	1557, 1744, 1768	\break 1415,	
1155,	1159,	\affiliation 516	1417, 1418,	
1162–1165,		\Alph 1020	1427, 1428,	
1212,	1246–	\and	618, 1188, 1279, 1467	1441, 1715, 1726	
1249,	1253,	\appendix 1018		
1256–1258,		\appendixname 1021	C	
1263,	1264,	\arrname 100,	\c@question 1677
1356,	1358–	150, 206, 261,		\captionsdutch 146
1360,	1388,	315, 980, 1215, 1450		\captionsfrench	... 257
1394–1396,		\asoe 127, 182,	\captionsgerman	... 202
1406,	1408–	237, 291, 346, 380		\captionsspanish	.. 311
1410,	1416,	\AtBeginDocument	..	\carboncopy 833
1420,	1422,	144, 374, 1819, 1847		\cfoot 897, 904,
1424,	1426,	\AtEndDocument	914, 921, 930, 945	
1430,	1432, 1544, 1790		\chaptername	. 987, 1021
1434,	1436,	\author 426,	\thead 894, 901,
1438,	1440,	1186, 1277, 1465		911, 918, 927, 935	
1443,	1445–			\cleardoublepage	..
1447,	1449,	B	 1197,	
1453,	1510–	\baselineskip 41	1286, 1384, 1477	
1512,	1521,	\begin 691,	\clearpage	... 1177,
1523,	1525–	851, 854, 986,		1180, 1200,	
1531,	1540,	989, 1011, 1084,		1271, 1413,	
1545,	1547,	1089, 1093,		1480, 1666,	
1549,	1586,	1094, 1125,		1670, 1761, 1767	
1601,	1613,	1127, 1141,		\clip	1128, 1205, 1233,
1633,	1639,	1169, 1202,		1291, 1320,	
1653,	1688, 1690	1204, 1229,		1330, 1485,	
\{	115, 772, 802, 806,	1230, 1232,		1562, 1747, 1771	
	811, 815, 826, 843	1254, 1288,		\closing 825
\}	115, 772, 802, 806,	1290, 1313,		\copyright
	811, 815, 826, 843	1317, 1319,		... 980, 1214, 1449	
\`	... 267, 272, 273, 275	1329, 1385,		\copyrightnotices	. 766
\~ 320	1400, 1404,		\course 622
		1452, 1457,		\coursei 645
		1482, 1484,		\courseii 655
\ 1057, 1058,	1499, 1516,		\courseiii 665
	1060, 1062,	1532, 1559,		\courseiv 675
	1064, 1470, 1588	1561, 1686,		\courseversion 438
		1695, 1697,			
A		1702, 1715,	D		
\academicyear 762	1718, 1726,	\date	.. 1187, 1278, 1466	
\academicyearname	.	1730, 1735,	\dateenglish	. 1613,	
	. 105, 155, 211,	1746, 1770, 1797	1621, 1628,		
	266, 320, 1143, 1247	\bf	... 987, 992, 994,	1633, 1639,	
\address 841	999, 1012, 1148–		1640, 1646, 1653	
\addto	146, 202, 257, 311	1150, 1159,		\datename	. 103, 154,
\addtolength 41	1250, 1253, 1522		210, 265, 319, 1535	

<code>\DeclareOption</code>	1721, 1732,	<code>\facti</code> 139, 195,
. 3, 5, 9, 11, 15, 19	1737, 1738,	250, 304, 359, 386
<code>\def</code> 984, 1005, 1009, 1018	1758, 1778, 1794	<code>\facultyacronym</code> . . . 370
<code>\defensedate</code> <u>740</u>	<code>\engdut</code> <u>1693</u>	<code>\facwet</code> . . . 141, 198,
<code>\defenselocation</code> . . <u>744</u>	<code>\engdutm</code> <u>1724</u>	253, 307, 362, 387
<code>\definecolor</code> . . . 86–94	<code>\equal</code> 375–	<code>\fax</code> <u>793</u>
<code>\depot</code> <u>757</u>	387, 578, 580,	<code>\fi</code> 71, 80, 398,
<code>\diploma</code> <u>700</u>	582, 584, 586,	414, 432, 474,
<code>\domainname</code> . . . 102,	588, 593, 596,	483, 492, 501,
152, 208, 263, 317	601, 603, 605,	510, 640, 650,
<code>\draw</code> 1504, 1563, 1574,	607, 609, 611,	660, 670, 680,
1748–1750,	613, 618, 706,	906, 923, 943,
1752–1755,	708, 710, 712,	966, 1088, 1123,
1757, 1772,	714, 716, 718,	1137, 1175,
1773, 1775–1777	720, 722, 724,	1208, 1223,
	726, 728, 730, 732	1242, 1294,
E	<code>\errmessage</code>	1382, 1492,
<code>\EAN</code> 1458	. 388, 517, 523,	1523, 1525,
<code>\else</code> . . 899, 916, 941,	539, 545, 566,	1527–1530,
964, 1124, 1129,	590, 598, 615,	1547, 1549,
1196, 1206,	734, 753, 758, 842	1550, 1589, 1671
1234, 1292,	<code>\examdate</code> <u>863</u>	<code>\fill</code> 1486, 1685
1316, 1476,	<code>\examgroupnumber</code> . . <u>859</u>	<code>\filldraw</code> 1130–1132,
1523, 1525,	<code>\examlength</code> <u>867</u>	1207, 1235–
1527–1530,	<code>\exampart</code> 851, 857	1237, 1293,
1547, 1549,	<code>\ExecuteOptions</code> . . .	1322, 1338,
1550, 1589, 1668 22, 28, 35	1341, 1487, 1488
<code>\email</code> <u>784</u>	<code>\expandafter</code>	<code>\flushright</code> 1405
<code>\enclosed</code> <u>837</u>	. . . 1142, 1246,	<code>\fontfamily</code> . . . 940,
<code>\end</code> 686, 848,	1458, 1535, 1537	1585, 1587,
849, 995, 1001,	<code>\extrainfo</code> <u>883</u>	1594, 1599,
1013, 1086,		1601, 1606,
1113, 1114,	F	1612, 1614,
1144, 1171,	<code>\faccpg</code> . . . 116, 167,	1620, 1627,
1172, 1174,	222, 276, 331, 375	1632, 1638,
1176, 1220,	<code>\facfbd</code> . . . 118, 169,	1645, 1652, 1781
1222, 1260,	224, 278, 333, 376	<code>\fontseries</code> 940, 1585,
1267, 1269,	<code>\facggw</code> . . . 121, 173,	1587, 1599,
1270, 1295,	228, 282, 337, 377	1601, 1606,
1297, 1336,	<code>\faclw</code> 129, 184,	1612, 1614,
1379, 1381,	239, 293, 348, 381	1620, 1627,
1383, 1402,	<code>\facow</code> 131, 186,	1632, 1638,
1411, 1412,	241, 295, 350, 382	1645, 1652, 1781
1455, 1459,	<code>\facrec</code> . . . 135, 190,	<code>\fontshape</code> 940,
1489, 1491,	245, 299, 354, 384	1599, 1601,
1515, 1520,	<code>\facsw</code> 133, 188,	1612, 1614,
1540, 1660,	243, 297, 352, 383	1620, 1627,
1662, 1690,	<code>\factew</code> . . . 137, 192,	1632, 1638,
1699, 1704,	247, 301, 356, 385	1645, 1652, 1781
1705, 1720,		<code>\fontsize</code> . 940, 992,

1615,	1621,	486, 489, 491,	S
1628,	1633,	495, 498, 500,	<code>\savebox</code> 1083
1639,	1640,	504, 507, 509,	<code>\scriptsize</code>
1646,	1653, 1654	513, 520, 533–	.. 1510, 1534, 1536
<code>\raisebox</code> 988		536, 542, 558–	<code>\selectfont</code> 940, 992,
<code>\relax</code> 1182,		563, 569, 579,	994, 1585, 1587,
1183,	1185–	581, 583, 585,	1594, 1599,
1188,	1273,	587, 594, 595,	1601, 1606,
1274,	1276–	602, 604, 606,	1612, 1614,
1279,	1461,	608, 610, 614,	1620, 1627,
1462,	1464–	619, 636, 637,	1632, 1638,
1467, 1762, 1786		639, 643, 646,	1645, 1652, 1781
<code>\renewcommand</code>		647, 649, 653,	<code>\selectlanguage</code> 1696,
. 117, 119, 122,		656, 657, 659,	1701, 1706,
124, 126, 128,		663, 666, 667,	1729, 1734, 1739
130, 132, 134,		669, 673, 676,	<code>\sender</code> <u>770</u>
136, 138, 140,		677, 679, 683,	<code>\setcounter</code>
142, 147–161,		696, 697, 705,	42, 1019, 1181,
163, 165, 167–		742, 746, 750,	1272, 1460, 1676
170, 173, 174,		755, 760, 764,	<code>\setlength</code> 40, 950, 1548
176, 177, 179,		768, 774, 778,	<code>\setmcsymbol</code> <u>1709</u>
180, 182–184,		782, 787, 791,	<code>\shorttitle</code> <u>420</u>
186–193, 195,		795, 799, 803,	<code>\signature</code> <u>829</u>
196, 198–200,		807, 812, 816,	<code>\slshape</code>
203–217, 219,		820, 823, 827,	. 893, 895, 910, 912
221–225, 228,		831, 835, 839,	<code>\small</code> . 929, 931, 937,
229, 231, 232,		846, 847, 857,	942, 944–947, 1688
234, 235, 237–		861, 865, 869,	<code>\smallskip</code> 1444
239, 241–248,		873, 877, 881,	<code>\sprtr</code> .. 1053, 1059,
250, 251, 253–		885, 889, 951,	1061, 1063,
255, 258–273,		952, 956, 957,	1071, 1073, 1075
275–279, 282,		960, 961, 1020,	<code>\square</code> 1710
283, 285, 286,		1021, 1080,	<code>\stepcounter</code> 1679
288, 289, 291–		1227, 1311,	<code>\stretch</code> 1178
293, 295–302,		1555, 1677, 1711	<code>\string</code> 1055–
304, 305, 307–	<code>\RequirePackage</code> ...		1057, 1065–1069
309, 312–326,	. 45, 48–50, 56–		<code>\strut</code> 1534,
328, 330–334,	58, 62–64, 66,		1536, 1538, 1539
337, 338, 340,	70, 78, 79, 83,		<code>\studentnr</code> <u>887</u>
341, 343, 344,	1799, 1804, 1832		<code>\subject</code> <u>818</u>
346–348, 350–	<code>\returnaddress</code> <u>801</u>		<code>\subjectname</code> 104, 153,
357, 359, 360,	<code>\rfoot</code> 898, 905,		209, 264, 318, 1537
362–364, 373,	915, 922, 931, 946		<code>\subsection</code> 1796
394, 395, 397,	<code>\rhead</code> . 895, 902, 912,		<code>\subtitle</code> <u>404</u>
401, 411, 413,	919, 928, 937, 942		<code>\supervisor</code> <u>522</u>
417, 423, 428,	<code>\rightmark</code> ... 893, 910		<code>\supervisor_i</code> 533
429, 431, 435,	<code>\rooms</code> <u>879</u>		<code>\supervisor_ii</code> 534
440, 444, 455,	<code>\rotatebox</code> ... 939, 1780		<code>\supervisor_iii</code> 535
459, 471, 473,	<code>\rule</code> 987, 999,		<code>\supervisor_iv</code> 536
477, 480, 482,	1002, 1012, 1014		

\supervisorsname ..	1287, 1469,	\ua@X 1301, 1304, 1305,
. 107, 157, 213,	1478, 1481, 1498	1323, 1324,
268, 322, 1255,	\titeplageimage ... <u>748</u>	1326, 1331,
1356, 1406, 1418	\title <u>392</u> ,	1332, 1334,
	1185, 1276, 1464	1335, 1339,
T	\titlepageimage ... 750	1342, 1354,
\tat 31, 1527	\to <u>805</u>	1364, 1369,
\tend <u>875</u>	\toaddress <u>814</u>	1372, 1486–1488
\textbackslash	\toorganization ... <u>809</u>	\ua@Xh . 1026, 1028, 1030
..... 115, 518,	\tstart <u>871</u>	\ua@XMYba ... 1035, 1036
524, 540, 546,		\ua@XMYbb ... 1042, 1043
567, 754, 759,	U	\ua@XMYh 1028, 1029
772, 802, 806,	\ua@B ... 1304, 1308,	\ua@Y 1302, 1304, 1324,
811, 815, 826, 843	1323, 1334,	1331, 1332,
\textbf 1255,	1345, 1350, 1354	1339, 1342,
1367, 1370,	\ua@d ... 1049, 1139,	1366, 1373,
1378, 1398,	1145, 1151,	1377, 1486–1488
1414, 1415,	1157, 1160, 1167	\ua@Yh 1027, 1028
1418, 1428, 1443	\ua@H 1307, 1308	\ua@Z ... 1306, 1326,
\textcolor 929,	\ua@h .. 1308, 1326, 1345	1345, 1350,
931, 939, 987,	\ua@L 1305–	1354, 1364,
999, 1012, 1346,	1307, 1327, 1386	1366, 1369,
1351, 1355,	\ua@l ... 1048, 1139,	1372, 1373, 1377
1510, 1522,	1145, 1151,	\uaname 97, 147,
1535, 1537, 1780	1157, 1160, 1167	165, 203, 221,
\textsf . 1346, 1351,	\ua@ll 1047,	258, 275, 312,
1355, 1367,	1244, 1251, 1262	330, 447, 896,
1370, 1374,	\ua@Qba 1037, 1130, 1235	1142, 1214, 1246
1378, 1391, 1392	\ua@Qbb 1044, 1131, 1236	\uline 1510
\texttt .. 973, 1101–	\ua@Qh .. 1030, 1132,	\unit <u>780</u>
1104, 1162–1166	1207, 1237, 1293	\uppercase ... 1142,
\textwidth ... 1002,	\ua@R ... 1303, 1323,	1246, 1535, 1537
1014, 1349,	1324, 1331,	\usebox 1122, 1218
1353, 1376,	1332, 1339,	\usepackage 74
1400, 1404,	1342, 1487, 1488	\usetikzlibrary 65
1697, 1702,	\ua@Rba 1036,	
1718, 1730, 1735	1037, 1130, 1235	V
\thanks 1182, 1273, 1461	\ua@Rbb 1043,	\versionyear <u>442</u>
\thechapter 1044, 1131, 1236		\vfill .. 1387, 1390,
... 992, 994, 1020	\ua@Rh 1029,	1393, 1399,
\thepage 893,	1030, 1132,	1442, 1448, 1451
895, 902, 910,	1207, 1237, 1293	\vspace 830, 985, 1003,
912, 919, 931, 945	\ua@rr 1050	1010, 1015,
\thequestion 1677, 1680	\ua@Sba 1034, 1037	1121, 1178, 1665
\theta 990, 991	\ua@Sbb 1041, 1044	
\thispagestyle	\ua@Wba 1033, 1036	W
... 1190, 1198,	\ua@Wbb 1040, 1043	\weightname 143, 200,
1201, 1281,	\ua@Wh 1025, 1029	255, 309, 364, 1688