

```

1 <OT2wncyr>\ProvidesFile{ot2wncyr.fd}
2 <OT2wncyss>\ProvidesFile{ot2wncyss.fd}
3 <OT2wlcyr>\ProvidesFile{ot2wlcyr.fd}
4 <OT2wlcyss>\ProvidesFile{ot2wlcyss.fd}
5 [1999/12/17 v3.2a Computer Modern Cyrillic font definitions]

```

1 Computer Modern Roman in OT2 encoding

These fonts are from the University of Washington.

```

6 (*OT2wncyr)
7 \DeclareFontFamily{OT2}{wncyr}{\hyphenchar\font45 }
8 (*pdfTeX)
9 \@ifundefined{pdfoutput}{\iffalse{\ifnum\pdfoutput=1}
10 \DeclareFontShape{OT2}{wncyr}{m}{n}{<->wncyr10}{}
11 \DeclareFontShape{OT2}{wncyr}{m}{it}{<->wncyi10}{}
12 \DeclareFontShape{OT2}{wncyr}{m}{sc}{<->wncysc10}{}
13 \DeclareFontShape{OT2}{wncyr}{b}{n}{<->wncyb10}{}
14 \else
15 \pdfTeX
16 \DeclareFontShape{OT2}{wncyr}{m}{n}{%
17 <5><6><7><8><9>gen*wncyr%
18 <10><10.95><12><14.4><17.28><20.74><24.88>wncyr10}{}
19 \DeclareFontShape{OT2}{wncyr}{m}{it}{%
20 <5><6><7><8><9>gen*wncyi%
21 <10><10.95><12><14.4><17.28><20.74><24.88>wncyi10}{}
22 \DeclareFontShape{OT2}{wncyr}{m}{sc}{%
23 <5><6><7><8><9><10><10.95><12><14.4><17.28><20.74><24.88>wncysc10}{}
24 \DeclareFontShape{OT2}{wncyr}{b}{n}{%
25 <5><6><7><8><9>gen*wncyb%
26 <10><10.95><12><14.4><17.28><20.74><24.88>wncyb10}{}
27 \pdfTeX \fi
28 \DeclareFontShape{OT2}{wncyr}{bx}{n}{<->ssub*wncyr/b/n}{}
29 \OT2wncyr)

```

2 Computer Modern Sans in OT2 encoding

```

30 (*OT2wncyss)
31 \DeclareFontFamily{OT2}{wncyss}{\hyphenchar\font45 }
32 (*pdfTeX)
33 \@ifundefined{pdfoutput}{\iffalse{\ifnum\pdfoutput=1}
34 \DeclareFontShape{OT2}{wncyss}{m}{n}{<->wncyss10}{}
35 \else
36 \pdfTeX
37 \DeclareFontShape{OT2}{wncyss}{m}{n}{%
38 <5><6><7><8>wncyss8<9>wncyss9%
39 <10><10.95><12><14.4><17.28><20.74><24.88>wncyss10}{}
40 \pdfTeX \fi
41 \OT2wncyss)

```

3 Virtual WLCY fonts without ligatures

```

42 (*OT2wlcyr)

```

```

43 \DeclareFontFamily{OT2}{wlcyr}{\hyphenchar\font45 }
44 \langle *pdftex\rangle
45 \@ifundefined{pdfoutput}\iffalse{\ifnum\pdfoutput=1}
46 \DeclareFontShape{OT2}{wlcyr}{m}{n}{<->wlcyr10}{}
47 \DeclareFontShape{OT2}{wlcyr}{m}{it}{<->wlcyr10}{}
48 \DeclareFontShape{OT2}{wlcyr}{m}{sc}{<->wlcyr10}{}
49 \DeclareFontShape{OT2}{wlcyr}{b}{n}{<->wlcyr10}{}
50 \else
51 \langle /pdftex\rangle
52 \DeclareFontShape{OT2}{wlcyr}{m}{n}{%
53 <5><6><7><8><9>gen*wlcyr%
54 <10><10.95><12><14.4><17.28><20.74><24.88>wlcyr10}{}
55 \DeclareFontShape{OT2}{wlcyr}{m}{it}{%
56 <5><6><7><8><9>gen*wlcyr%
57 <10><10.95><12><14.4><17.28><20.74><24.88>wlcyr10}{}
58 \DeclareFontShape{OT2}{wlcyr}{m}{sc}{%
59 <5><6><7><8><9><10><10.95><12><14.4><17.28><20.74><24.88>wlcyr10}{}
60 \DeclareFontShape{OT2}{wlcyr}{b}{n}{%
61 <5><6><7><8><9>gen*wlcyr%
62 <10><10.95><12><14.4><17.28><20.74><24.88>wlcyr10}{}
63 \langle pdftex\rangle \fi
64 \DeclareFontShape{OT2}{wlcyr}{bx}{n}{<->ssub*wlcyr/b/n}{}
65 \langle /OT2wlcyr\rangle
66 \langle *OT2wlcyrss\rangle
67 \DeclareFontFamily{OT2}{wlcyrss}{\hyphenchar\font45 }
68 \langle *pdftex\rangle
69 \@ifundefined{pdfoutput}\iffalse{\ifnum\pdfoutput=1}
70 \DeclareFontShape{OT2}{wlcyrss}{m}{n}{<->wlcyrss10}{}
71 \else
72 \langle /pdftex\rangle
73 \DeclareFontShape{OT2}{wlcyrss}{m}{n}{%
74 <5><6><7><8>wlcyrss8<9>wlcyrss9%
75 <10><10.95><12><14.4><17.28><20.74><24.88>wlcyrss10}{}
76 \langle pdftex\rangle \fi
77 \langle /OT2wlcyrss\rangle

```