

The Celestia Theme

V1.0.4

Razik Ikhlef

① LANGUAGE

LANGUAGE Sets the document language (**english** by default), which is passed to the **babel** package loaded by the theme.

```
\usetheme[
  language=french,
]{Celestia}
```

② FONTS

MAINFACE Main font for text and titles (**Literata** by default)

MAINFACEOPTIONS Options directly passed to **fontspec** for the main font

SANSFACE Sans-serif font for structural elements (**Inter** by default)

SANSFACEOPTIONS Options passed to **fontspec** for the sans-serif font

MONOFACE Monospace font for code (**Roboto Mono** by default)

MONOFACEOPTIONS Options passed to **fontspec** for the monospace font

ALLSERIF Uses the main serif font for mathematics

```
\usetheme[
  mainface=EB Garamond,
  mainfaceoptions={Scale=1.1},
  sansface=Montserrat,
  monoface=Fira Code,
  allserif
]{Celestia}
```

③ COLORS

MAINCOLOR Main color used for titles and accents (**LaTeX** svgnames or **HTML** hexadecimal code)

ACCENTCOLOR Secondary color for special elements

BACKGROUNDCOLOR Slide background color (**F7F9FC** by default)

CODEBACKGROUNDCOLOR Code block background color (**F1F3F6** by default)

MAINBLUE Standard block color (**045549** by default)

MAINGREEN Example block color (**054924** by default)

MAINRED Alert block color (**490445** by default)

UNICOLOR Uses the main color for all text

```
\usetheme[
  maincolor=045549,
  accentcolor=E63946,
  backgroundcolor=FAFAFA,
  codebackgroundcolor=F5F5F5
]{Celestia}
```

④ LAYOUT

MARGIN Content margin (*2em* by default)

FRAMETITLE Title style (*elegant*, *plain*, *centered*)

DECORATIVE Enables decorative elements

NODECORATIVE Disables decorative elements

CENTEREDTITLE Centers the title on the title page

TITLERIGHT Right-aligns the title

```
\usetheme[
  margin=1.5em,
  frametitle=centered,
  decorative,
  centeredtitle
]{Celestia}
```

⑤ HEADERS

HEADSTYLE Font family for titles: *rmfamily* (serif) or *sffamily* (sans-serif)

HEADSHAPE Character style: *sc* (small caps), *it* (italic), *normal*

HEADWEIGHT Title weight: *bfseries* (bold) or *mdseries* (normal)

```
\usetheme[
  headstyle=sffamily,
  headshape=sc,
  headweight=bfseries
]{Celestia}
```

⑥ CODE

CODEBOX Enables code framing with *tcolorbox* (*true* by default)

NOCODEBOX Completely disables *tcolorbox* code framing

NOCODEFRAME Keeps *tcolorbox* but without visible border

```
\usetheme[
  nocodebox,
  nocodeframe
]{Celestia}
```

⑦ FOOTER

NOFOOTER Completely removes the footer, except for the slide number

QUARTERCIRCLEFOOTER Displays only the number in a quarter circle at the bottom right

FULLBARFOOTER Creates a complete bar with author/title/date and number in a circle

```
\usetheme[
  quartercirclefooter
]{Celestia}
```

⑧ TABLE OF CONTENTS

COMPACTTOC Reduces vertical spacing between table of contents entries

TWOCOLUMNTOC Automatically distributes sections across two balanced columns

```
\usetheme[
  compacttoc,
  twocolumntoc
]{Celestia}
```

⑨ BLOCKS

BLOCK Standard block for normal content

EXAMPLEBLOCK Block for examples

ALERTBLOCK Block for alerts

⑩ BLOCK STYLES

SOBERBLOCK The title adopts the main block color on the document's general background, while the body keeps a slightly tinted background (10%)

SOFTBLOCK The title and body share the same slightly tinted background (10%), with the title in the corresponding main color

```
\usetheme[
  soberblock
]{Celestia}
```

% or

```
\usetheme[
  softblock
]{Celestia}
```

11 **STANDOUT PAGES**

La commande `standout` transforme une diapositive en page spéciale, idéale pour les moments clés de la présentation : citations marquantes, chiffres essentiels, messages à retenir.